

WALKAROUND CABINS



DUAL CONSOLES



GRADY-WHITE 2011



CENTER CONSOLES



EXPRESS CABINS

Welcome to the Grady Life!

We are delighted to introduce you to the quality of life that a Grady-White brings to you and your family.

There are so many ways that Grady-White boat owners enjoy time on the water. For over 50 years, we have delivered a superbly engineered, superior quality product that has helped families like yours make priceless long lasting memories. We have perfected the one-to-one relationships with dealers and customers that make continuous innovations possible, model year after model year. Not too many businesses have achieved the longevity and personal connections that we have!

Grady-White boats have been designed since day one back in 1959 to be tough boats solidly built for big water. In the

late 1970s, we began to build the finest fiberglass saltwater fishing boats in their class. Working with C. Raymond Hunt Associates in the late 1980s, we created our exclusive SeaV²® hull that is, boat length for boat length, the best ride in boating.

For model year 2011, we're introducing the new *Freedom* Series, six dual console models that bring a new level of recreational versatility to coastal boating. We are not for an instant forgetting our saltwater fishing heritage. Our *Express* and walkaround cabin models and newly designated *Fisherman* and *Canyon* series center consoles, including the *Fisherman 230* and the *Canyon 366*, are second to none on the fishing grounds. No matter what your favorite recreational activities or which

waters you cruise, there's a style of Grady-White that's just right for you. Each and every one is backed by long-term craftsmen, associates, dealers and company managers—all being the industry's best.

Grady-White will be here for you, your children and grandchildren. When you want quality, safety, reliability, value and the ultimate in boating satisfaction, a Grady-White is in a class of its own. Thank you for considering our boats, and we hope you will visit your local dealer to learn more.

Eddie Smith, Jr.

Eddie Smith, Chairman & CEO

Kris Carroll

Kris Carroll, President



The Grady Life ownership experience connects family and friends like nothing else.



The Grady Life is a boat ownership experience offering you, your family and friends the ultimate in satisfaction. Perfect for a wide variety of coastal and big water activities, our boats make it possible for everyone to be together and at the same time “do their own thing.” Swimming, diving, all kinds of fishing, exploring, raft-ups, lunch or dinner cruises, campouts, wakeboarding and water skiing, or just “sunnin’ and funnin’”—these just scratch the surface of what Grady owners enjoy. The range of activities you experience can be endless while the togetherness is unparalleled. No other outdoor recreation compares in diversity and fellowship. You will feel confident and free to enjoy many adventures, and you will reap enormous rewards. We’ll be sure to make your experience as carefree as possible!

Grady customers are so content because of the company’s and dealers’ commitment to providing this ultimate boating experience. The values, principles and systems with which we’ve operated for over 50 years, and the resulting product introductions, help assure decades-long owner loyalty.

“Little did we know that by responding to a link on a website that we would find a group of people who have become almost like another family to us. We feel very privileged to have made such great friendships through our Grady-White club. Gary’s dad got the family started with Grady-White boats. Now our boys own one, too.”

—GARY AND MARGIE REEDY, *EXPRESS 330 OWNERS*,
CHESAPEAKE BAY GRADY-WHITE CLUB

You will be hard-pressed to find better product satisfaction. Ride and handling, features and controls, comfort and convenience, power and performance—all of these factors combine to deliver the on-the-water experience that Grady-White owners enjoy. Our dealers’ product knowledge helps you select the model and configuration that best suit your boating style. Dealer service schools and service certification assure the maintenance capability that keeps your boat running reliably.

Over our history, Grady-White has long been recognized for top customer satisfaction. Read customer testimonials. Visit grady-white.com and view the Grady Life photos. Page through our *Anchorline* newsletter, opt in on the website

to subscribe to our *e-Docklines*, and check the Grady Club, owner and dealer blogs, websites and *Facebook* pages nationwide. Our customers just love to share stories about their great Grady moments and how well their boats perform! These reflections are not the only benchmarks of owner enjoyment. Every third-party measure ever conducted in our industry for our category has ranked Grady-White Boats at the highest levels.

There are many annual Grady-White dealer events, tournaments, cruises and fishing schools enjoyed all over the country. A large and growing number of Grady-White Clubs share camaraderie throughout the year. We publish coming events and Club news in the *Anchorline* and at gradywhite.com. There’s a tremendous online resource center found at our website including a wonderful variety of customer tips to get even more out of the Grady Life. The employees and associates of our privately held company—often with relationships that span over five decades—actively keep in touch with you to hear about your great Grady days, so count on making many more special memories on the water with your family!

Grady-White: Historic highlights of a customer- and quality-focused company

1959

Glen Grady, Don White begin building small, tough, high quality wooden “works of art” for coastal boating that perform even in rough seas.

1968

Eddie Smith purchases Grady-White and completes the changeover to fiberglass production.

1972

Ground breaks for what remains today one of the most modern boat manufacturing facilities in the world.

1975

Grady-White introduces the *Hatteras 204-C Overnighter*, the company’s first walkaround model.

Grady-Built: The finest materials for built-in value and security



A Grady-White is no ordinary craft. Our 316-grade stainless steel hardware initially costs more than the industry standard 304 grade because of the expensive nickel and chromium in the alloy, plus molybdenum. Cast parts are passivated in acid to remove casting impurities, then buffed, then passivated



Our patented fold away aft bench seat is a result of our process of seeking customers' advice on the kinds of material and detail that work best. This means hardware and fixtures not only fit their function but that everything is placed right where you need it.

and buffed again. We test sample batches in our "instant ocean" salt bath. The result is hardware—such as our through-hull fittings—that's strong and durable even after years in a saltwater environment.

Whether we utilize a traditional glass laminate or a new composite or core material depends on the application. No matter which material we select, Grady-White's extensive in-house and on-the-water tests ensure long lasting value and low long-term cost of ownership.

Cabins are handsome, with eye-pleasing, durable fabrics. We test all appliances including microwaves, satellite radios, stereos, flat screen TVs and DVD players. Galley and head fixtures are the best available.

Resin transfer molded (RTM) parts such as fish box lids, hardtops and bow pulpits are solid and durable. RTM is especially preferable for fish box lids because the smooth underside surface is easier to clean than the rough glass painted surfaces found on competitors' products.



Gunwale mounted rod holders are chrome-over-bronze, impervious to UV rays and stronger than plastic. Rod racks are sturdy and easily accessible when the bite is on.

Super strong, durable polyethylene trim work and toe rails are tough for the long haul, plus they are low maintenance and their good looks last.

Grab rails, handholds, handles, swim ladders and transom door latches are battleship-tough. Cleats plus bow and stern eyes are made to strict Grady-White specifications. You get what you pay for with a Grady: safety, excellent function and very long lasting value. Years of trouble-free use and durable materials add up to a low cost of ownership.

1982

Grady-White's *Sailfish 25* ushers in the era of smaller outboard-powered offshore sportfishing boats.

1989

The *Marlin 28* introduces the SeaV²® hull, designed by C. Raymond Hunt Associates, delivering a soft, dry, true-tracking ride plus stability at lower speed.

1993

Kris Carroll, a Grady-White veteran, is named as Grady-White's new president.

2001

In the first J.D. Power and Associates study of the marine industry, Grady-White ranks "Highest in Customer Satisfaction with Center Console Boats."

Grady-Built: Built by craftsmen and superbly engineered through customer input

The people who design and engineer Grady-Whites are avid boaters themselves. Through ongoing contact with our boat owners, we create customer-driven designs that are constantly refined and thoroughly tested along the North Carolina coast to assure superb performance in the toughest conditions.

Our production professionals are real craftspeople. Hand laid fiberglass provides an unmatched laminate structure. Only 100% hand lay-up assures a uniform thickness for strength and structural stiffness. Grady-White uses this tried and true method, fitting patterned pieces of



Our latest plant expansion further improved the most productive, efficient and completely integrated boatbuilding facility in the world today. This functionality assures the highest product quality and longest lasting value for our customers.



Our electromechanically-operated electronics enclosures have dual functions. They lock up your valuable electronics, plus the height is adjustable so screens are easy to see in any light no matter how tall you are.

fiberglass to deliver consistent laminate thickness on every boat. The resin for every part is metered and measured so each has an optimal glass-to-resin ratio. Stringer systems are precision cut by computerized router and then glassed in while the hull is still in the mold so your SeaV² hull retains the correct shape. Our proven stringer grid system is consistently strong, light, phenomenally durable, and has a limited lifetime warranty. Closed cell foam sprayed in between the stringers adds strength and augments flotation.

Stringer systems are glassed into place while the hull is in its mold, ensuring your Grady holds its shape.



Super strong transoms are not only solidly Grady-Built of the strongest materials, but also reinforced with an angled aluminum brace to provide sure support for today's four-stroke engines. This bracing supports the top motor hole mounts, distributing torque throughout the transom.

At the helm threshold of our cabin models, decks are joined to liners with double through bolting. Aft of the seat boxes, another through-bolted and fiberglassed system forms a "box grid" to secure the deck and liner together, giving Grady-Whites support not found in other boats. All adding up to many years of enjoyment!



Skilled craftsmen apply hand laid fiberglass with precisely the right thickness and resin ratios. Top quality components assembled with skill result in quality, reliability and performance over the long haul.

2002

Express 330 named Boating Magazine "Boat of the Year." Grady-White ranks "Highest in Customer Satisfaction With Coastal Fishing Boats Two Years In a Row."

2003

Plant expansion provides customers with even greater quality and value. Grady-White ranks "Highest in Customer Satisfaction With Coastal Fishing Boats Three Years In A Row."

2005

Express 360 introduced, setting new benchmark for boating. GW ranks "Highest in Customer Satisfaction With Coastal Fishing Boats Four Times in a Row."

2007

Express 305 introduced. *Canyon 336* debuts, incorporates cabin comfort in a center console. GW ranks "Highest in Customer Satisfaction With Coastal Fishing Boats (17-28 feet) Six Times in a Row."

Grady-Built: Our exclusive SeaV²® hull is the ultimate offshore design.



Often imitated but never equaled, there is no ride like Grady-White's. Our exclusive SeaV² hull offers the industry's best combination of seakeeping, dryness, performance and speed. Grady-White factory

rigs four-stroke engines exclusively so the SeaV² hull is especially well balanced for the optimum performance of these new power sources.

Unlike other brands, a SeaV² hull design has no two places on the keel where the deadrise is the same. The vee continuously sharpens from the transom to the bow stem. A SeaV² hull design with 20 degrees of deadrise at the transom will have around 30 degrees amidships—more than even the most radical older deep vee designs. The deeper vee forward means a softer ride at sea. Less vee at




Look carefully at a Grady-White running. You can actually see three wakes coming off the hull. This is a reflection of the smooth, dry trademark Grady-White ride.

providing incredible tracking in quartering seas and especially in following seas. There are no rounded shapes to behave like a ball in the water that knows no upright position.


Strakes and chines knock the spray down cold. Check the spray coming off a SeaV² hull. You can actually see three bow wakes in smooth water. Those are the individual deflectors working. This is the reason SeaV² hulls are drier running than boats with rounded sections that blow spray past the strakes and chines and into the cockpit.

Grady-White delivers a deep vee ride with modified vee efficiency. Unlike other deep vee hulls, SeaV²


hulls provide a soft ride without fuel efficiency loss. A SeaV² hull slices through seas effortlessly with a sharp point of entry, and the varying deadrise builds buoyancy that lifts the boat as it proceeds through waves. The result: better performance.



Like a series of sea-cutting wedges



Strakes and chines knock down spray



Tracks in quartering seas

2008

Chesapeake 290 combines big boat-type cabin with a social helm and cockpit area. GW ranks "Highest in Customer Satisfaction With Coastal Fishing Boats (17-30 feet) Seven Times in a Row."

2009

Grady-White celebrates 50th anniversary. Ranks "Highest in Customer Satisfaction With Coastal Fishing Boats (17-30 feet) Eight Times in a Row."

2010

Fisherman 230 and *Canyon 366* debut; center consoles 28'-36' become *Canyon Series*. 2010 NMMA CSI (9th in a row) continues unbroken string of every industry award for customer satisfaction.

2011

Freedom Series dual consoles bring new level of recreational versatility to coastal boating. Grady center consoles 18'-27' now comprise *Fisherman Series*.

Fisherman 180

18' CENTER CONSOLE

"We caught the biggest flounder aboard our *Fisherman 180*! We've caught plenty of fish and crab, but this was a beauty. Just like our boat."

—MARY M. THOMAS, AVALON, NJ 180 OWNER

Beam Amidships: 7'5" (2.26 m)


Bridge Clearance: 5'7" (1.70 m)

Center Line Length: 17'10" (5.44 m)

Hull Draft: 15" (0.38 m)

Maximum HP: 150 (112 kW)

Weight w/o Engine: 2150 lb. (975 kg)



For detailed specifications see page 38.



Bow casting platform



Forward console with seating and bow anchor locker



Console with flush mount electronics area



Bow fish box

Freedom 192

19' DUAL CONSOLE


“Great multipurpose boat to fish, ski, swim on the lake, river, sound or inshore...the 192 is especially good with kids...has all the Grady-White quality in a fun family package...great ride, too!”

—JAY TYSON, FARMVILLE, NC GRADY-WHITE OWNER

Beam Amidships: 8' (2.44 m)
Center Line Length: 19'2" (5.84 m)
Hull Draft: 14" (.36 m)

Maximum HP: 200 (149 kW)
Weight w/o Engine: 2475 lb. (1123 kg)

For detailed specifications see page 38.



Cockpit forward with optional port sleeper seat



Bow seating with port dry storage and starboard ice box. Shown with optional forward bolsters and stereo speakers.



Bow anchor locker



Helm station with flush mount electronics area



Cockpit shower



Cushioned aft seating showing optional ski pylon deck mount

Freedom 205

20' DUAL CONSOLE


"I absolutely love my boat. It's versatile, great for fishing out on the open water of the Georgian Bay here in Ontario and great for pike fishing in shallow water, too. Great for the family—we pack a picnic, go tubing out on the lake, then anchor and take a swim and relax."

—JOHN WELSH, POINTE AU BARIL, ONTARIO 205 OWNER

Beam Amidships: 8'1" (2.46 m)
Bridge Clearance: 5'7" (1.70 m)
Center Line Length: 20'4" (6.20 m)

Hull Draft: 15" (0.38 m)
Maximum HP: 250 (187 kW)
Weight w/o Engine: 2810 lb. (1275 kg)

For detailed specifications see page 38.



Cockpit forward with optional port sleeper seat and cockpit bolsters



Lockable enclosed head area with storage nets



Helm station



Forward seating with insulated fish box

Adventure 208

20' WALKAROUND CABIN

"I fish offshore from harbors in the San Francisco Bay area and north from Bodega Bay, and I've taken my family water skiing and tubing in Lake Tahoe. Thanks for building such a versatile and safe boat."

—MICHAEL FISHER, BENICIA, CA ADVENTURE 208 OWNER

Beam Amidships: 8'1" (2.46 m)

Bridge Clearance: 5'9" (1.75 m)

w/Hardtop: 8' (2.44 m)


Center Line Length: 20'4" (6.20 m)

Hull Draft: 15" (0.38 m)

Maximum HP: 250 (187 kW)

Weight w/o Engine: 2900 lb. (1315 kg)

For detailed specifications see page 38-39.




Helm station with lockable electronics box



Cabin interior shown without auxiliary berth cushions; optional portable head



Cushioned aft seating



Cockpit forward with optional cockpit bolsters

Fisherman 209

20' CENTER CONSOLE

"My six-year-old son caught his first albacore on our 209.
Needless to say he was very excited."

—JAMES MOTT, SAN ANSELMO, CA 209 OWNER

Beam Amidships: 8'1" (2.46 m)

Bridge Clearance: 6'4" (1.95 m)

w/T-top: 7'9" (2.36 m)

Center Line Length: 20'4" (6.20 m)


Hull Draft: 15" (0.38 m)

Maximum HP: 250 (187 kW)

Weight w/o Engine: 2600 lb. (1179 kg)

For detailed specifications see page 39.

NEW!



Optional deluxe lean bar with rod holders; aft cushioned seats and fold down motorwell bulkhead; optional cockpit bolsters



Forward port and starboard fish boxes with cushions; optional forward bolsters



Console head area/storage compartment with dome light; optional portable head



Helm with optional T-top and deluxe lean bar with flip-up bolster

Fisherman 222

22' CENTER CONSOLE

"What a wonderful boat. We just love it! We got the 222 for my wife and kids to do everything from fishing off North Carolina to crabbing in the Chesapeake. The ride and handling are just amazing!"

—STEVE WANN, ST. MICHAELS, MD FISHMAN 222 OWNER

Beam Amidships: 8' (2.44 m)

Bridge Clearance: 6'2" (1.88 m)

w/T-top: 8' (2.44 m)


Center Line Length: 22'2" (6.76 m)

Hull Draft: 16" (0.41 m)

Maximum HP: 300 (224 kW)

Weight w/o Engine: 3160 lb. (1433 kg)

Shown with optional T-top. For detailed specifications see page 39.



Insulated bow fish boxes with overboard drains



Aft cockpit with fold down motorwell bulkhead with standard washdown, optional cockpit bolsters



Helm station with lockable electronics box

Freedom 225

22' DUAL CONSOLE

"I have all the confidence in the world in my boat, my dealer and Grady-White! We'll load the grandkids and take a ride to Blackbeard Island for a great day at the coast. My 225 has kept me safe in seven-foot waves and yet it's also great exploring the backwaters here in South Georgia."

—MIKE FLY, SOUTHERLAND BLUFF, GA 225 OWNER

Beam Amidships: 8' (2.44 m)

Bridge Clearance: 5'6" (1.68 m)

Center Line Length: 22'2" (6.76 m)

Hull Draft: 16" (0.41 m)


Maximum HP: 300 (224 kW)

Standard Fuel Capacity: 96 gal. (363 l)

Transom Width: 7'11" (2.41 m)

Weight w/o Engine: 3450 lb. (1565 kg)

For detailed specifications see page 40.



Cockpit forward with optional port sleeper seat and cockpit bolsters



Lockable enclosed head area and portable head



Transom with fold away bench seat, fish box and optional livewell



Optional soft top arch with ivory canvas

Seafarer 226/228

22' WALKAROUND CABIN

"I now fully understand the difference in quality and ride from other boats. The built-in livewell and fish boxes are great on my 228."

—TIM LEBLANC, CHAUVIN, LA SEAFARER 228 OWNER

Beam Amidships: 8' (2.44 m)

Bridge Clearance: 6'2" (1.88 m)

w/Hardtop: 8'4" (2.54 m)

Center Line Length: 22'2" (6.76 m)


Hull Draft: 16" (0.41 m)

Maximum HP: 300 (224 kW)

Weight w/o Engine:

226 (standard transom): 3385 lb. (1535 kg)

228 (Grady Drive transom): 3510 lb. (1592 kg)



Cabin interior shown with standard auxiliary berth cushions (sink not shown)



Aft cockpit with optional bolsters (Seafarer 226)



Grady Drive cockpit aft with optional bolsters (Seafarer 228)



Helm station with lockable electronics box



Cabin access forward between helm and companion seats

Fisherman 230

23' CENTER CONSOLE

"I can fly fish at the bow without snagging my line, and the deep cockpit is very safe. We like to cruise to restaurants with other couples, and there's plenty of seating."

—RODGER AND BETTY HESS, NEW YORK CITY/JUPITER, FL FISHMAN 230 OWNERS

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'8" (1.88 m)

w/T-top: 8'5" (2.57 m)

Center Line Length: 22'8" (6.9 m)


Hull Draft: 20" (.51 m)

Maximum HP: 300 (224 kW)

Weight w/o Engine: 4002 lb. (1815 kg)

Shown with optional T-top. For detailed specifications see page 40-41.

NEW!



101-qt. (96 l) port and starboard forward insulated fish boxes w/ob drain. Access to bow at deck level.



Helm showing footrest, flush mount electronics kit, acrylic windshield and optional T-top with radio box



Bow anchor locker with optional anchor windlass



72-qt. (68 l) removable cooler seat forward (cooler upgrade shown)



Optional patented aft fold away bench seating with cushion



Optional deluxe lean bar with backrest and flip-up bolster

Gulfstream 232

23' WALKAROUND CABIN

"Our 232 is our second Grady and exceeds every expectation. We fish up to 50 miles offshore with total confidence and cruise Charleston Harbor with every comfort and convenience. Wide, roomy, safe and seaworthy—this is a terrific boat."

—PAT AND MIKE OBSTFELD, MOUNT PLEASANT, SC GULFSTREAM 232 OWNERS

Beam Amidships: 9'3" (2.82 m)

Bridge Clearance: 6'5" (1.96 m)

w/Hardtop: 8'8" (2.64 m)

Center Line Length: 23'5" (7.14 m)


Hull Draft: 20" (0.51 m)

Maximum HP: 400 (298 kW)

Weight w/o Engine

232S: 4538 lb. (2058 kg)

232D: 4605 lb. (2089 kg)



Shown with optional hardtop. For detailed specifications see page 41.



Helm area with optional Deluxe II helm chairs



Cabin interior shown without auxiliary berth cushions



36-gallon (136.3 l) livewell and tackle drawers



Head area in lockable cabin, with fold down cover; optional electric marine head shown



Helm station with electronics flush mount area



Fold away aft bench seat

Freedom 255

25' DUAL CONSOLE


"How much do I love Grady-White's new *Freedom 255*? So much so that I proposed to my girlfriend, Nicole, while aboard!"

—MATT FRENCH, POINTE AU BARIL, ONTARIO 255 ENTHUSIAST

Beam Amidships: 8'6" (2.59 m)
Bridge Clearance: 5'7" (1.70 m)
w/Hardtop: 7'8" (2.34 m)
Center Line Length: 24'9" (6.9 m)

Hull Draft: 20" (.51 m)
Maximum HP: 350 (261 kW)
Weight w/o Engine: 4459 lb. (2023 kg)

NEW!



For detailed specifications see page 41.



Cockpit forward



Lockable enclosed head with storage nets; optional marine head shown



Bow seating area with cushions, bolsters and optional stereo speakers



Optional port sleeper seat with storage



Transom with fold away bench seat

Fisherman 257

25' CENTER CONSOLE

"I love that our 257 allows us to fish off the beach at Cape Cod for stripers and blues, and go into deepwater for bluefin tuna. We like whale watching, too."

—JOHN PLANSKY, LEXINGTON, MA 257 OWNER

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 7' (2.13 m)

w/T-top: 8'6" (2.59 m)


Center Line Length: 24'9" (7.54 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 350 (261 kW)

Weight w/o Engine: 4045 lb. (1835 kg)

Shown with optional T-top. For detailed specifications see page 42.



Helm with flush mount electronics area



Bow seating with insulated storage



Deluxe lean bar with footrest, backrest and fold down bolster



Lockable stand up console head enclosure with storage shelves and hanging locker; shown with optional portable head

Journey 258

25' WALKAROUND CABIN

"My 258 is fantastic for tuna fishing in the Otranto Channel, where weather conditions can change quickly. I have confidence in the safety and seaworthiness of my boat."

—FEDERICO ERRICO, BARI, ITALY JOURNEY 258 OWNER

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'6" (1.98 m)

w/Hardtop: 8'8" (2.64 m)


Center Line Length: 24'9" (7.54 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 350 (261 kW)

Weight w/o Engine: 4320 lb. (1960 kg)

Shown with optional hardtop. For detailed specifications see page 42.



Cabin interior shown with auxiliary berth cushions



Helm station with lockable electronics box



Aft cockpit with insulated box and cockpit shower



158-qt. starboard insulated fish box with overboard drain

Fisherman 273


27' CENTER CONSOLE

"My 273 is my third Grady-White. I fish on Long Island Sound and Naragansett Bay for stripers, fluke—whatever is biting. What I enjoy the most is that it is so easy to use whether fishing, cruising with the family, or maneuvering around the dock."

—THOMAS ELES, STAMFORD, CT 273 OWNER

Beam Amidships: 8'6" (2.59 m)
Bridge Clearance: 6'9" (2.06 m)
w/T-top: 8'3" (2.51 m)
Center Line Length: 26'11" (8.20 m)

Hull Draft: 20" (0.51 m)
Maximum HP: 500 (373 kW)
Weight w/o Engine: 4843 lb. (2197 kg)



Helm console with electromechanically operated lockable electronics enclosure



Lockable rod storage under gunwales keeps rods secure and safe



Bow fish boxes convert to bow seats (optional casting platform insert available)



Fold away aft bench seat, livewell, 185-qt. fish box and transom door

Freedom 275

27' DUAL CONSOLE

"I've been boating all my life, and the 275 is the greatest boat I've ever owned. The layout is absolutely perfect for someone who enjoys pleasure cruising, fishing and taking the kids tubing and skiing. The stability and responsiveness are amazing."

—MELVIN CLINE, CHESAPEAKE BEACH, MD 275 OWNER

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'4" (1.93 m)

Bridge Clearance w/Hardtop: 8'6" (2.59 m)


Center Line Length: 26'11" (8.20 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 500 (373 kW)

Weight w/o Engines: 4972 (2255 kg)

Shown with optional hardtop. For detailed specifications see page 43.



Deluxe cushioned bow seating with table (doubles as cockpit area table)



Cockpit shown with optional port electric extendable lounge seating



Head area with extended storage, shown with optional electric marine head



Aft fold away bench seating, 185-qt. insulated fish box, and 128-qt. cooler (32-gal. livewell optional)

Canyon 283

28' CENTER CONSOLE

"The 283 is my sixth Grady-White. I wanted a fast boat to reach the Keys but not something too big. The 283 is a perfect combination of a long range boat for the open water and one that my wife and I can take out every day for cruising. I looked at two other makes, but Grady had the best handling, level of quality and solid engineering."

—REESE KAUFFMAN, SANIBEL, FL 283 OWNER

Beam Amidships: 9'6" (2.90 m)

Bridge Clearance: 7'7" (2.31 m)

w/T-top: 9' (2.74 m)


Center Line Length: 28' (8.53 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 600 (448 kW) w/V6 engines only

Weight w/o Engines: 5864 lb. (2660 kg)


Shown with optional T-top. For detailed specifications see page 43.



Deluxe lean bar rigging station with livewell, tackle storage and freshwater sink



Helm console with electromechanically operated lockable electronics enclosure



Lockable head enclosure with fold down cover, sink and storage

Chesapeake 290

29' WALKAROUND CABIN


"We've always wanted to cruise farther west to places like the Gulf Islands, and now with the 290 we can. Our girls love the cabin, and the first day we were out Melanie caught a 22-pound chinook salmon—her biggest ever."

—DR. KURT AND MELANIE TSUYUKI, SURREY, BRITISH COLUMBIA
CHESAPEAKE 290 OWNERS

Beam Amidships: 9'11" (3.02 m)
Bridge Clearance w/Hardtop: 9'9" (2.97 m)
Center Line Length: 28'6" (8.69 m)
Length Overall (w/bow roller): 29'9" (9.07 m)

Hull Draft: 24" (0.6 m)
Maximum HP: 600 hp (448 kW)
Weight w/o Engines: 7650 lb. (3470 kg)

Shown with optional hardtop-mounted rod holders.
For detailed specifications see page 44.



Easy access for optional generator



Fold away aft bench seat



Cabin interior with galley, cherry table, vee berth and teak and holly sole

Marlin 300

30' WALKAROUND CABIN


"Our family has owned several *Marlin 300* models, logging hundreds of happy hours. When my first son was born, we named him Grady!"

—KEITH FRANTZ, HICKMAN, CA *MARLIN 300* FAMILY

Beam Amidships: 10'7" (3.23 m)
Bridge Clearance w/Hardtop: 9'9" (2.97 m)
Center Line Length: 30'6" (9.30 m)
Length Overall (w/pulpit): 32'7" (9.93 m)

Hull Draft: 23" (0.58 m)
Maximum HP: 700 (522 kW)
Weight w/o Engines: 8221 lb. (3729 kg)

For detailed specifications see page 44.



Cockpit forward showing helm area and seating




Fold away bench seat, transom door, fish box and lift out box



Cabin interior with optional flat screen TV and DVD player



Aft double berth with storage nets



Cabin interior featuring galley, cherry dinette table, teak and holly sole, vee berth and enclosed head

Express 305

30' EXPRESS CABIN


"I like the center steering, huge windshield, hidden electronic box (a real '10'), the hardtop hatch, the one-piece bow rail and a fish box that never ends. My 305 is great for days fishing and laughing with my friends, kids and grandchildren."

—RON SCHAEFER, EDGEWATER, MD EXPRESS 305 OWNER

Beam Amidships: 10'7" (3.23 m)
Bridge Clearance w/Hardtop: 9'9" (2.97 m)
Center Line Length: 30'6" (9.30 m)
Length Overall (w/pulpit): 32'7" (9.93 m)

Hull Draft: 23" (0.58 m)
Maximum HP: 700 (522 kW)
Weight w/o Engines: 8850 lb. (4014 kg)

For detailed specifications see page 44-45.



Lockable head enclosure

Cabin interior featuring galley, cherry dinette table, teak and holly sole



Cockpit forward with transom door



Helm station with electromechanically operated lockable electronics enclosure

Canyon 306

30' CENTER CONSOLE

"We love to fish for king mackerel and the 306 is really a great offshore boat. But take the rods off, and it's really family ready, full of creature comforts. With the spacious console and comfortable seats and bow cushions, my wife and three-year-old enjoy great afternoon and evening picnics."

—BRANDON MALLARD, GEORGETOWN, SC 306 OWNER

Beam Amidships: 10'7" (3.23 m)

Bridge Clearance: 7'3" (2.21 m)

w/T-top: 9'4" (2.84 m)


Center Line Length: 30'6" (9.30 m)

Hull Draft: 21" (0.53 m)

Maximum HP: 700 (522 kW)

Weight w/o Engines: 6950 lb. (3152 kg)

Shown with optional T-top. For detailed specifications see page 45.



Command seating helm area with two deluxe adjustable sliding chairs and rigging station with freshwater sink, pullout faucet and insulated livewell



Lockable head enclosure with fold down cover, sink and storage



Helm console with electromechanically operated lockable electronics enclosure



Anchor locker with windlass

Freedom 307

30' DUAL CONSOLE


“My brother, our sons and I had a double blue marlin day off the north side of St. Lucia aboard my 307. One was just over 300 pounds. This is a great boat for family day cruising as well as fishing. This is my third Grady, and I would never consider another make.”

—JOHN RITTENHOUSE, LONDON, ENGLAND/GROS ISLET, ST. LUCIA
FREEDOM 307 OWNER

Beam Amidships: 10'7" (3.23 m)
Bridge Clearance: 6'11" (2.11 m)
w/Hardtop: 8'10" (2.69 m)
Center Line Length: 30'6" (9.30 m)

Hull Draft: 22" (0.56 m)
Maximum HP: 700 (522 kW)
Weight w/o Engines: 7850 lb. (3561 kg)

Shown with optional hardtop. For detailed specifications see page 45.



Deluxe cushioned bow seating with table (doubles as a cockpit area table)



Cockpit forward showing companion seating area with electric extendable lounge seating, and wet bar with optional refrigerator, inverter and grill under Corian® countertop



Stand up head area with bulk storage; fold down head cover creates 5' berth.

Express 330

33' EXPRESS CABIN

"We were looking for a boat that would be perfect for completing America's Great Loop, and fell in love with the *Express 330*."

—CHRIS BRANCH AND RUSS OTTERBINE, BOYNE CITY, MI/OLDSMAR, FL
EXPRESS 330 OWNERS

Beam Amidships: 11'7" (3.53 m)

Bridge Clearance w/Hardtop: 9'10" (3.00 m)

Center Line Length: 33'6" (10.21 m)


Length Overall (w/pulpit): 35'10" (10.92 m)

Hull Draft: 25" (0.64 m)

Maximum HP: 700 (522 kW)

Weight w/o Engines: 10,840 lb. (4917 kg)

Shown with optional 15-ft. outrigger. For detailed specifications see page 46.



Starboard helm surround seating (middle cushion area folds down)



Helm area surround seating shown with optional Deluxe Platinum helm chair



Helm console with electromechanically operated lockable electronics enclosure



254-qt. aft deck insulated fish box



Easy access for standard generator



Port side tackle station and sink



Cabin interior showing access to aft double berth



Head enclosure with extensible shower faucet



Cabin interior with cherry table and teak and holly sole



Cabin interior featuring galley with refrigerator and microwave and flat screen 15" LCD TV w/DVD player and audio visual inputs

Canyon 336

33' CENTER CONSOLE

"I've had five boats including large inboards, and the *Canyon 336* is by far the best combination of hull, power and accommodations I have ever experienced. It's perfect whether I am scuba diving, or fishing with my friends, or just enjoying the day on the water with my wife and family. The anchoring system is superb."

—NORM CHAMBERS, GLOUCESTER, MA *CANYON 336* OWNER

Beam Amidships: 11'7" (3.53 m)

Bridge Clearance: 8' (2.44 m)


w/T-top: 9'2" (2.79 m)

Center Line Length: 33'6" (10.21 m)

Hull Draft: 25" (0.64 m)

Maximum HP: 700 (522 kW)

Weight w/o Engines: 9200 lb. (4173 kg)



Lockable console interior with stand up head, shower, sink, rod storage, bulk storage and electrical access



Rigging station with freshwater washdown, 104-qt. cooler, tackle drawers, storage, rod holders and knife & pliers holder



Console forward berth



Bow casting area with optional platform insert and cushions



Center helm lean bar with three deluxe sliding seats and footrest, electromechanically operated lockable electronics enclosure



Express 360


36' EXPRESS CABIN

"Our family of five spent a month in the Bahamas on our *Express 360*, and everyone was totally comfortable. We covered over 1500 miles at average cruising speeds of 25-31 mph."

—SCOTT AND ANJA BRANE, CLEARWATER, FL *EXPRESS 360 OWNERS*

Beam Amidships: 13'2" (4.01 m)	Hull Draft: 29" (0.74 m)
Bridge Clearance w/Hardtop: 10'6" (3.20 m)	Maximum HP: 1050 (783 kW)
Center Line Length: 36'7" (11.15 m)	Freshwater Capacity: 65 gal. (246 l)
Length Overall (w/pulpit): 39'3" (11.96 m)	Weight w/o Engines: 14,919 lb. (6767 kg)

Optional hardtop-mounted 24-foot outriggers shown.
For detailed specifications see page 46-47.



360 shown with optional hardtop enclosure



Head/shower area includes sink with Corian® counter surface, separate shower area with curtain, teak grate over shower drain, full length mirror, VacuFlush® head, lighted vanity mirror, cherry shelves, storage areas.



Aft berth includes 56" x 84" sleeping area with privacy curtain, teak foot well, cherry hanging locker with cedar lining, bulk storage, six rod holders.



Helm surround seating includes innovative slide-away table, chart/storage area, additional fold away seating and deluxe cushioning.



Main cabin includes teak and holly sole, seating for four at cherry dinette table, variable accent lighting, 16,000 BTU air conditioning with zone cooling, expansive forward berth with storage and privacy curtain, and cherry enclosed storage areas.



Cockpit forward showing 96-sq. ft. cockpit, helm station with deluxe chair, and port and starboard lounge seating



Helm includes deluxe adjustable seating, power assisted tilt steering, electronically programmable throttles with engine synch mode, electromechanically operated electronics enclosure, and easy-access accessory fuse compartment.



291-qt. aft deck refrigerator/freezer fish box (shown) along with 55-qt. refrigerator/freezer aft helm port box (not shown), both controlled by digital thermostat. Chill coils are located in the walls of foam insulated boxes, increasing efficiency and greatly reducing the need for ice. Coil configuration and overboard drains keep boxes clean, open and easy to maintain.

Canyon 366

36' CENTER CONSOLE


The name “*Canyon*” is very apt for all four of our center console boats from 28 to 36 feet—real long-range fishing boats with the comfort features to double as great family day boats.”

—DAVID NEESE, GRADY-WHITE VICE PRESIDENT OF ENGINEERING

Beam Amidships: 13'2" (4.01 m)
Bridge Clearance w/T-top: 9' (2.74 m)
Center Line Length: 36'7" (11.15 m)
Hull Draft: 29" (0.74 m)

Maximum HP: 1050 (783 kW)
Freshwater Capacity: 54 gal. (204.4 l)
Weight w/o Engines: 12,850 lb. (5829 kg)

For detailed specifications see page 47.



Lean bar with 41-gal. (155.2 l) insulated raw water livewell with see-through lid, light, full column distribution inlet and overboard drain (110 GPH pump) (4164 LPH); lure holder and rigging station with freshwater sink, shown with optional second livewell; available standard with 164-qt. (155.2 l) cooler



Electromechanically operated electronics enclosure (enclosure up)



Console interior arrangement



Optional 1300 watt grill



Helm/lean bar seating with three deluxe sliding chairs with flip-up bolsters



Berth cushion with adjustable bolster



Factory options add to your Grady Life.



▲ Hardtop front and side curtains for models 20' and up (330 shown). Drop curtain is available. Frames style and canvas vary per model.



▲ Cabin model hardtop with lockable radio box(es), spreader light(s), side rod holders and overhead storage net (optional models 22'-25', standard 29'-36')



▲ Hardtop with lockable radio box, spreader lights and rod holders (208)



▲ Ivory canvas option for 225 soft top arch, hardtops, T-tops (255, 275, 283, 290, 300, 305, 306, 307, 330, 336, 360, 366)



▲ Fisherman series Bimini top (180, 209, 222)



▲ Freedom Series hardtop (255, 272, 307)



▲ Bow casting platform insert with cushions (209, 230, 257, 273, 283, 306, 336, 366); sun platform insert with cushions (205, 225, 255, 275, 307)



▲ Walkaround series vista top and side curtains (208, 226/228, 232, 258)



▲ Bow thruster (290, 300, 305, 306, 307, 330, 336); standard on 360, 366



▲ Freedom series vista top and side curtains (205, 225, 255, 275, 307)



▲ Bow pulpit shown with anchor windlass option



▲ Cabin rod racks (holds 4)



▲ Raw water livewell (lean bar option; 209, 222)

You'll enjoy your Great Grady Days even more when you accessorize with quality factory options that complement your boating style. Not all options shown here. For more information on factory options available per model, ask your dealer or visit www.gradywhite.com.



▲ Deluxe I helm chair



▲ Deluxe II helm chair



▲ Deluxe III helm chair



▲ Companion bench seat (300 shown)



▲ Jump seat (222)




▲ Companion bench seat (208, 226)




▲ Optional deluxe lean bar w/backrest and flip-up bolster (209, 222, 230)


(Painted color hulls are available on all models. Colors printed here are only approximate. Please see your dealer for actual paint chip samples.)



▲ Sunlight yellow



▲ Seafoam green



▲ Sky blue



▲ Slate blue



▲ Freedom series sleeper seat with storage (205, 225, 255)



▲ Ski pylon (180, 192, 205, 225, 230, 255, 275, 307); placement varies



▲ 366 motorized bow table. Manual bow and/or cockpit tables are available options (205, 225, 255, 257, 273, 283, 306, 366; standard on 275, 307). Tables vary per model.



▲ Electric grill (255, 275, 307, 366)

Fisherman 180

18' Center Console

Beam Amidships: 7'5" (2.26 m)
 Bridge Clearance: 5'7" (1.70 m)
 Center Line Length: 17'10" (5.44 m)
 Cockpit Depth: 22" (0.56 m)
 Cockpit Square Footage: 48 sq. ft. (4.5 m²)
 Hull Draft: 15" (0.38 m)
 Maximum HP: 150 (112 kW)
 Outboard Shaft Length: 25" (0.64 m)
 Standard Fuel Capacity: 60 gal. (227 l)
 Transom Width: 7'2" (2.18 m)
 Weight w/o Engine: 2150 lb. (975 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1100 GPH) (4164 LPH)
 Bow rail - low profile 316 grade stainless steel
 Cockpit toe rails
 Console grab rail
 Fire extinguisher holder
 Level flotation
 Nonskid fiberglass liner
 Self-bailing cockpit w/cockpit drains (2)
 Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
 Casting platform (raised)
 Deck hardware - 316 grade stainless steel through-bolted
 Drink holders (4)
 Factory engine pre-rigging
 Fish box - 89-qt. (84.2 l) insulated fish box/storage area w/ob drain
 Fuel capacity - 60-gallon (227 l) tank
 International lighting
 Rod holders (4)
 Rod storage racks - horizontal (4)
 Rubrail - high density PVC w/stainless steel insert
 Seating - aft seats (2)
 Seating - bench seat w/reversible back
 Spring line cleats
 Stern eyes - heavy-duty 316 stainless steel
 Storage - aft rigging compartments (2)
 Storage - forward anchor locker w/rode storage

Console

Accessory outlet - 12V
 Compass
 Drink holders (2)
 Footrest
 Ice box - 45-qt. (42.6 l) forward insulated ice box w/ob drain
 Rod storage holders - vertical (4)

Seating - forward console seat
 Steering - no-feedback mechanical
 Steering wheel - 316 grade stainless steel
 Storage - lockable console storage w/service light
 Windshield - acrylic windshield w/handrail

OPTIONAL FEATURES

Battery select switch w/extra battery
 Bow lifting ring
 CE certification package
 Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)
 High bow rail
 Hydraulic trim tabs w/indicator & retractor
 Livewell - 11-gallon (41.6 l) insulated raw water livewell
 Painted hull
 Seating - forward platform cushions
 Ski pylon
 Steering - hydraulic
 Steering - hydraulic tilt
 Swim platform w/ladder
 Washdown - pressurized raw water w/hose

CANVAS OPTIONS

Bimini top w/boot



Freedom 192

19' Dual Console

Beam Amidship: 8' (2.44 m)
 Bridge Clearance: 4'9" (1.45 m)
 Center Line Length: 19'2" (5.84 m)
 Cockpit Depth: 25" (.64 m)
 Cockpit Square Footage: 37 sq. ft. (3.4 m²)
 Hull Draft: 14" (.36 m)
 Maximum HP: 200 (149 kW)
 Outboard Shaft Length: 25" (.64 m)
 Standard Fuel Capacity: 60 gal. (227 l)
 Transom Width: 7'8" (2.34 m)
 Weight w/o Engine: 2475 lb. (1123 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1100 GPH) (4164 LPH)
 Bow rail - low profile 316 grade stainless steel
 Cockpit toe rails
 Companion grab rail
 Level flotation
 Nonskid fiberglass liner
 Self-bailing cockpit w/cockpit drains (2)
 Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck

Accessory outlet - 12V (2)
 Deck hardware - 316 grade stainless steel
 Drink holders (6)
 Factory engine pre-rigging
 Forward bolsters
 Fuel capacity - 60-gallon (227.1 l) tank
 Ice box - 44-qt. (41.6 l) starboard bow insulated ice box w/ob drain
 Integrated outboard mounting system w/swim platform & ladder
 International lighting
 Rod holders (4)
 Rod storage racks - horizontal (4)
 Rubrail - high density PVC w/stainless steel insert
 Seating - aft seats (2)
 Seating - helm & companion pedestal chairs
 Seating - port & starboard bow box cushions
 Spring line cleats
 Steering - no-feedback mechanical
 Steering wheel - 316 grade stainless steel
 Stern eyes - heavy-duty 316 stainless steel
 Storage - forward anchor locker w/rode storage
 Storage - lockable console storage compartment w/service light
 Storage - lockable glove box
 Storage - port bow seating storage compartment
 Windshield - walk-through tempered glass windshield
 Windshield wiper (starboard)

OPTIONAL FEATURES

Battery select switch w/extra battery
 Bow lifting ring
 CE certification package
 Cockpit freshwater shower (recessed)
 Hydraulic steering
 Livewell - 13-gallon (50.2 l) insulated raw water livewell w/cushion
 Painted hull
 Seating - Deluxe I helm chair (starboard)
 Seating - Deluxe I helm & companion chairs
 Seating - port sleeper seat w/storage
 Seating - starboard sleeper seat w/storage
 Sirius satellite radio system
 Ski pylon
 Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready
 Washdown - pressurized raw water w/hose
 Water tank - 10-gallon (37.9 l) freshwater

CANVAS OPTIONS

(Available in ivory or navy)
 Aft curtain
 Bow cover
 Vista top w/boot
 Vista top front & side curtains



Freedom 205

20' Dual Console

Beam Amidships: 8'1" (2.46 m)
 Bridge Clearance: 5'7" (1.70 m)
 Center Line Length: 20'4" (6.20 m)
 Cockpit Depth: 25" (0.64 m)
 Cockpit Square Footage: 47 sq. ft. (4.4 m²)
 Hull Draft: 15" (0.38 m)
 Maximum HP: 250 (187 kW)
 Outboard Shaft Length: 25" (0.64 m)
 Standard Fuel Capacity: 82 gal. (310 l)
 Transom Width: 7'10" (2.39 m)
 Weight w/o Engine: 2810 lb. (1275 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1100 GPH) (4164 LPH)
 Basic flotation
 Bow rail - low profile 316 grade stainless steel
 Cockpit toe rails
 Companion grab rail
 Fire extinguisher holder
 Nonskid fiberglass liner
 Self-bailing cockpit w/cockpit drains (2)
 Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
 Accessory outlet - 12V
 Battery select switch w/extra battery
 Cockpit lights - LED lighting
 Compass
 Deck hardware - 316 grade stainless steel through-bolted
 Drink holders (8)
 Factory engine pre-rigging
 Fish box - 64-qt. (60.6 l) aft deck insulated fish box w/ob drain
 Fish box - 83-qt. (78.5 l) starboard bow insulated fish box w/ob drain
 Fuel capacity - 82-gallon (310.4 l) tank
 Head - lockable console head area w/dome light & storage nets
 International lighting
 Rod holders (4)
 Rod storage racks - horizontal (6)
 Rubrail - high density PVC w/stainless steel insert
 Seating - aft seats (2)
 Seating - helm & companion pedestal chairs
 Seating - port & starboard bow box cushions
 Spring line cleats
 Steering - no-feedback mechanical
 Steering wheel - 316 grade stainless steel
 Stern eyes - heavy-duty 316 stainless steel
 Storage - forward anchor locker w/rode storage
 Storage - lockable console compartment w/service light
 Storage - port bow seat compartment
 Windshield - walk-through tempered glass windshield
 Windshield wiper (starboard)

OPTIONAL FEATURES

Bow lifting ring
 CE certification package
 Cockpit bolsters
 Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)
 Forward bolsters
 Head - portable
 Hydraulic trim tabs w/indicator & retractor
 Livewell - 16-gallon (60.6 l) insulated raw water livewell
 Painted hull
 Seating - Deluxe I helm & companion chairs
 Seating - Deluxe I helm chair
 Seating - port sleeper seat w/storage drawer
 Sirius satellite radio system
 Ski pylon
 Steering - hydraulic (required w/F200, F225 & F250 engines)
 Steering - hydraulic tilt
 Stereo system w/MP3/auxiliary audio connections & flip-down storage - satellite ready
 Sun platform insert w/cushion
 Swim platform w/ladder
 Table (bow)
 Washdown - pressurized raw water w/hose

CANVAS OPTIONS

(Available in ivory or navy)
 Aft curtain
 Bow cover
 Drop curtain
 Vista top w/front & side curtains



Adventure 208

20' Walkaround Cabin

Beam Amidships: 8'1" (2.46 m)
 Bridge Clearance: 5'9" (1.75 m)
 w/Hardtop: 8' (2.44 m)
 Center Line Length: 20'4" (6.20 m)
 Cockpit Depth: 25" (0.64 m)
 Cockpit Square Footage: 41 sq. ft. (3.8 m²)
 Hull Draft: 15" (0.38 m)
 Maximum HP: 250 (187 kW)
 Outboard Shaft Length: 25" (0.64 m)
 Standard Fuel Capacity: 82 gal. (310 l)
 Transom Width: 7'10" (2.39 m)
 Weight w/o Engine: 2900 lb. (1315 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1100 GPH) (4164 LPH)
 Basic flotation

Bow rail - 316 grade stainless steel
Cockpit toe rails
Companion grab rail
Fold down motorwell bulkhead
Nonskid fiberglass liner
Nonskid recessed walkaround
Self-bailing cockpit w/cockpit drains (4)
Stainless steel through-hull fittings

Cabin

Berth - forward vee berth
Forward hatch - low profile acrylic hatch w/screen
Lighting - cabin dome light
Lighting - reading light
Lockable door w/screen & companionway hatch
Rod storage holders (4)
Storage - portable head compartment
Storage - under berth compartments (3)
Windows - opening windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck
Accessory outlet - 12V (2)
Battery select switch w/extra battery
Cockpit lights - LED lighting
Compass
Deck hardware - 316 grade stainless steel through-bolted
Drink holders (6)
Factory engine pre-rigging
Fish box - 103-qt. (97.5 l) port insulated fish box w/ob drain
Fish box - 106-qt. (100.3 l) starboard insulated fish box w/ob drain
Footrests (helm & companion)
Fuel capacity - 82-gallon (310.4 l) tank
International lighting
Rod holders (4)
Rod storage racks - horizontal (6)
Rubrail - high density PVC w/stainless steel insert
Seating - aft seats (2)
Seating - helm & companion pedestal chairs
Seating - port & starboard fish box cushions
Spring line cleats
Steering - no-feedback mechanical
Steering wheel - 316 grade stainless steel
Stern eyes - heavy-duty 316 stainless steel
Storage - aft seat lift out boxes (2)
Storage - forward anchor locker w/rode storage
Storage - lockable electronics box
Storage - lockable storage under helm chair
Storage - tackle drawers under companion chair (2)
Storage nets
Windshield - tempered glass
Windshield wiper (starboard)

OPTIONAL FEATURES

Bow lifting ring
Bow pulpit
CE certification package
Cockpit bolsters
Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)
Hardtop top-mounted rod holders
Hardtop w/radio box, spreader lights & side mounted rod holders (4)
Head - portable
Head - portable w/deck pump out
Head - portable w/in-line macerator
Livewell - 25-gallon (94.6 l) insulated raw water livewell
Painted hull

Seating - companion bench seat
Seating - foredeck cushions
Steering - hydraulic (required w/F200, F225 & F250 engines)
Steering - hydraulic tilt
Swim platform w/ladder
Washdown - pressurized raw water w/hose

CANVAS OPTIONS

Drop curtain (hardtop or vista top)
Hardtop front & side curtains
Vista top w/boot
Vista top w/front & side curtains



Fisherman 209

20' Center Console

Beam Amidships: 8'1" (2.46 m)

Bridge Clearance: 6'4" (1.95 m)

w/T-top: 7'9" (2.36 m)

Center Line Length: 20'4" (6.20 m)

Cockpit Depth: 25" (0.64 m)

Cockpit Square Footage: 58 sq. ft. (5.4 m²)

Hull Draft: 15" (0.38 m)

Maximum HP: 250 (187 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 82 gal. (310 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engine: 2600 lb. (1179 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1100 GPH) (4164 LPH)
Basic flotation
Bow rail - low profile 316 grade stainless steel
Cockpit toe rails
Console grab rail
Fold down motorwell bulkhead
Nonskid fiberglass liner
Self-bailing cockpit w/cockpit drains (2)
Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
Battery select switch w/extra battery
Cockpit lights - LED lighting
Deck hardware - 316 grade stainless steel through-bolted
Drink holders (6)
Factory engine pre-rigging

Fish box - 88-qt. (83.28 l) port insulated fish box w/ob drain
Fish box - 88-qt. (83.28 l) starboard insulated fish box w/ob drain
Fuel capacity - 82-gallon (310.4 l) tank
International lighting
Rod holders (4)
Rod storage racks - horizontal (6)
Rubrail - high density PVC w/stainless steel insert
Seating - aft seats (2)
Seating - helm & companion pedestal chairs
Spring line cleats
Stern eyes - heavy-duty 316 stainless steel
Storage - aft rigging compartments (2)
Storage - forward anchor locker w/rode storage

Console

Accessory outlet - 12V (2)
Compass
Drink holders (2)
Head-lockable compartment w/head area & done light
Rod storage holders - vertical (6)
Seating - removable cooler seat forward
Steering - no-feedback mechanical
Steering wheel - 316 grade stainless steel
Windshield - scratch resistant acrylic windshield w/handrail

OPTIONAL FEATURES

Bow lifting ring
CE certification package
Cockpit bolsters
Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)
Forward bolsters
Head - portable
Head - portable w/deck pump-out
Head - portable w/ in-line macerator
High bow rail
Hydraulic trim tabs w/indicator & retractor
Livewell (lean bar option only) - 23-gallon (87.1 l) insulated raw water livewell w/cushion
Painted hull
Seating - casting platform insert w/cushion
Seating - Deluxe lean bar w/backrest, flip-up bolster, fire extinguisher holder, footrest, tackle trays, lockable storage & rod holders (4)
Seating - port & starboard fish box cushions
Sirius satellite radio system
Steering - hydraulic (required w/F200, F225 & F250 engines)
Steering - hydraulic tilt
Stereo w/MP3/auxiliary audio connections & fold down storage-satellite ready
Swim platform w/ladder
T-top w/radio box, dome light, storage net, spreader light & rod holders (4)
Washdown - pressurized raw water w/hose

CANVAS OPTIONS

Bimini top w/boot
T-top front & side curtains



Fisherman 222

22' Center Console

Beam Amidships: 8' (2.44 m)

Bridge Clearance: 6'2" (1.88 m)

w/T-top: 8' (2.44 m)

Center Line Length: 22'2" (6.76 m)

Cockpit Depth: 25" (0.64 m)

Cockpit Square Footage: 55 sq. ft. (5.1 m²)

Hull Draft: 16" (0.41 m)

Maximum HP: 300 (224 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 96 gal. (363 l)

Transom Width: 7'11" (2.41 m)

Weight w/o Engine: 3160 lb. (1433 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1500 GPH) (5678 LPH)
Basic flotation
Bow rail - low profile 316 grade stainless steel
Cockpit toe rails
Console grab rail
Fold down motorwell bulkhead
Nonskid fiberglass liner
Self-bailing cockpit w/cockpit drains (4)
Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
Battery select switch w/extra battery
Casting platform (raised)
Cockpit lights - LED lighting
Deck hardware - 316 grade stainless steel through-bolted
Drink holder
Factory engine pre-rigging
Fish box - 272-qt. (257.4 l) center insulated fish box w/ob drain
Fish box - 55-qt. (52 l) port & starboard insulated fish boxes w/ob drain
Fuel capacity - 96-gallon (363.4 l) tank
Hydraulic trim tabs w/indicator & retractor
International lighting
Rod holders (4)
Rod storage racks - horizontal (6)
Rubrail - high density PVC w/stainless steel insert
Seating - helm & companion pedestal chairs
Spring line cleats

Stern eyes - heavy-duty 316 stainless steel
Storage - aft deck lift out boxes (2)
Storage - forward anchor locker w/rode storage
Washdown - pressurized raw water w/hose

Console

Accessory outlet - 12V (2)
Compass
Drink holders (2)
Head - lockable console w/stand up head area & dome light
Rod storage holders - vertical (6)
Seating - forward console seat w/cushion
Steering - hydraulic tilt
Steering wheel - 316 grade stainless steel
Storage - lockable electronics box
Storage - under footrest
Storage nets
Windshield - acrylic windshield w/handrail

OPTIONAL FEATURES

Bow lifting ring
Bow pulpit (includes high profile bow rail)
CE certification package
Cockpit bolsters
Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)
Head - portable
Head - portable w/deck pump out
Head - portable w/in-line macerator
Livewell (lean bar option only) - 23-gallon (87.1 l) insulated raw water livewell w/cushion
Outrigger kit - 15-ft (4.6 m) radial T-top mounted
Painted hull
Seating - deluxe lean bar w/footrest, backrest, flip-up bolster, fire extinguisher holder, tackle trays, lockable storage & rod holders (4)
Seating - folding aft jump seats w/cushions (2)
Seating - forward platform cushions
Swim platform w/ladder
T-top w/radio box, dome light, storage net, spreader light, rod holders (4) & outrigger plates

CANVAS OPTIONS

Bimini top w/boot
T-top front & side curtains



Freedom 225

22' Dual Console

Beam Amidships: 8' (2.44 m)
 Bridge Clearance: 5'6" (1.68 m)
 Center Line Length: 22'2" (6.76 m)
 Cockpit Depth: 25" (0.64 m)
 Cockpit Square Footage: 49 sq. ft. (4.6 m²)
 Hull Draft: 16" (0.41 m)
 Maximum HP: 300 (224 kW)
 Outboard Shaft Length: 25" (0.64 m)
 Standard Fuel Capacity: 96 gal. (363 l)
 Transom Width: 7'11" (2.41 m)
 Weight w/o Engine: 3450 lb. (1565 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1500 GPH) (5678 LPH)
 Basic flotation
 Bow rail - low profile 316 grade stainless steel
 Cockpit toe rails
 Companion grab rail
 Fire extinguisher holder
 Nonskid fiberglass liner
 Self-bailing cockpit w/cockpit drains (2)
 Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
 Accessory outlet - 12V (2)
 Battery select switch w/extra battery
 Cockpit freshwater shower (recessed)
 Cockpit lights - LED lighting
 Compass
 Deck hardware - 316 grade stainless steel through-bolted
 Drink holders (12)
 Factory engine pre-rigging
 Fish box - 175-qt. (165.6 l) aft insulated fish box w/ob drain
 Fish box - 52-qt. (49.2 l) starboard bow insulated fish box w/ob drain
 Footrest (helm)
 Forward bolsters
 Fuel capacity - 96-gallon (363.4 l) tank
 Head - lockable console head area w/dome light & storage nets
 Head - portable
 Hydraulic trim tabs w/indicator & retractor
 International lighting
 Rod holders (4)
 Rod storage racks - horizontal (6)
 Rubrail - high density PVC w/stainless steel insert
 Seating - Deluxe I vertically & horizontally adjustable helm & companion chairs
 Seating - fold away aft bench seat w/cushion

Seating - port & starboard bow box cushions
 Spring line cleats
 Steering - hydraulic tilt
 Steering wheel - 316 grade stainless steel
 Stern eyes - heavy-duty 316 stainless steel
 Storage - 22-gallon (83.3 l) insulated aft storage compartment
 Storage - forward anchor locker w/rode storage
 Storage - forward bow seat compartment
 Storage - lockable console storage compartment w/service light
 Storage - lockable console tackle drawers
 Storage - port bow seat compartment
 Swim platform - full transom width w/ladder
 Water tank - 10-gallon (37.9 l) freshwater
 Windshield - walk-through tempered glass windshield
 Windshield wiper (starboard)

OPTIONAL FEATURES

Bow lifting ring
 CE certification package
 Cockpit bolsters
 Head - portable w/deck pump out
 Head - portable w/in-line macerator
 Livewell - 22-gallon (83.3 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
 Outtrigger kit - 15-ft (4.6 m) radial hardtop mounted (hardtop option only)
 Painted hull
 Seating - Deluxe II helm & companion chairs
 Seating - port sleeper seat w/storage drawer
 Sirius satellite radio system
 Ski pylon
 Soft top arch w/canvas
 Stereo w/MP3/auxiliary audio connections & fold down storage - satellite ready
 Sun platform insert w/cushion
 Table (bow)
 Washdown - pressurized raw water w/hose

CANVAS OPTIONS

(Available in ivory or navy)
 Bow cover
 Vista top w/boot
 Vista top aft curtain
 Vista top drop curtain
 Vista top front & side curtains



Seafarer 226/228

22' Walkaround Cabin

Beam Amidships: 8' (2.44 m)
 Bridge Clearance: 6'2" (1.88 m)
 w/Hardtop: 8'4" (2.54 m)
 Center Line Length: 22'2" (6.76 m)
 Cockpit Depth: 26" (0.66 m)
 Cockpit Square Footage: 49 sq. ft. (4.6 m²)
 Hull Draft: 16" (0.41 m)
 Maximum HP: 300 (224 kW)
 Outboard Shaft Length: 25" (0.64 m)
 Standard Fuel Capacity: 125 gal. (473 l)
 Transom Width: 7'11" (2.41 m)

Weight w/o Engine:

226 (standard transom): 3385 lb. (1535 kg)

228 (Grady Drive transom): 3510 lb. (1592 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2200 GPH) (8328 LPH)
 Basic flotation
 Bow rail - 316 grade stainless steel
 Cockpit toe rails
 Companion grab rail
 Fold down motorwell bulkhead (226 only)
 Nonskid fiberglass liner
 Nonskid recessed walkaround
 Self-bailing cockpit w/cockpit drains (4)
 Stainless steel through-hull fittings

Cabin

Berth - forward vee berth
 Forward hatch - low profile acrylic hatch w/screen
 Lighting - dome light
 Lockable door w/screen & companionway hatch
 Rod storage holders (4)
 Sink
 Storage - cabinet
 Storage - portable head compartment
 Storage - under berth compartments (3)
 Windows - opening windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck
 Accessory outlet - 12V (2)
 Bait rigging area w/cutting board & drink holders (228 only)
 Battery select switch w/extra battery
 Cockpit freshwater shower (recessed)
 Cockpit lights - LED lighting
 Compass

Deck hardware - 316 grade stainless steel through-bolted
 Drink holders (6)
 Factory engine pre-rigging
 Fish box - 190-qt. (179.8 l) starboard insulated fish box w/ob drain
 Fish box - 72-qt. (68.1 l) aft insulated fish box w/ob drain (228 only)
 Fish box - divided port insulated fish box (80-qt. & 45-qt. sections w/ob drain) (75.7 l & 42.6 l)
 Footrests (helm & companion)
 Fuel capacity - 125-gallon tank (473.2 l)
 Hydraulic trim tabs w/indicator & retractor
 International lighting
 Rod holders (4)
 Rod storage holders - vertical (4) (228 only)
 Rod storage racks - horizontal (6)
 Rubrail - high density PVC w/stainless steel insert
 Seating - aft seats (2)
 Seating - helm & companion pedestal chairs
 Seating - port & starboard fish box cushions
 Spring line cleats
 Steering - hydraulic tilt
 Steering wheel - 316 grade stainless steel
 Stern eyes - heavy-duty 316 stainless steel
 Storage - aft lift out boxes
 Storage - forward anchor locker w/rode storage
 Storage - lockable helm station radio box
 Storage - tackle drawers under helm & companion chairs
 Storage nets
 Swim platform - full transom width w/ladder (228 only)
 Water tank - 10-gallon (37.9 l) freshwater
 Windshield - ventilated tempered glass windshield
 Windshield wiper (starboard)

OPTIONAL FEATURES

Bow lifting ring
 Bow pulpit
 CE certification package
 Cockpit bolsters
 Hardtop top-mounted rod holders
 Hardtop w/radio box, storage net, spreader lights & side mounted rod holders (4)
 Head - portable
 Head - portable w/deck pump out
 Head - portable w/in-line macerator
 Livewell - 20-gallon (75.7 l) aft insulated raw water livewell (228)
 Livewell - 20-gallon (75.7 l) port insulated raw water livewell (226)
 Painted hull
 Seating - companion bench seat
 Seating - Deluxe I helm chair
 Seating - Deluxe I helm and companion chairs
 Seating - foredeck cushions
 Swim platform w/ladder (226 only)
 Washdown - pressurized raw water w/hose
 Windshield wiper (port)

CANVAS OPTIONS

Drop curtain (hardtop or vista top)
 Hardtop front & side curtains
 Vista top w/boot
 Vista top front & side curtains



Fisherman 230

23' Center Console

Beam Amidships: 8'6" (2.59 m)
 Bridge Clearance: 6'8" (1.88 m)
 w/T-top: 8'5" (2.57 m)
 Center Line Length: 22'8" (6.9 m)
 Cockpit Depth: 25" (0.64 m)
 Cockpit Square Footage: 58 sq. ft. (5.4 m²)
 Hull Draft: 20" (0.51 m)
 Maximum HP: 300 (224 kW)
 Outboard Shaft Length: 25" (0.64 m)
 Standard Fuel Capacity: 120 gal. (454 l)
 Transom Width: 8'4" (2.54 m)
 Weight w/o Engine: 4002 lb. (1815 kg)

STANDARD FEATURES

Safety

Automatic bilge pump (1500 GPH) (5678 LPH)
 Basic flotation
 Bow rail - low profile 316 grade stainless steel
 Cockpit toe rails
 Console grab rail
 Fire extinguisher holder
 Nonskid fiberglass liner
 Self-bailing cockpit w/cockpit drains (2)
 Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
 Battery select switch w/extra battery
 Cleats - flush mount
 Cockpit lights - LED lighting
 Cutting board
 Deck hardware - 316 grade stainless steel through-bolted
 Drink holders (4)
 Factory engine pre-rigging
 Fish box - 101-qt. (96 l) port forward insulated fish box w/ob drain
 Fish box - 101-qt. (96 l) starboard forward insulated fish box w/ob drain
 Flush mount electronics kit
 Fuel capacity - 120-gallon (454 l) tank
 Hydraulic trim tabs w/indicator & retractor
 International lighting
 Rod holders (4)
 Rod storage racks - horizontal (6)
 Rubrail - high density PVC w/stainless steel insert
 Seating - helm & companion pedestal chairs
 Stern eyes - heavy-duty 316 stainless steel
 Storage - 3-drawer lockable storage
 Storage - 20-qt. (19 l) port aft lift out box with lure tray

Storage - 140-qt. (132 l) starboard aft box
Storage - forward anchor locker w/rode storage
Washdown - pressurized raw water w/hose

Console

Accessory outlet - 12V (2)
Compass
Drink holders (2)
Head - lockable console w/stand up head area & dome light
Seating - 72-qt. (68 l) removable cooler seat forward
Steering - hydraulic tilt
Steering wheel - 316 grade stainless steel
Storage nets
Windshield - scratch resistant acrylic windshield w/handrail

OPTIONAL FEATURES

Anchor windlass
Bow lifting ring
Casting platform insert w/cushion
CE certification package
Cockpit bolsters
Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)
Cooler upgrade - forward console
Forward bolsters
Head - portable
Head - portable w/deck pump out
Head - portable w/in-line macerator
Livewell - 35-gallon (132 l) insulated raw water aft livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
Outrigger kit - 15-ft. (4.6 m) radial T-top mounted
Painted hull
Seating - deluxe lean bar w/backrest, flip-up bolster, knife & pliers holder (1), tackle trays, lockable storage & rod holders (4)
Seating - fold away aft bench seat w/cushion
Seating - port and starboard fish box cushions
Sirius satellite radio system
Ski pylon
Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready
Swim platform w/ladder
T-top w/radio box, dome light, storage net, spreader light, rod holders (4) & outrigger plates

CANVAS OPTIONS

Bimini top w/boot
T-top front & side curtains & side wings



Gulfstream 232

23' Walkaround Cabin

Beam Amidships: 9'3" (2.82 m)

Bridge Clearance: 6'5" (1.96 m)

w/Hardtop: 8'8" (2.64 m)

Center Line Length: 23'5" (7.14 m)

Cockpit Depth: 27" (0.69 m)

Cockpit Square Footage: 56 sq. ft. (5.2 m²)

Hull Draft: 20" (0.51 m)

Maximum HP: 400 (298 kW)

Outboard Shaft Length:

Single: 25" (0.64 m)

Single w/F350: 30" (0.76 m)

Dual: 25" (0.64 m)

Standard Fuel Capacity: 150 gal. (568 l)

Transom Width: 8'10" (2.69 m)

Weight w/o Engine:

232S: 4538 lb. (2058 kg)

232D: 4605 lb. (2089 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)
Basic flotation
Bow rail - 316 grade stainless steel
Cockpit toe rails
Companion grab rail
Nonskid fiberglass liner
Nonskid recessed walkaround
Self-bailing cockpit w/cockpit drains (4)
Stainless steel through-hull fittings

Cabin

Berths - 2 berths (upper & lower)
Forward hatch - low profile acrylic hatch w/screen
Galley - portside galley w/sink
Ice box - insulated ice box w/ob drain
Lighting - dome lights (2)
Lockable door w/screen & companionway hatch
Rod storage holders (2)
Storage - aft compartment
Storage - portable head compartment
Storage - under berth compartment
Storage - under sink compartment
Storage nets
Stove - butane
Windows - opening windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck
Accessory outlet - 12V (2)
Battery select switch(es) w/extra battery
Cockpit freshwater shower (recessed)
Cockpit lights - LED lighting
Compass

Cutting board
Deck hardware - 316 grade stainless steel through-bolted
Drink holders (9)
Factory engine pre-rigging
Fish box - 265-qt. (250.8 l) starboard insulated fish box w/ob drain
Fish box - 297-qt. (281.1 l) aft insulated fish box w/ob drain
Flush mount electronics kit
Footrests - helm & companion (adjustable)
Fuel capacity - 150-gallon (567.8 l) tank
Hydraulic trim tabs w/indicator & retractor
International lighting
Livewell - 36-gallon (136.3 l) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
Rod holders (4)
Rod storage racks - horizontal (6)
Rubrail - high density PVC w/stainless steel insert
Seating - Deluxe I helm & companion chairs
Seating - fold away aft bench seat w/cushion
Seating - port livewell cushion
Seating - starboard fish box cushion
Spring line cleats
Steering - hydraulic tilt
Steering wheel - 316 grade stainless steel
Stern eyes - heavy-duty 316 stainless steel
Storage - forward anchor locker w/rode storage
Storage - tackle drawers under companion seat (2)
Storage - tackle trays under helm chair (2)
Swim platform - full transom width w/ladder
Washdown - pressurized raw water w/hose
Water tank - 12-gallon (45.4 l) freshwater
Windshield - ventilated tempered glass windshield
Windshield wipers

OPTIONAL FEATURES

Air conditioner
Anchor windlass (must have bow pulpit)
Bow lifting ring
Bow pulpit
CE certification package
Cockpit bolsters
Cushions - auxiliary berth cushions
Hardtop top-mounted rod holders
Hardtop w/radio box, storage net, spreader lights & side mounted rod holders (4)
Head - marine head w/electric flush & 10-gallon (37.9 l) holding tank
Head - marine head w/macerator, 10-gallon (37.9 l) holding tank & pump out
Head - portable
Head - portable w/deck pump out
Head - portable w/in-line macerator
Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (hardtop option only)
Painted hull
Rod storage - folding cabin rack (4)
Seating - Deluxe II helm and companion chairs
Seating - foredeck cushions
Sirius satellite radio system
Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready
Storage - lockable electronics box
Windshield washer - freshwater (starboard)

CANVAS OPTIONS

Hardtop drop curtain
Hardtop front & side curtains



Freedom 255

25' Dual Console

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 5'7" (1.70 m)

w/Hardtop: 7'8" (2.34 m)

Center Line Length: 24'9" (7.54 m)

Cockpit Depth: 27" (.69 m)

Cockpit Square Footage: 60 sq. ft. (5.6 m²)

Hull Draft: 20" (.51 m)

Maximum HP: 350 (261 kW)

Outboard Shaft Length

Single: 30" (.76 m)

Dual: 25" (.64 m)

Standard Fuel Capacity: 153 gal. (579 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engine: 4459 lb. (2023 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (2600 GPH)
Basic flotation
Bow rail - low profile 316 grade stainless steel
Cockpit toe rails
Nonskid fiberglass liner
Self-bailing cockpit w/cockpit drains (4)
Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
Accessory outlet - 12V (2)
Anchor windlass wiring
Battery select switch(es) w/extra battery
Cockpit bolsters
Cockpit freshwater shower (recessed)
Cockpit lights - LED lighting
Companion grab rail
Compass
Cutting board
Deck hardware - 316 grade stainless steel through-bolted
Drink holders (9)
Factory engine pre-rigging
Fish box - 165-qt. (156.1 l) starboard insulated fish box w/ob drain
Footrest - helm
Forward bolsters
Fuel capacity - 153-gallon (579 l) tank
Head - lockable console w/dome light & bulk storage
Head - portable
Hydraulic trim tabs w/indicator & retractor
Integrated outboard mounting system w/swim platform & ladder
International lighting
Rod holders (6)
Rod storage racks - horizontal (6)
Rubrail - high density PVC w/stainless steel insert

Seating - fold away aft bench seat w/cushion
Seating - port & starboard bow box cushions
Seating - vertically & horizontally adjustable deluxe helm & companion chairs
Spring line cleats
Steering - hydraulic tilt
Steering wheel - 316 grade stainless steel
Stern eyes - heavy-duty 316 stainless steel
Storage - 80-qt. port bow storage box
Storage - 104-qt. (98.4 l) port aft box
Storage - forward anchor locker w/rode storage
Storage - starboard lockable storage area
Transom door - fiberglass
Water tank - 20-gallon freshwater
Windshield - walk-through tempered glass windshield
Windshield wiper (starboard)

OPTIONAL FEATURES

Anchor windlass
Bow lifting ring
Bow table
Grill - electric (replaces sink in wet bar option)
Hardtop top mounted rod holders
Hardtop w/spreader lights & storage net
Head - marine head w/electric flush (10-gallon) (37.9 l)
Head - marine head w/macerator, 10-gallon (37.9 l) holding tank & pump out
Head - portable w/deck pump out
Head - portable w/in-line macerator
International AC electrical conversion - 220V (50Hz)
Livewell - 26-gallon (98.4 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (hardtop option only)
Painted hull
Seating - Deluxe II helm chair (starboard)
Seating - Deluxe II helm & companion chairs
Seating - Deluxe III helm chair (starboard)
Seating - sleeper seat w/ storage drawer
Sirius satellite radio system
Ski pylon
Stereo w/MP3/auxiliary audio connections & fold down storage - satellite ready
Sun platform insert w/cushion
Washdown - pressurized raw water w/hose
Wet bar w/electronically-operated helm lounge seat, sink, storage drawer & trash compartment

CANVAS OPTIONS

(Available in ivory or navy)
Aft curtain (hardtop and vista top)
Bow cover
Drop curtain (hardtop and vista top)
Hardtop front & side curtains
Vista top w/boot
Vista top front & side curtains



Fisherman 257

25' Center Console

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 7' (2.13 m)

w/T-top: 8'6" (2.59 m)

Center Line Length: 24'9" (7.54 m)

Cockpit Depth: 27" (0.69 m)

Cockpit Square Footage: 64 sq. ft. (5.9 m²)

Hull Draft: 20" (0.51 m)

Maximum HP: 350 (261 kW)

Outboard Shaft Length:

Single: 30" (0.76 m)

Dual: 25" (0.64 m)

Standard Fuel Capacity: 151 gal. (572 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engine: 4045 lb. (1835 kg)

STANDARD FEATURES

Safety

2 automatic bilge pump (2600 GPH) (9842 LPH)
Basic flotation
Bow rail - low profile 316 grade stainless steel
Cockpit toe rails
Console grab rail
Fire extinguisher holder
Nonskid fiberglass liner
Self-bailing cockpit w/cockpit drains (4)
Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
Battery select switch(es) w/extra battery
Cockpit bolsters
Cockpit freshwater shower (recessed)
Cockpit lights - LED lighting
Compass
Cutting board
Deck hardware - 316 grade stainless steel through-bolted
Drink holders (3)
Factory engine pre-rigging
Fish box - 120-qt. (113.6 l) forward divided port insulated fish box w/ob drain
Fish box - 120-qt. (113.6 l) forward starboard insulated fish box w/ob drain
Fish box - 185-qt. (175.1 l) aft insulated fish box w/ob drain
Forward bolsters
Fuel capacity - 151-gallon (571.6 l) tank
Hydraulic trim tabs w/indicator & retractor
Integrated outboard mounting system w/swim platform & ladder
International lighting

Livewell - 32-gallon (121.1 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
Rod holders (4)
Rod storage racks - horizontal (6)
Rubrail - high density PVC w/stainless steel insert
Seating - deluxe lean bar w/footrest, backrest, flip-up bolster, knife & pliers holders, tackle trays, lockable storage & rod holders (4)
Seating - fold away aft bench seat w/cushion
Seating - port & starboard fish box cushions
Spring line cleats
Stern eyes - heavy-duty 316 stainless steel
Storage - forward anchor locker w/rode storage
Transom door - fiberglass
Washdown - pressurized raw water w/hose
Water tank - 20-gallon (75.7 l) freshwater

Console

Accessory outlet - 12V (2)
Console ventilator
Drink holders (2)
Head - lockable console w/stand up head area, dome light, storage shelves & hanging locker
Seating - molded forward console seat w/cushion
Steering - hydraulic tilt
Steering wheel - 316 grade stainless steel
Storage - under footrest
Storage nets
Windshield - scratch resistant acrylic windshield w/handrail

OPTIONAL FEATURES

Anchor windlass w/bow roller
Anchor windlass w/ bow pulpit
Bow lifting ring
Bow pulpit (includes high profile bow rail)
Casting platform insert w/cushions
CE certification package
Head - portable
Head - portable w/deck pump out
Head - portable w/in-line macerator
Outrigger kit - 15-ft. (4.6 m) radial T-top mounted
Painted hull
Sirius satellite radio system
Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready
T-top w/radio box, radar flat, dome light, storage net, spreader light, rod holders (4) & outrigger plates
Table (bow)

CANVAS OPTIONS

T-top front & side curtains



Journey 258

25' Walkaround Cabin

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'6" (1.98 m)

w/Hardtop: 8'8" (2.64 m)

Center Line Length: 24'9" (7.54 m)

Cockpit Depth: 27" (0.69 m)

Cockpit Square Footage: 55 sq. ft. (5.1 m²)

Hull Draft: 20" (0.51 m)

Maximum HP: 350 (261 kW)

Outboard Shaft Length:

Single: 30" (0.76 m)

Dual: 25" (0.64 m)

Standard Fuel Capacity: 127 gal. (481 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engine: 4320 lb. (1960 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH)(9842 LPH)
Basic flotation
Bow rail - 316 grade stainless steel
Cockpit toe rails
Companion grab rail
Nonskid fiberglass liner
Nonskid recessed walkaround
Self-bailing cockpit w/cockpit drains (4)
Stainless steel through-hull fittings

Cabin

Berth - forward vee berth
Carpet
Forward hatch - low profile acrylic hatch w/screen
Lighting - cabin dome light
Lighting - reading light
Lockable door w/screen & companionway hatch
Rod storage holders (4)
Sink
Storage - portable head compartment
Storage - under berth compartments (5)
Storage nets
Windows - opening windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck
Accessory outlet - 12V (2)
Battery select switch(es) w/extra battery
Cockpit freshwater shower (recessed)
Cockpit lights - LED lighting
Compass
Cutting board
Deck hardware - 316 grade stainless steel through-bolted
Drink holders (6)
Factory engine pre-rigging

Fish box - 158-qt. (149.5 l) starboard insulated fish box w/ob drain
Footrest - helm & companion (adjustable)
Fuel capacity - 127-gallon (480.7 l) tank
Hydraulic trim tabs w/indicator & retractor
Ice box - 40-qt. (37.9 l) aft insulated ice box w/ob drain
Integrated outboard mounting system w/swim platform & ladder
International lighting
Livewell - 34-gallon (128.7 l) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
Rod holders (6)
Rod storage racks - horizontal (6)
Rubrail - high density PVC w/stainless steel insert
Seating - Deluxe I helm & companion chairs
Seating - fold away aft bench seat w/cushion
Seating - port livewell cushion
Seating - starboard fish box cushion
Spring line cleats
Steering - hydraulic tilt
Steering wheel - 316 grade stainless steel
Stern eyes - heavy-duty 316 stainless steel
Storage - forward anchor locker w/rode storage
Storage - lockable electronics box
Storage - lockable storage under helm seat
Storage - tackle drawer under companion seat
Storage - transom mounted knife & pliers holder
Transom door - fiberglass
Washdown - pressurized raw water w/hose
Water tank - 10-gallon (37.9 l) freshwater
Windshield - ventilated tempered glass windshield
Windshield wiper (starboard)

OPTIONAL FEATURES

Air conditioner
Anchor windlass (must have bow pulpit)
Auxiliary fuel capacity - 41-gallon (155.2 l) tank
Bow lifting ring
Bow pulpit
CE certification package
Cockpit bolsters
Hardtop top-mounted rod holders
Hardtop w/radio box, storage net, spreader lights & side mounted rod holders (4)
Head - marine head w/macerator, 10-gallon (37.9 l) holding tank & pump out
Head - portable
Head - portable w/deck pump out
Head - portable w/in-line macerator
Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (hardtop option only)
Painted hull
Rod storage - folding cabin rack (4)
Seating - Deluxe II helm and companion chairs
Seating - foredeck cushions
Sirius satellite radio system
Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready
Windshield washer - freshwater (starboard)
Windshield wiper (port)

CANVAS OPTIONS

Drop curtain (hardtop or vista top)
Hardtop front & side curtains
Vista top w/boot
Vista top front & side curtains



Fisherman 273

27' Center Console

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'9" (2.06 m)

w/T-top: 8'3" (2.51 m)

Center Line Length: 26'11" (8.20 m)

Cockpit Area: 65 sq. ft. (6.0 m²)

Cockpit Depth: 27" (0.69 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 500 (373 kW)

Outboard Shaft Length:

Single: 30" (0.76 m)

Dual: 25" (0.64 m)

Standard Fuel Capacity: 205 gal. (776 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engine: 4843 lb. (2197 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (2600 GPH) (9842 LPH)
Basic flotation
Bow rail - low profile 316 grade stainless steel
Cockpit toe rails
Fire extinguisher holder
Nonskid fiberglass liner
Self-bailing cockpit w/cockpit drains (4)
Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
Anchor windlass wiring
Battery select switch(es) w/extra battery
Cockpit bolsters
Cockpit freshwater shower (recessed)
Cockpit lights - LED lighting
Cutting board
Deck hardware - 316 grade stainless steel through-bolted
Drink holders (4)
Factory engine pre-rigging
Fish box - 104-qt. (98.4 l) port insulated fish box w/ob drain
Fish box - 104-qt. (98.4 l) starboard insulated fish box w/ob drain
Fish box - 185-qt. (175.1 l) aft insulated fish box w/ob drain
Forward bolsters
Fuel capacity - 205-gallon (776.0 l) tank
Hydraulic trim tabs w/indicator & retractor
Integrated outboard mounting system w/swim platform & ladder
International lighting
Livewell - 32-gallon (121.1 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rod holders (4)
 Rod storage racks - lockable horizontal (6)
 Rubrail - high density PVC w/stainless steel insert
 Seating - Deluxe lean bar w/footrest, backrest,
 flip-up bolster, knife & pliers holders, tackle trays,
 lockable storage & rod holders (4)
 Seating - fold away aft bench seat w/cushion
 Seating - port & starboard fish box cushions
 Spring line cleats
 Stern eyes - heavy-duty 316 stainless steel
 Storage - forward anchor locker w/rode storage
 Transom door - fiberglass
 Washdown - pressurized raw water w/hose
 Water tank - 20-gallon (75.7 l) freshwater

Console

Accessory outlet - 12V (2)
 Compass
 Console ventilator
 Drink holders (2)
 Head - lockable console w/stand up head area,
 dome light, sink, bulk storage & drawers
 Seating - molded forward console seat w/cushion
 Steering - hydraulic tilt
 Steering wheel - 316 grade stainless steel
 Storage - electro-mechanically operated
 electronics enclosure
 Windshield - scratch resistant acrylic windshield
 w/handrail

OPTIONAL FEATURES

Anchor windlass w/ bow roller
 Anchor windlass w/bow pulpit
 Bow lifting ring
 Bow pulpit (includes high profile bow rail)
 Casting platform insert w/cushions
 CE certification package
 Head - marine head w/electric flush (10-gallon) (37.9 l)
 Head - marine head w/macerator, 10-gallon (37.9 l)
 Head - portable
 Head - portable w/deck pump out
 Head - portable w/in-line macerator
 holding tank & pump out
 Outtrigger kit - 15-ft. (4.6 m) radial T-top mounted
 (w/T-top option only)
 Painted hull
 Sirius satellite radio system
 Stereo system w/MP3/auxiliary audio connections &
 fold down storage - satellite ready
 T-top w/radio box, radar flat, dome light, storage net,
 spreader light, rod holders (4) & outtrigger plates
 Table (bow)

CANVAS OPTIONS

T-top front & side curtains



Freedom 275

27' Dual Console

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'4" (1.93 m)

w/Hardtop: 8'6" (2.59 m)

Center Line Length: 26'11" (8.20 m)

Cockpit Depth: 27" (0.69 m)

Cockpit Square Footage: 60 sq. ft. (5.6 m²)

Hull Draft: 20" (0.51 m)

Maximum HP: 500 (373 kW)

Outboard Shaft Length:

Single: 30" (0.76 m)

Dual: 25" (0.64 m)

Standard Fuel Capacity: 200 gal. (757 l)

Transom Width: 7'10" (2.39 m)

Weight w/o Engines: 4972 lb. (2255 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (2600 GPH) (9842 LPH)
 Basic flotation
 Bow rail - low profile 316 grade stainless steel
 Cockpit toe rails
 Nonskid fiberglass liner
 Self-bailing cockpit w/cockpit drains (4)
 Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
 Accessory outlet - 12V (2)
 Anchor windlass wiring
 Battery select switch(s) w/extra battery
 Cockpit bolsters
 Cockpit freshwater shower (recessed)
 Cockpit lights - LED lighting
 Companion grab rail
 Compass
 Cutting board
 Deck hardware - 316 grade stainless steel through-bolted
 Drink holders (11)
 Factory engine pre-rigging
 Fish box - 185-qt. (175.1 l) aft insulated fish box
 w/ob drain
 Fish box - 88-qt. (83.3 l) starboard insulated fish box
 w/ob drain
 Footrest - helm
 Forward bolsters
 Fuel capacity - 200-gallon (757.1 l) tank
 Head - lockable console w/bulk storage
 Head - portable
 Hydraulic trim tabs w/indicator & retractor
 Integrated outboard mounting system w/swim
 platform & ladder
 International lighting
 Rod holders (4)
 Rod storage racks - horizontal (3)
 Rubrail - high density PVC w/stainless steel insert

Seating - Deluxe I vertically & horizontally
 adjustable helm & companion chairs
 Seating - fold away aft bench seat w/cushion
 Seating - port & starboard bow box cushions
 Spring line cleats
 Steering - hydraulic tilt
 Steering wheel - 316 grade stainless steel
 Stereo system w/MP3/auxiliary audio connections &
 fold down storage - satellite ready
 Stern eyes - heavy-duty 316 stainless steel
 Storage - 128-quart (121.1 l) aft insulated box
 Storage - forward anchor locker w/rode storage
 Storage - port bow box
 Storage - starboard console storage drawer
 Storage - starboard lockable storage w/service light
 Table (bow) (doubles in cockpit area)
 Transom door - fiberglass
 Washdown - pressurized raw water w/hose
 Water tank - 20-gallon (75.7 l) freshwater
 Windshield - walk-through tempered glass windshield
 Windshield wiper (starboard)

OPTIONAL FEATURES

Anchor windlass w/bow roller
 Bow lifting ring
 CE certification package
 Deluxe bar w/grill, electromechanically operated
 helm seat, fire extinguisher holder, storage
 drawer & trash compartment
 Hardtop w/radio box, storage net & spreader lights
 Hardtop top-mounted rod holders
 Head - marine head w/electric flush (10-gallon) (37.9 l)
 Head - marine head w/macerator, 10-gallon (37.9 l)
 holding tank & pump out
 Head - portable w/deck pump out
 Head - portable w/in-line macerator
 International AC electrical conversion 220V (50Hz)
 Livewell - 32-gallon (121.1 l) aft insulated raw
 water livewell w/light, full column distribution
 inlet & ob drain (1100 GPH pump) (4164 LPH)
 Outtrigger kit - 15-ft. (4.6 m) radial hardtop
 mounted (hardtop option only)
 Painted hull
 Seating - Deluxe II helm chair (starboard)
 Seating - Deluxe II helm & companion chairs
 Seating - Deluxe III helm chair (starboard)
 Seating - electric extendable port lounge seat
 Sirius satellite radio system
 Ski pylon
 Sun platform insert w/cushion
 Wet bar w/electronically-operated helm seat,
 fire extinguisher holder, sink, storage drawer &
 trash compartment

CANVAS OPTIONS

(Available in ivory or navy)
 Aft curtain (hardtop or vista top)
 Bow cover
 Drop curtain (hardtop or vista top)
 Hardtop front & side curtains
 Vista top w/boot
 Vista top front & side curtains



Canyon 283

28' Center Console

Beam Amidships: 9'6" (2.90 m)

Bridge Clearance: 7'7" (2.31 m)

w/T-top: 9' (2.74 m)

Center Line Length: 28' (8.53 m)

Cockpit Depth: 27" (0.69 m)

Cockpit Square Footage: 69 sq. ft. (6.4 m²)

Hull Draft: 20" (0.51 m)

Maximum HP: 600 (448 kW)

w/V6 engines only

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 205 gal. (776 l)

Transom Width: 9' (2.74 m)

Weight w/o Engines: 5864 lb. (2660 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)
 Basic flotation
 Bow rail - low profile 316 grade stainless steel
 Cockpit toe rails
 Console grab rail
 Fire extinguisher holder
 Nonskid fiberglass liner
 Self-bailing cockpit w/cockpit drains (4)
 Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
 Anchor windlass wiring
 Battery select switches w/extra battery
 Cockpit bolsters
 Cockpit lights - LED lighting
 Cutting board
 Deck hardware - 316 grade stainless steel through-bolted
 Drink holders (7)
 Factory engine pre-rigging
 Fish box - 265-qt. (250.8 l) aft insulated fish box
 w/ob drain & removable partition
 Fish box - 135-qt. (127.8 l) port & starboard forward insulated
 fish boxes w/ob drain
 Forward bolsters
 Fuel capacity - 205-gallon (776 l) tank
 Hydraulic trim tabs w/indicator & retractor
 Integrated outboard mounting system w/swim platform
 & ladder
 International lighting
 Rod holders (4)
 Rod storage racks - lockable horizontal (6)
 (up to 9')(2.7 m)
 Rubrail - high density PVC w/stainless steel insert
 Seating - fold away aft bench seat w/cushion
 Seating - port & starboard fish box cushions

Spring line cleats
 Stern eyes - heavy-duty 316 stainless steel
 Storage - aft deck lift out box (also fits in forward port fish box)
 Storage - forward anchor locker w/rode storage
 Transducer mounting flats
 Transom door - fiberglass
 Washdown - pressurized raw water w/hose
 Water tank - 20-gallon (75.7 l) freshwater

Console

Accessory outlet - 12V (2)
 Compass
 Console ventilator
 Drink holders (2)
 Head - lockable console w/stand up head area, bulk storage & drawers,
 dome light, shower, sink, marine head w/macerator (10-gallon)
 (37.9 l) & pump out
 Seating - molded forward console seat w/cushion
 Steering - hydraulic tilt
 Steering wheel - 316 grade stainless steel
 Storage - electromechanically operated electronics enclosure
 Storage - under footrest
 Windshield - tempered glass windshield
 Windshield washer - freshwater
 Windshield wiper

Deluxe Lean Bar

Backrest
 Bait rigging locker
 Footrest
 Knife, pliers & rig holders (2)
 Livewell - 45-gallon (170.3 l) insulated raw water livewell w/light, full
 column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
 Rod holders (4)
 Sink w/pullout freshwater faucet
 Storage - lockable tackle drawer
 Storage - lockable tackle locker w/tackle trays
 Storage - port net storage area

OPTIONAL FEATURES

Anchor windlass w/ bow pulpit
 Anchor windlass w/ bow roller
 Bow lifting ring
 Bow pulpit (includes high profile bow rail)
 Casting platform insert w/cushions
 CE certification package
 Convenience package - battery charger & dockside power
 Head - marine head w/electric flush (10-gallon) (37.9 l)
 Outtrigger kit - 15-ft. (4.6 m) radial T-top mounted (w/T-top option only)
 Painted hull
 Sirius satellite radio system
 Steering - power assist (standard w/TF350 package)
 Stereo system w/MP3/auxiliary audio connections & fold down
 storage - satellite ready
 T-top (fiberglass) w/radio box, radar flat, dome light, storage net,
 spreader light & rod holders (4)
 Table (bow)

CANVAS OPTIONS

(Available in ivory or navy)
 T-top front & side curtains



Chesapeake 290

29' Walkaround Cabin

Beam Amidships: 9'11" (3.02 m)
 Bridge Clearance w/Hardtop: 9'9" (2.97 m)
 Center Line Length: 28'6" (8.69 m)
 Cockpit Depth: 28" (0.71 m)
 Cockpit Square Footage: 56 sq. ft. (5.2 m²)
 Hull Draft: 24" (0.6 m)
 Length Overall (w/bow roller): 29'9" (9.07 m)
 Maximum HP: 600 hp (448 kW)
 Outboard Shaft Length: 25" (0.64 m)
 Standard Fuel Capacity: 206 gal. (780 l)
 Transom Width: 9'1" (2.76 m)
 Weight w/o Engines: 7650 lb. (3470 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)
 Basic flotation
 Bow rail - 316 grade stainless steel
 Cockpit toe rails
 Companion grab rail
 Nonskid fiberglass liner
 Nonskid recessed walkaround
 Self-bailing cockpit w/cockpit drains (6)
 Stainless steel through-hull fittings

Cabin

Accessory outlet - 12V
 Berth - aft double berth
 Berth - forward vee berth
 Cabin lights (6)
 Cabin window curtains
 Forward hatch - low profile acrylic hatch w/screen
 Galley - port side galley w/sink, Corian® countertop
 Head - enclosed head area w/sink, shower, lamp & marine head w/macerator, 10-gallon (37.9 l) holding tank & pump out
 Lighting - dome lights (6)
 Lockable door w/screen & companionway hatch
 Microwave oven
 Mirror
 Refrigerator
 Storage - galley shelves
 Storage nets
 Stove - electric glass top
 Table - cherry
 Teak & holly sole
 Water heater - 6 gallon (22.7 l), 120V
 Water tank - 32-gallon (121.1 l) freshwater
 Windows - opening windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck
 Accessory outlet - 12V (2)

Anchor windlass wiring
 Battery charger system
 Battery select switches w/extra battery
 Cockpit bolsters
 Cockpit lights - LED lighting
 Cockpit shower - freshwater (recessed)
 Compass
 Cutting board
 Deck hardware - 316 grade stainless steel through-bolted
 Dockside power w/galvanic isolator
 Drink holders (11)
 Factory engine pre-rigging
 Fish box - 132-qt. (124.9 l) starboard insulated fish box w/ob drain
 Fish box - 265-qt. (250.8 l) aft insulated fish box w/ob drain
 Footrests - helm & companion (adjustable)
 Fuel capacity - 206-gallon (779.8 l) tank
 Hardtop w/radio box, storage nets, spreader lights, rod holders (4) & canvas (canvas available in navy or ivory)
 Hydraulic trim tabs w/indicator & retracter
 Integrated outboard mounting system w/swim platform & ladder
 International lighting
 Livewell - 35-gallon (132.5 l) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
 Rod holders (4)
 Rod storage racks - horizontal (6)
 Rubrail - high density PVC w/stainless steel insert
 Seating - Deluxe II horizontally adjustable helm & companion chairs
 Seating - fold away aft bench seat w/cushion
 Seating - port livewell cushion
 Seating - starboard fish box cushion
 Spring line cleats
 Steering - hydraulic tilt
 Steering wheel - 316 grade stainless steel
 Stern eyes - heavy-duty 316 stainless steel
 Storage - aft box
 Storage - forward anchor locker w/rode storage
 Storage - lockable storage under helm seat
 Storage - tackle drawers under companion seat (2)
 Transducer mounting flats
 Transom door - fiberglass
 Washdown - pressurized raw water w/hose
 Windshield - ventilated tempered glass windshield
 Windshield washer - freshwater (starboard)
 Windshield wipers

OPTIONAL FEATURES

Air conditioning - 8000 BTU
 Anchor windlass w/bow roller
 Bow thruster
 CE Certification package
 Cockpit shower w/hot water
 Flat screen TV/DVD player
 Generator - 4kW diesel, 12-gallon (45.4 l) fuel capacity
 Hardtop top-mounted rod holders (5)
 Head - marine head w/electric flush (10-gallon) (37.9 l)
 International AC electrical conversion - 220V 50Hz
 Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted
 Painted hull
 Seating - companion bench seat
 Seating - Deluxe III helm chair w/flip-up bolster
 Seating - Deluxe III helm and companion chairs w/flip-up bolsters
 Sirius satellite radio system
 Steering - power assist (standard w/TF350 pkg)
 Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready



Marlin 300

30' Walkaround Cabin

Beam Amidships: 10'7" (3.23 m)
 Bridge Clearance w/Hardtop: 9'9" (2.97 m)
 Center Line Length: 30'6" (9.30 m)
 Cockpit Depth: 29" (0.74 m)
 Cockpit Square Footage: 74 sq. ft. (6.9 m²)
 Hull Draft: 23" (0.58 m)
 Length Overall (w/pulpit): 32'7" (9.93 m)
 Maximum HP: 700 (522 kW)
 Outboard Shaft Length: 25" (0.64 m)
 Standard Fuel Capacity: 300 gal. (1136 l)
 Transom Width: 9'6" (2.90 m)
 Weight w/o Engines: 8221 lb. (3729 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)
 Basic flotation
 Bow rail - 316 grade stainless steel
 Cockpit toe rails
 Companion grab rail
 Nonskid fiberglass liner
 Nonskid recessed walkaround
 Self-bailing cockpit w/cockpit drains (4)
 Stainless steel through-hull fittings

Cabin

Accessory outlet - 12V
 Berth - aft double berth
 Berth - forward vee berth
 Cabin window curtains
 Forward hatch - low profile acrylic hatch w/screen & shade
 Galley - port side galley w/sink & Corian® cutting board
 Head - enclosed head area w/sink, shower, lamp & VacuFlush® marine head w/10-gallon (37.9 l) holding tank & pump out
 Lighting - dome lights (2)
 Lighting - reading lights (3)
 Lockable door w/screen & companionway hatch
 Microwave oven
 Mirror
 Refrigerator
 Rod storage - aft berth
 Rod storage racks (6)
 Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready
 Storage - galley cabinet & counter
 Storage - under berth compartments
 Storage nets
 Stove - electric glass top
 Table - cherry
 Teak & holly sole
 Water heater - 6-gallon (22.7 l), 120V
 Water tank - 32-gallon (121.1 l) freshwater
 Window - aft berth window w/screen
 Windows - opening windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck
 Accessory outlet - 12V (2)
 Anchor windlass w/remotes switches at helm & windlass
 Batteries (4)
 Battery charger system
 Battery select switches w/extra battery
 Bow pulpit w/roller
 Cockpit bolsters
 Cockpit freshwater shower (recessed)
 Cockpit lights - LED lighting
 Compass
 Deck hardware - 316 grade stainless steel through-bolted
 Dockside power w/galvanic isolator
 Drink holders (9)
 Factory engine pre-rigging
 Fighting chair reinforcement
 Fish box - 290-qt. (274.4 l) aft insulated fish box w/ob drain
 Flush mount electronics kit
 Footrests - helm & companion (adjustable)
 Freshwater level indicator
 Fuel capacity - 300 gallons (150-gallon tank, 150-gallon tank) (1135 l)
 Hardtop w/radio box, storage nets, spreader lights, rod holders (4) & canvas (canvas available in navy or ivory)
 Hydraulic trim tabs w/indicator & retracter
 Integrated outboard mounting system w/swim platform & ladder
 International lighting
 Livewell - 32-gallon (121.1 l) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
 Rigging station behind helm chair w/freshwater sink, insulated bait box w/ob drain & lockable drawers
 Rod holders (4)
 Rod storage racks - horizontal (6)
 Rubrail - high density PVC w/stainless steel insert
 Seating - Deluxe II vertically & horizontally adjustable helm & companion chairs
 Seating - fold away aft bench seat w/cushion
 Seating - foredeck cushions
 Seating - port livewell cushion
 Seating - starboard tackle station cushion
 Spring line cleats
 Steering - hydraulic tilt
 Steering wheel - 316 grade stainless steel
 Stern eyes - heavy-duty 316 stainless steel
 Storage - aft deck lift out box
 Storage - forward anchor locker w/rode storage
 Storage - lockable electronics box
 Storage - lockable storage under helm & companion seats
 Storage - under step compartment
 Transducer mounting flats
 Transom door - fiberglass
 Washdown - freshwater
 Washdown - pressurized raw water w/hose
 Windshield - ventilated tempered glass windshield
 Windshield washer - freshwater (starboard)
 Windshield wipers

OPTIONAL FEATURES

Air conditioning - 7000 BTU
 Bow thruster
 CE certification package
 Cockpit shower w/hot water
 Flat screen TV w/DVD player & audio visual inputs
 Generator - 4kW diesel, 12-gallon (45.4 l) fuel capacity
 Hardtop top-mounted rod holders (5)
 International AC electrical conversion - 220V 50Hz
 Lighting - underwater LED (2)

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted
 Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out)
 Painted hull
 Rod storage - folding cabin rack (4)
 Seating - companion bench seat
 Seating - Deluxe III helm chair w/flip-up bolster
 Sirius satellite radio system
 Steering - power assist (standard w/TF350 pkg)
 Storage - lockable electronics box



Express 305

30' Express Cabin

Beam Amidships: 10'7" (3.23 m)
 Bridge Clearance w/Hardtop: 9'9" (2.97 m)
 Center Line Length: 30'6" (9.30 m)
 Cockpit Depth: 28" (0.71 m)
 Cockpit Square Footage: 63 sq. ft. (5.9 m²)
 Hull Draft: 23" (0.58 m)
 Length Overall (w/pulpit): 32'7" (9.93 m)
 Maximum HP: 700 (522 kW)
 Outboard Shaft Length: 25" (0.64 m)
 Standard Fuel Capacity: 290 gal. (1098 l)
 Transom Width: 9'6" (2.90 m)
 Weight w/o Engines: 8850 lb. (4014 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)
 Basic flotation
 Bow rail - 316 grade stainless steel
 Cockpit toe rails
 Companion grab rail
 Fire extinguisher holder
 Nonskid fiberglass liner
 Self-bailing cockpit w/cockpit drains (6)
 Stainless steel through-hull fittings

Cabin

Accessory outlet - 12V
 Berth - aft double berth
 Berth - forward vee berth
 Forward hatch - low profile acrylic hatch w/screen & shade
 Galley - port side galley w/sink, Corian® cutting board & light
 Head - enclosed head area w/stainless steel sink, shower, lamp & VacuFlush® marine head w/10-gallon (37.9 l) holding tank & pump out
 Lighting - dome lights (4)
 Lighting - recessed (3)

Lighting - reading (2)
 Lockable door w/screen & companion way hatch
 Microwave oven
 Mirror
 Refrigerator
 Rod storage - aft berth
 Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready
 Storage - galley cabinet & counter
 Storage - under berth compartments
 Storage nets
 Stove - electric glass top
 Table - cherry
 Teak & holly sole
 Water heater - 6-gallon (22.7 l), 120V
 Water tank - 32-gallon (121.1 l) freshwater

Cockpit & Deck

100% hand laid hull & deck
 Accessory outlet - 12V (2)
 Anchor windlass w/remote switches at helm & windlass
 Batteries (4)
 Battery charger system
 Battery select switches w/extra batteries
 Bow pulpit w/roller
 Cockpit bolsters
 Cockpit freshwater shower (recessed) (2)
 Cockpit lights - LED lighting
 Compass
 Cooler - 73-qt. (69.1 l) port insulated cooler w/ob drain
 Deck hardware - 316 grade stainless steel through-bolted
 Dockside power w/galvanic isolator
 Drink holders (14)
 Factory engine pre-rigging
 Fighting chair reinforcement
 Fish box - 304-qt. (287.7 l) aft insulated fish box w/ob drain
 Footrests - helm & companion (adjustable)
 Freshwater level indicator
 Fuel capacity - 290 gallons (151-gallon tank, 139-gallon tank) (1098 l)
 Hardtop w/flush mount radio box, storage nets, spreader lights, rod holders (6) & canvas (canvas available in navy or ivory)
 Hydraulic trim tabs w/indicator & retractor
 Integrated outboard mounting system w/swim platform & ladder
 International lighting
 Livewell - 32-gallon (121.1 l) starboard insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
 Rod holders (4)
 Rod storage racks - horizontal (6)
 Rubrail - high density PVC w/stainless steel insert
 Seating - companion bench seat
 Seating - Deluxe II vertically & horizontally adjustable helm chair
 Seating - fold away aft bench seat w/cushion
 Seating - port cooler cushion w/footrest
 Spring line cleats
 Steering - hydraulic tilt
 Steering wheel - 316 grade stainless steel
 Stern eyes - heavy-duty 316 stainless steel
 Storage - electromechanically operated electronics enclosure
 Storage - forward anchor locker w/rode storage
 Storage - lockable storage under companion seat
 Transducer mounting flats
 Transom door - fiberglass
 Washdown - freshwater
 Washdown - pressurized raw water w/hose
 Windshield - ventilated tempered glass windshield

Windshield washer - freshwater
 Windshield wiper

OPTIONAL FEATURES

Air conditioning - 7000 BTU
 Bow thruster
 CE certification package
 Cockpit shower w/hot water
 Chill plates - refrigeration plates for fishbox/cooler w/digitally controlled thermostat
 Flat screen 15" LCD TV w/DVD player & audio visual inputs
 Generator - 4 kW diesel, 12-gallon (45.4 l) fuel capacity
 Hardtop top-mounted rod holders (6)
 International AC electrical conversion - 220V 50Hz
 Lighting - underwater LED (2)
 Painted hull
 Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted
 Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out)
 Seating - Deluxe III helm chair w/flip-up bolster
 Sirius satellite radio system
 Steering - power assist (standard w/TF350 pkg)



Canyon 306

30' Center Console

Beam Amidships: 10'7" (3.23 m)

Bridge Clearance: 7'3" (2.21 m)
 w/T-top: 9'4" (2.84 m)

Center Line Length: 30'6" (9.30 m)

Cockpit Depth: 27" (0.69 m)

Cockpit Square Footage: 75 sq. ft. (7.0 m²)

Hull Draft: 21" (0.53 m)

Maximum HP: 700 (522 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 290 gal. (1098 l)

Transom Width: 9'6" (2.90 m)

Weight w/o Engines: 6950 lb. (3152 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)
 Basic flotation
 Bow rail - low profile 316 grade stainless steel
 Cockpit toe rails
 Console grab rail
 Fire extinguisher holder
 Nonskid fiberglass liner
 Self-bailing cockpit w/cockpit drains (4)
 Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck

Anchor windlass w/remote switches at helm & windlass
 Battery select switches w/extra battery
 Cleats - flushmount (pop up)
 Cockpit bolsters
 Cockpit freshwater shower (recessed)
 Cockpit lights - LED lighting
 Cutting board
 Deck hardware - 316 grade stainless steel through-bolted
 Drink holders (7)
 Factory engine pre-rigging
 Fish box - 150-qt. (142 l) port & starboard insulated fish boxes w/ob drain
 Fish box - 304-qt. (287.7 l) aft insulated fish box w/ob drain
 Forward bolsters
 Fuel capacity - 290 gallons (150-gallon tank, 140-gallon tank) (1098 l)
 Hydraulic trim tabs w/indicator & retractor
 Integrated outboard mounting system w/swim platform & ladder
 International lighting
 Rod holders (6)
 Rod storage - lockable horizontal storage for 6 rods
 Rubrail - high density PVC w/stainless steel insert
 Seating - fold away aft bench seat w/cushion
 Seating - port & starboard fish box cushions
 Stern eyes - heavy-duty 316 stainless steel
 Storage nets
 Transducer mounting flats
 Transom door - fiberglass
 Washdown - freshwater
 Washdown - pressurized raw water w/hose
 Water tank - 32-gallon (121.1 l) freshwater

Console

Accessory outlet - 12V (2)
 Compass
 Console ventilator
 Drink holders (2)
 Head - lockable console w/stand up head area, dome light, shower, sink, bulk storage drawers, marine head w/macerator, 10-gallon (37.9 l) holding tank & pump out
 Seating - molded forward console seat w/cushion
 Steering - hydraulic tilt
 Steering wheel - 316 grade stainless steel
 Storage - electromechanically operated electronics enclosure
 Storage - lockable acrylic console door
 Storage - under footrest
 Window - opening window w/screen
 Windshield - tempered glass windshield
 Windshield washer - freshwater
 Windshield wiper

Deluxe Lean Bar

Footrests
 Livewell - 47-gallon (177.9 l) insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
 Rigging station - freshwater sink w/pullout faucet & insulated bait box
 Rod holders (2)
 Seating - lean bar mounted Deluxe II helm chairs (2)
 Storage - lockable bulk storage
 Storage - lockable tackle trays

OPTIONAL FEATURES

Bow thruster
 Casting platform insert w/cushions
 CE certification package
 Convenience package - battery charger & dockside power w/galvanic isolator
 Head - marine head w/electric flush (10-gallon) (37.9 l)
 Lighting - underwater LED (2)
 Outrigger kit - 15-ft. (4.6 m) radial T-top mounted (w/T-top option only)

Painted hull
 Seating - lean bar mounted Deluxe III helm chairs w/foot rest & flip-up bolsters (2)
 Sirius satellite radio system
 Steering - power assist (standard w/TF350 pkg)
 Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready
 T-top (fiberglass) w/radio box, radar flat, dome light, storage net, fore/aft spreader lights & rod holders (4)
 Table (bow)

CANVAS OPTIONS

(Available in ivory or navy)
 T-top front & side curtains



Freedom 307

30' Dual Console

Beam Amidships: 10'7" (3.23 m)

Bridge Clearance: 6'11" (2.11 m)
 w/Hardtop: 8'10" (2.69 m)

Center Line Length: 30'6" (9.30 m)

Cockpit Depth: 27" (0.69 m)

Cockpit Square Footage: 80 sq. ft. (7.4 m²)

Hull Draft: 22" (0.56 m)

Maximum HP: 700 (522 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 206 gal. (780 l)

Transom Width: 9'6" (2.90 m)

Weight w/o Engines: 7965 lb. (3613 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (2600 GPH) (9842 LPH)
 Basic flotation
 Bow rail - low profile 316 grade stainless steel
 Cockpit toe rails
 Fire extinguisher holder
 Nonskid fiberglass liner
 Self-bailing cockpit w/cockpit drains (6)
 Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
 Accessory outlet - 12V (2)
 Anchor windlass
 Battery select switches w/extra batteries
 Cleats - flushmount (pop up)
 Cockpit bolsters
 Cockpit freshwater shower (recessed)
 Cockpit lights-LED lighting
 Companion grab rail
 Compass
 Cutting board
 Deck hardware - 316 grade stainless steel through-bolted
 Drink holders (17)

Factory engine pre-rigging
 Fish box - 150-qt. (141.9 l) starboard insulated fish box w/ob drain
 Fish box - 251-qt. (237.5 l) aft insulated fish box w/ob drain
 Footrests - helm & companion
 Forward bolsters
 Fuel capacity - 206-gallon (780 l) tank
 Head - lockable console w/stand up head area, sink, bulk storage, marine head w/macerator, 10-gallon (37.9 l) holding tank & pump out
 Hydraulic trim tabs w/indicator & retractor
 Integrated outboard mounting system w/swim platform & ladder
 International lighting
 Rod holders (4)
 Rod storage racks - horizontal (3)
 Rubrail - high density PVC w/stainless steel insert
 Seating - electric extendable port lounge seat
 Seating - electronically-adjustable helm bench seat
 Seating - fold away aft bench seat w/cushion
 Seating - port & starboard fish box cushions
 Steering - hydraulic tilt
 Steering wheel - 316 grade stainless steel
 Stereo system w/MP3/auxiliary audio connections - fold down storage - satellite ready
 Stern eyes - heavy-duty 316 stainless steel
 Storage - aft box
 Storage - forward anchor locker w/rode storage
 Storage - port bow box
 Storage - starboard console storage drawer
 Storage - starboard lockable storage area w/service light
 Table - bow (doubles in cockpit area)
 Transom door - fiberglass
 Washdown - freshwater
 Washdown - pressurized raw water w/hose
 Water tank - 32-gallon (121.1 l) freshwater
 Wet bar w/sink, storage tray, storage drawer and trash compartment
 Windshield - walk-through tempered glass windshield
 Windshield wiper (starboard)

OPTIONAL FEATURES

Air conditioning - 3500 BTU
 Bow thruster
 CE certification package
 Convenience package - battery charger & dockside power w/galvanic isolator
 Deluxe bar w/grill, inverter & refrigerator (replaces sink)
 Hardtop w/radio box, storage net & spreader lights
 Hardtop top-mounted rod holders
 Head - marine head w/electric flush (10-gallon) (37.9 l)
 International AC electrical conversion - 220V 50Hz
 Lighting - underwater LED (2)
 Livewell - 32-gallon (121.1 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
 Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (hardtop option only)
 Painted hull
 Sirius satellite radio system
 Ski pylon
 Steering - power assist (standard w/TF350 package)
 Sun platform insert w/cushion

CANVAS OPTIONS

(Available in ivory or navy)
 Aft curtain (hardtop or vista top)
 Bow cover
 Drop curtain (hardtop or vista top)
 Hardtop front & side curtains
 Vista top w/boot
 Vista top front & side curtains



Express 330

33' Express Cabin

Beam Amidships: 11'7" (3.53 m)
 Bridge Clearance w/Hardtop: 9'10" (3 m)
 Center Line Length: 33'6" (10.21 m)
 Cockpit Depth: 29" (0.74 m)
 Cockpit Square Footage: 80 sq. ft. (7.4 m²)
 Hull Draft: 25" (0.64 m)
 Length Overall (w/pulpit): 35'10" (10.92 m)
 Maximum HP: 700 (522 kW)
 Outboard Shaft Length: 25" (0.64 m)
 Standard Fuel Capacity: 350 gal. (1325 l)
 Transom Width: 10'6" (3.20 m)
 Weight w/o Engines: 10,840 lb. (4917 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH)
 Basic flotation
 Bow rail - 316 grade stainless steel
 Cockpit toe rails
 Companion grab rail
 Nonskid fiberglass liner
 Self-bailing cockpit w/cockpit drains (6)
 Stainless steel through-hull fittings

Cabin

Accessory outlet - 12V
 Air conditioning - 12,000 BTU
 Berth - aft double berth
 Berth - forward vee berth
 Flat screen 15" LCD TV w/DVD player & audio visual inputs
 Forward hatch - low profile acrylic hatches
 w/retractable screen & shade (2)
 Forward hatch curtains
 Galley - port side galley w/sink, light & Corian®
 cutting board
 Head - enclosed ventilated head area w/sink, shower,
 lamps, storage cabinet & VacuFlush® marine head
 w/10-gallon (37.9 l) holding tank & pump out
 Lighting - dome lights (4)
 Lighting - recessed (2)
 Lighting - reading
 Lockable door w/screen & companionway hatch
 Microwave oven
 Mirrors
 Refrigerator
 Rod storage racks
 Stereo system w/MP3/auxiliary audio connections &
 fold down storage - satellite ready
 Storage - cherry galley cabinets
 Storage - under berth compartments
 Storage nets
 Stove - electric glass top
 Table - cherry

Teak & holly sole
 Water heater - 6-gallon (22.7 l), 120V
 Water tank - 44-gallon (166.6 l) freshwater

Cockpit & Deck

100% hand laid hull & deck
 Accessory outlet - 12V (2)
 Anchor windlass w/remote switches at helm & windlass
 Batteries (4)
 Battery charger system
 Battery select switches w/extra batteries
 Bow pulpit w/roller
 Cockpit bolsters
 Cockpit freshwater shower (recessed)
 Cockpit lights - LED lighting
 Compass
 Cooler - 56-qt. (53 l) port helm seat cooler
 Deck hardware - 316 grade stainless steel through-bolted
 Dockside power w/galvanic isolator
 Drink holders (8)
 Factory engine pre-rigging
 Fighting chair reinforcement
 Fish box - 254-qt. (240.4 l) aft insulated fish box
 w/ob drain
 Footrest - helm (adjustable)
 Fuel capacity - 350 gallons (150-gallon tank,
 200-gallon tank) (1325 l)
 Generator - 4kW diesel, 13-gallon (49.2 l) fuel capacity
 Hardtop w/radio box, storage net, spreader lights,
 rod holders (6), low profile acrylic hatch & canvas
 (canvas available in navy or ivory)
 Hydraulic trim tabs w/indicator & retractor
 Integrated outboard mounting system w/swim
 platform & ladder
 International lighting
 Livewell - 45-gallon (170.3 l) starboard insulated
 raw water livewell w/light, full column distribution
 inlet & ob drain (1100 GPH pump) (4164 LPH)
 Rigging station w/freshwater sink & pullout faucet
 Rod holders - gunwale (4)
 Rod storage racks - horizontal (4)
 Rubrail - high density PVC w/stainless steel insert
 Seating - fold away aft bench seat w/cushion
 Seating - helm area surround seat
 Seating - vertically & horizontally adjustable
 deluxe helm chair
 Spring line cleats
 Steering - hydraulic tilt
 Steering wheel - 316 grade stainless steel
 Stern eyes - heavy-duty 316 stainless steel
 Storage - aft deck lift out box
 Storage - electromechanically operated
 electronics enclosure
 Storage - forward anchor locker w/rode storage
 Storage - under helm area surround seating
 Storage nets
 Transom door - fiberglass
 Washdown - freshwater
 Washdown - pressurized raw water w/hose
 Windshield - ventilated tempered glass windshield
 Windshield washer - freshwater
 Windshield wiper

OPTIONAL FEATURES

Air conditioning - 12,000 BTU at helm
 Bow thruster
 CE certification package
 Cockpit shower w/hot water
 Freezer - refrigerator/freezer fish box w/digitally controlled
 thermostat & ob drain
 International AC electrical conversion - 220V (50Hz)
 Lighting - underwater LED (2)

Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted
 Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out)
 Painted hull
 Seating - Deluxe III helm chair w/flip-up bolster
 Seating - Deluxe Platinum vertically & horizontally
 adjustable helm chair
 Sirius satellite radio system
 Steering - power assist (standard w/TF350 pkg)



Canyon 336

33' Center Console

Beam Amidships: 11'7" (3.53 m)
 Bridge Clearance: 8' (2.44 m)
 w/T-Top: 9'2" (2.79 m)
 Center Line Length: 33'6" (10.21 m)
 Cockpit Depth: 29" (0.74 m)
 Cockpit Square Footage: 80 sq. ft. (7.4 m²)
 Hull Draft: 25" (0.64 m)
 Maximum HP: 700 (522 kW)
 Outboard Shaft Length: 25" (0.64 m)
 Standard Fuel Capacity: 350 gal. (1325 l)
 Transom Width: 10'6" (3.20 m)
 Weight w/o Engines: 9200 lb. (4173 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 3000 GPH) (11356 LPH)
 Basic flotation
 Bow rail - low profile 316 grade stainless steel
 Cockpit toe rails
 Console grab rail (2)
 Fire extinguisher holder
 Nonskid fiberglass liner
 Self-bailing cockpit w/cockpit drains (6)
 Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
 Anchor windlass w/remote switches at helm & windlass
 Battery charger
 Battery select switches w/extra batteries
 Cleats - flushmount (pop up)
 Cockpit bolsters
 Cockpit freshwater shower (recessed)
 Cockpit lights - LED lighting
 Cutting boards (2)

Deck hardware - 316 grade stainless steel through-bolted
 Dockside power w/galvanic isolator
 Drink holders (7)
 Factory engine pre-rigging
 Fish box - 165-qt. (156.1 l) port & starboard insulated fish
 boxes w/ob drain
 Fish box - 291-qt. (275.4 l) aft insulated fish box w/ob drain
 Forward bolsters
 Fuel capacity - 350 gallons (1325 l)
 Hydraulic trim tabs w/indicator & retractor
 Integrated outboard mounting system
 w/swim platform & ladder
 International lighting
 Rod storage racks- horizontal (6)
 Rubrail - high density PVC w/stainless steel insert
 Seating - fold away aft bench seat w/cushion
 Seating - port & starboard fish box cushions
 Stern eyes - heavy-duty 316 stainless steel
 Storage - aft transom drop in box
 Storage - forward anchor locker w/rode storage
 Storage nets
 Transom door - fiberglass
 Washdown - freshwater
 Washdown - pressurized raw water w/hose (2 outlets)
 Water tank - 44-gallon (166.6 l) freshwater

Console

Accessory outlet - 12V (2)
 Berth
 Compass
 Console ventilator
 Drink holders (3)
 Head - lockable console w/stand up head area, dome light,
 shower, sink, bulk storage, drawers, VacuFlush® head,
 10-gallon (37.9 l) holding tank & pump out
 Rod storage - vertical lockable storage for 6 rods
 Seating - molded forward console seat w/cushion (3)
 Steering - hydraulic tilt
 Steering wheel - 316 grade stainless steel
 Stereo system w/MP3/auxiliary audio connections &
 fold down storage - satellite ready
 Storage - electromechanically operated electronics enclosure
 Storage - lockable acrylic console door
 Storage - under footrest
 Storage pockets (3)
 Window - opening window w/screen
 Windshield - tempered glass windshield
 Windshield washer - freshwater
 Windshield wiper

Deluxe Lean Bar

Knife & pliers holders (2)
 Livewell - 45-gallon (170.3 l) insulated raw water livewell
 w/light, full column distribution inlet & ob drain
 (1100 GPH pump) (4164 LPH)
 Rigging station - lean bar station w/freshwater washdown &
 104-qt. (98.4 l) cooler
 Rod holders (6)
 Seating - lean bar mounted Deluxe III helm chairs w/footrest &
 flip-up bolsters (3)
 Storage - lockable bulk storage
 Storage - lockable tackle drawers

OPTIONAL FEATURES

Air conditioning in console w/2 outlets at helm (6,000 BTU)
 Bow thruster
 Casting platform insert w/cushions
 CE certification package
 Freezer - refrigerator/freezer fish box w/digitally controlled
 thermostat & ob drain
 Generator - 4kW diesel, 12-gal. (45.4 l) fuel capacity
 International AC electrical conversion - 220V 50Hz

Lighting - underwater LED (2)
 Livewell - 26-gal. (98.4 l) livewell (replaces lean bar cooler)
 Microwave
 Outrigger kit - 15-ft. (4.6 m) radial T-top mounted
 (w/T-top option only)
 Painted hull
 Sirius satellite radio system
 Steering - power assist (standard w/TF 350 package)
 T-top (fiberglass) w/radio box, antenna flats, dome light,
 storage net, fore/aft spreader lights, rod holders (5) &
 stereo speakers (2)
 Table (bow)
 Water heater - 6 gal. (22.7 l) (includes hot water cockpit shower)

CANVAS OPTIONS

(Available in ivory or navy)
 T-top front & side curtains



Express 360

36' Express Cabin

Beam Amidships: 13'2" (4.01 m)
 Bridge Clearance w/Hardtop: 10'6" (3.20 m)
 Center Engine: 30" (0.76 m)
 Center Line Length: 36'7" (11.15 m)
 Cockpit Depth: 28" (0.71 m)
 Cockpit Square Footage: 96 sq. ft. (8.9 m²)
 Hull Draft: 29" (0.74 m)
 Length Overall (w/pulpit): 39'3" (11.96 m)
 Maximum HP: 1050 (783 kW)
 Outboard Shaft Length:
 Port & Starboard Engines: 25" (0.64 m)
 Center Engine: 30" (0.76 m)
 Standard Fuel Capacity: 370 gal. (1401 l)
 Transom Width: 11'4" (3.45 m)
 Weight w/o Engines: 14,919 lb. (6767 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH)
 Basic flotation
 Bow rail - 316 grade stainless steel
 Cockpit toe rails
 Companion hand rails
 Fire extinguisher holder
 Nonskid fiberglass surfaces
 Self-bailing cockpit w/cockpit drains (6)
 Stainless steel through-hull fittings

Cabin

Accessory outlet - 110V duplex outlet (3)
Accessory outlet - 12V
Air conditioning - 16,000 BTU
Berth - aft double berth w/mattress
Berth - convertible dinette area
Berth - forward vee berth w/mattress
Cable TV inlet
Cherry cedar-lined pullout hanging closet
Cherry dinette table w/adjustable stainless steel base (seats 4)
Corian® shelf w/drink holders behind dinette
Flat screen 15" LCD TV w/DVD player & audio visual inputs
Forward hatch - low profile acrylic hatches w/retractable screen shade (2)
Illuminated etched glass in bulkhead
Lighting - dome light
Lighting - reading light
Lighting - recessed (2)
Lighting - skylight
Lighting - step lights (2)
Lockable sliding door w/separate screen door
Mirror
Rod storage racks - aft berth (6)
Seating - premium vinyl surface dinette surround cushions
Sirius satellite service
Stereo system w/MP3/auxiliary audio connections & flip-down storage
Storage - cherry dinette storage cabinet
Storage - molded-in fiberglass storage under dinette
Storage - molded-in fiberglass under berth compartments (3)
Storage - shelves
Storage - stacked cherry drawers under forward berth (2)
Teak and holly sole
Water heater - 11-gallon (41.6 l) 120V
Water level indicator gauge
Water tank - 54-gallon (204.4 l) freshwater

Galley

Electric glass top stove w/2 burners
Freezer drawer w/ice maker
Lighting - galley rail light
Microwave oven - 1.1 cu. ft. (0.03 m3) convection microwave oven - 120V 60Hz
Refrigerator drawer - stainless steel
Sinks - stainless steel w/Corian® counter surface (2)
Storage - cabinet w/cherry doors over galley
Storage - premium cherry drawers & doors under galley
Storage - cherry pull out trash container area

Head

Enclosed ventilated head area
Full length mirror located on door
Shower area w/deluxe curtain & cherry floor drain cover
Sink w/Corian® counter surface
Storage - fiberglass cabinet below sink
Storage - cherry shelves (2)
VacuFlush® marine head w/18-gallon (68.1 l) holding tank
Vanity w/mirror & lamps

Cockpit & Deck

100% hand laid hull & deck
Accessory outlet - 110V outlet
Accessory outlet - 12V (2)
Air conditioning - 16,000 BTU at helm
Anchor windlass w/chain & rode w/remote switches at helm & windlass
Battery select switches w/extra batteries
Bow pulpit w/roller
Bow thruster - Lewmar 18STT 4.5 kW/6.0 HP
Cleats - 316 stainless steel 10-inch (25.4 cm) (6)
Cockpit bolsters
Cockpit freshwater shower (recessed) (hot & cold)

Cockpit lights - LED lighting
Compass w/light
Cooler - 55-qt. (52.0 l) port side refrigerator/freezer cooler w/digitally controlled thermostat & ob drain
Deck hardware - 316 grade stainless steel through-bolted
Dockside water inlet
Drink holders (10)
Fighting chair reinforcement area
Fish box - 291-qt. (275.4 l) aft refrigerator/freezer fish box w/digitally controlled thermostat & ob drain
Footrests - adjustable port & helm
Fuel capacity - 370 gallons (190-gallon tank, 180-gallon tank) (1401 l)
Generator - 8 kW diesel, 23-gallon (87.1 l) fuel capacity
Hardtop w/storage net, recessed spreader lights, recessed stereo speakers, rod holders (6 horizontal, 6 vertical), 2 low profile acrylic hatches & canvas (canvas available in navy or ivory)
Hydraulic trim tabs (recessed) w/indicator & retractor
Integrated outboard mounting system w/swim platform & stainless steel telescoping ladder
International lighting
Livewell - 48-gallon (181.7 l) starboard insulated raw water livewell w/ light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)
Rigging station w/freshwater sink, pullout faucet, insulated bait box, knife/pliers/bait rigs holder & lockable drawers (4)
Rod holders - gunwale (4)
Rod storage racks - horizontal (6)
Rubrail - high density PVC w/stainless steel insert
Seating - Deluxe Platinum vertically & horizontally adjustable helm chair
Seating - fold away aft bench seat w/cushion
Seating - port lounge seat w/enclosed storage below
Seating - starboard lounge seat w/convertible configurations & hideaway folding table
Steering - hydraulic tilt w/power assist
Steering wheel - 15-in. (38.1 cm) 316 grade stainless steel
Stern eyes - heavy-duty 316 stainless steel
Storage - chart storage at helm
Storage - drawers under starboard seat (2)
Storage - electromechanically operated electronics enclosure
Storage - removable transom storage bin
Storage - under helm footrest
Storage net
Transom door - fiberglass
Washdown - freshwater
Washdown - pressurized raw water w/hose & remote switch
Windshield - heavy duty welded aluminum windshield w/tempered glass & electromechanically operated center vent
Windshield washers - freshwater (3)
Windshield wipers - self parking w/heavy-duty pantograph arms w/separate controls (3)

Steering - hydraulic tilt w/power assist
Steering wheel - 15-in. (38.1 cm) 316 grade stainless steel
Stern eyes - heavy-duty 316 stainless steel
Storage - chart storage at helm
Storage - drawers under starboard seat (2)
Storage - electromechanically operated electronics enclosure
Storage - removable transom storage bin
Storage - under helm footrest
Storage net
Transom door - fiberglass
Washdown - freshwater
Washdown - pressurized raw water w/hose & remote switch
Windshield - heavy duty welded aluminum windshield w/tempered glass & electromechanically operated center vent
Windshield washers - freshwater (3)
Windshield wipers - self parking w/heavy-duty pantograph arms w/separate controls (3)

Electrical

Batteries (5)
Battery charger system (2)
Battery select switches (2)(3 with triple engines)
Dockside power w/galvanic isolator & 30 amp service outlets w/shore power cords (2)
Factory engine pre-rigging

OPTIONAL FEATURES

CE certification package
Hardtop enclosure - integrated painted aluminum frame w/ safety glass windshield and side windows, storage net, recessed spreader lights, recessed stereo speakers, rod holders (6), low profile acrylic hatches (2), integrated hand holds & canvas (canvas available in navy or ivory)
International AC electrical conversion - 220V (50Hz)

Lighting - underwater LED (2)
Outtrigger kit - 15-ft. (4.6 m) radial hardtop mounted
Outtrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out)
Painted hull



Canyon 366

36' Center Console

Beam Amidships: 13'2" (4.01 m)

Bridge Clearance w/T-top: 9' (2.74 m)

Center Line Length: 36' 7" (11.15 m)

Cockpit Depth: 28" (0.71 m)

Cockpit Square Footage: 85 sq. ft. (7.9 m²)

Hull Draft: 29" (0.74 m)

Maximum HP: 1050 (783 kW)

Outboard Shaft Length:

Port & Starboard Engines: 25" (0.64 m)

Center Engine: 30" (0.76 m)

Standard Fuel Capacity: 420 gal. (1590 l)

Transom Width: 11' 4" (3.45 m)

Weight w/o Engines: 12,850 lb. (5829 kg)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH)
Basic flotation
Bow rail - low profile 316 stainless steel
Cockpit toe rails
Console grab rail (2)
Fire extinguisher holder
Lean bar grab rails (2)
Nonskid fiberglass liner
Self-bailing cockpit w/cockpit drains (6)
Stainless steel through-hull fittings

Cockpit & Deck

100% hand laid hull & deck
Anchor windlass w/remote switches at helm & windlass
Battery charger
Battery select switches w/extra batteries
Bow thruster
Cleats - flushmount (pop up)
Cockpit bolsters
Cockpit freshwater shower (recessed)
Cockpit lights - LED lighting
Cutting board
Deck hardware - 316 grade stainless steel through-bolted
Dockside power w/galvanic isolator
Drink holders (6)
Factory engine pre-rigging

Fish box - 263-qt. (248.9 l) port & starboard insulated fish boxes w/ob drain
Fish box - 291-qt. (275.4 l) aft insulated fish box w/ob drain
Forward bolsters
Fuel capacity - 420 gallons (1589.8 l)
Hydraulic trim tabs w/indicator & retractor
Integrated outboard mounting system w/swim platform & ladder
Lighting - international LED
Rod holders - deck mounted (10)
Rod storage racks - horizontal (10)
Rubrail - high density PVC w/stainless steel insert
Seating - fold away aft bench seat w/cushion
Seating - port & starboard fish box cushions
Sirius satellite radio system
Speakers - forward bow (2)
Stern eyes - heavy-duty 316 stainless steel
Storage - aft transom drop-in box
Storage - forward anchor locker w/rode storage
Storage - rod pods with nets, LED lighting, and drink holders (4)
Transom door - fiberglass
Washdown - freshwater
Washdown - pressurized raw water w/hose (2 outlets)
Water tank - 54-gallon (204.4 l) freshwater

Console

Accessory outlet - 110V
Accessory outlet - 12V (2)
Compass
Drink holders - stainless steel (4)
Seating - molded forward console seat w/cushion
Steering - hydraulic tilt w/Teleflex power assist
Steering wheel - 316 grade stainless steel
Stereo system w/MP3/auxiliary audio connections - satellite ready
Storage - electromechanically operated electronics enclosure
Storage - lockable acrylic console door
Storage - under footrest
T-top - integrated painted aluminum frame w/radio box, LED down lights (4), storage net, LED spreader lights (3), stereo speakers (2) & hatch
T-top canvas - port & starboard wings (ivory)
T-top chart bag (ivory)
Ventilator - solar powered
Water level indicator gauge
Window - tinted frameless tempered glass
Windshield - tempered glass, integrated w/T-top
Windshield washer - freshwater
Windshield wiper

Console Interior

Berth - aft bulk storage
Berth cushion w/adjustable bolster
Cherry flooring
Cherry wall w/mirrored storage cabinet, magazine rack & rigging access
Drink holders (2)
Head - stand up head area, shower, storage drawer, sink w/Corian counter surface, VacuFlush® head w/fold down lid & cushion, 10-gallon (37.9 l) holding tank & pump out
Lighting - dome light
Lighting - LED recessed (3)
Lighting - tinted glass skylight
Mirror
Refrigerator
Rod storage - vertical lockable (5)
Storage - bulk storage pockets

Deluxe Lean Bar

Drink holders - stainless steel (4)
Footrests - fold down (2)
Knife & pliers holders (2)
Livewell - 41-gallon (155.2 l) insulated raw water livewell w/see-through lid, light, full column distribution inlet & ob drain (110 GPH pump) (4164 LPH)
Lure holder
Rigging station - lean bar station w/freshwater sink & 164-qt. (155.2 l) cooler
Rod holders (6)
Seating - lean bar mounted Deluxe III helm chairs w/flip-up bolsters (3)
Storage - lockable bulk storage
Storage - lockable tackle drawers

OPTIONAL FEATURES

Air conditioning in console w/2 outlets at helm (6,000 BTU)
Casting platform insert w/cushions
CE certification package
Flat screen 15" LCD TV w/DVD player & audio visual inputs
Freezer - refrigerator/freezer aft fish box w/digitally controlled thermostat & ob drain
Generator - 4 kW diesel, 12-gal (45.4 l) fuel capacity
Grill - 1300 W (replaces lean bar sink)
International AC electrical conversion - 220V 50Hz
Lighting - underwater LED (2)
Livewell - 41-gallon (155.2 l) livewell w/see-through lid (replaces lean bar cooler)
Microwave
Outtrigger kit - 15-ft. (4.6 m) radial T-top mounted
Painted hull
Table - motorized bow table w/cover (converts to forward platform w/ cushion)(also fits cockpit area)
Water heater - 6-gallon (22.7 l) (includes hot water cockpit shower)

Every Grady-White offers the ultimate in comfort, safety and convenience.

- 1. The bow anchor locker** allows quick access to the anchor for safety. Many models have power windlasses with remote switches.
- 2. Lockable or flush mount electronics areas** are standard on most models.
- 3. Comfortable helm and companion seating.** Our deluxe seating is fully adjustable for additional comfort.
- 4. Sound systems** are available on most Grady-Whites. They are standard on our larger models.
- 5. Dry storage.** Every Grady has plenty—just what you need for towels, extra clothing and personal items.
- 6. Drink holders** are everywhere you need them. Convenient, and fewer slippery spills for safety!
- 7. Storage net** is easy to use and great for stowing lots of items.
- 8. Enclosed head area.** All Grady-Whites 20 feet and over offer a head or head option—a great comfort for an all-day adventure.
- 9. Toe rails** are easy to maintain and provide safety when you lean over the gunwale.
- 10. Horizontal rod racks and rod holders.** There's room for plenty of rods on every Grady-White. Cabin models often have additional rod racks.
- 11. Patented fold away aft seating** is available on most models, opening up more cockpit room. Big cockpits are a Grady-White feature.
- 12. Grady-White's nonskid surfaces** are everywhere you step and really provide traction.



- 13. Cutting boards and rigging areas** are located on most models.
- 14. Insulated ice boxes, fish boxes and sinks** drain directly overboard by gravity on every Grady-White.
- 15. Handholds** are where you naturally reach.
- 16. Safety glass windshield** (some models have unbreakable acrylic)
- 17. True self-bailing boat** directs water overboard by gravity whether at rest or underway. All scuppers drain overboard. Inspection ports are watertight. All Grady-Whites have automatic bilge pumps, with two pumps on most models over 20 feet. Our dedication to self-bailing cockpit integrity is unparalleled.
- 18. All Grady-Whites have foam sprayed into the hull for level or basic flotation**, even though not required in boats 20 feet and over. This foam also adds strength, thermal insulation and deadens sounds. There is no boat brand with better flotation properties.
- 19. Through-bolted 316 stainless steel hardware** is secured with locking nuts.
- 20. Heavy-duty fiberglass transom door** is not just for big fish, but adds easy access and safety too. Solid, 316 stainless transom door hardware is highlighted by a destroyer-sized latch with a positive locking mechanism for added safety.
- 21. Aluminum transom brace** is bonded to the top of outboard transoms, which reinforces transom strength and distributes motor torque. On integrated bracket models, the brace is through bolted to the longitudinal stringer system.

You're in command. Boat Smart from the Start! Take a boating education course, and get a vessel safety check for your boat. For more information, contact: U.S. Coast Guard Auxiliary 877-875-6296/800-368-5647 or www.cgaux.org and U.S. Power Squadrons 888-367-8777 or www.usps.org.

\$5.00 ©2010 Grady-White Boats, Inc. • Grady-White Boats, P.O. Box 1527, Greenville, NC 27835 (252) 752-2111 www.gradywhite.com
Grady-White Boats, Inc. reserves the right to discontinue models, or change prices, specifications, materials, equipment, colors or designs at any time without incurring obligation. Weight and dimensions of models are approximate and may vary. Thanks to: Jerry Imber Photography; Ray Matthews Photography; Bruce Miller Photography; Chip Henderson Photography; Jason Mills, Dewane Frutiger/ASAP Photography; Innovative Images Photography; and especially to Grady-White owners.



The NMMA Certified label on a Grady-White boat is your proof it meets, and often exceeds, industry quality and safety standards.

