
# 1974 Grady-White Brochure



built for quality... not quantity



# Because we take pride, you'll take pride in a G-W boat

You may never have seen a G-W boat before. As a boat lover, you've missed something. But, you see, we build for quality — not quantity — so there just aren't as many G-W boats around as there are some others.

Grady-White first established its reputation as a builder of fine wooden lapstrake boats. (Ask any seafaring skipper from New England, the Chesapeake Bay or the Outer Banks: he'll tell you, with enthusiasm, about G-W performance and quality.) Now, National Boat Works builds equally excellent boats under the proud G-W trademark. How do you make a good boat better? We've done it by maintaining old-fashioned pride in craftsmanship and adding new-fashioned materials, features and performance. Now, for instance, we build our boats from long-lasting, care-free fiberglass. But, we use the time-honored hand layup method of construction (to give you a much stronger boat). We're using the very newest (and the best available) NPG® based gel coat (for even more durability plus richer, glossier, fade-resistant colors).

We do things like carefully glassing in the stringer system and structural members while the hull is still in the mold and we leave our hulls in the mold to cure properly, insuring true hull configuration. We hand finish each G-W boat to perfection. Our quality control inspectors examine each boat from stem to stern, inside and out, looking for even the most minute imperfections. We protect our boats — your boat — from the weather; all construction and storage are inside. We engineer our hulls to give you safe, responsive handling. You can recognize a G-W boat by its wide, wide beam insuring a soft, stable ride plus lots of room and comfort and conveniences. We build in positive foam flotation that meets or exceeds all BIA and federal standards. We design beautiful, color-coordinated vinyl interiors.

But, read on — about each of the nine G-W models for 1974. There's one to make **you** a proud owner.























## Go to sea...

Or scamper safely about the inland lakes and sounds. There's a Grady-White boat (an outboard or inboard/outboard) . . . a 16½-footer or a 21-footer (or something in between) . . . to take you where you want to go.

Each of the nine G-W models has its own distinctive style and range. But, certain features are common to all Grady-White boats:

HAND LAYUP FIBERGLASS construction with the newest, strongest NPG® based gel coat . . .

POSITIVE FOAM FLOTATION . . .

HIGH QUALITY WINDSHIELDS WITH TEMPERED GLASS . . .

DURABLE, HANDSOME COLOR-COORDINATED INTERIORS . . .

CUSTOM DESIGNED DASH or INSTRUMENT PANELS . . .

QUILTED, FULL-LENGTH SIDE STORAGE SHELVES ...


CUSTOM HARDWARE and BOW RAILS . . .


BIA APPROVED LIGHTING and VENTILATION ...

TRADITIONAL G-W QUALITY AND SEAWORTHINESS.

Keep reading. Find out what **each** G-W boat has to offer. And remember: they all have certain things in common plus many options — all of which add up to better boating.

### the nine handsome G-W profiles for '74





### STANDARD STING RAY FEATURES:

Hand layup fiberglass construction
Positive foam flotation
Step-thru anodized aluminum windshield with tempered glass
Deluxe, color-keyed vinyl interior with easy-care carpeting
Fully padded deck coaming
Custom dash panel
Swing-up table with built-in drink holders
Teak drink holders for both forward-facing seats

Molded-in accessory pocket
Back-to-back lounge seats
Quilted, full-length storage shelves
Gunwale mounted pads for safe boarding
Custom hardware and bow rails
Passenger grab bar
Two-tone deck with a non-skid area

Anodized aluminum gunwale molding with vinyl insert Mechanical steering

BIA approved lighting and ventilation

### **FACTORY OPTIONS:**

Top and side curtains Aft curtain Mooring cover 12-gallon gas tank

### SPECIFICATIONS:

Centerline length	16'6"
Beam amidship	79"
Transom height	L.S.
Transom width	76"
Gunwale length	17'7"
Depth amidship	34"
Maximum h.p.	120
Weight (approx.)	975 lbs.



### STANDARD CAPRI FEATURES:

Hand layup fiberglass construction

Positive foam flotation

Walk-thru anodized aluminum windshield with tempered glass Deluxe, color-keyed vinyl interior with complementary carpeting

Fully padded deck coaming

Custom designed dash panel

Teak drink holders for both forward-facing seats

Glove box with lock

Back-to-back lounge seats

Large, molded-in bow seats with storage below

Thick, vinyl-covered bow cushions

Jump seats

Quilted, full-length side storage shelves

Swing-up table with built-in drink holders

Custom hardware and bow rails

Anodized aluminum gunwale molding with vinyl insert

Mechanical steering

BIA approved lighting and ventilation

### **FACTORY OPTIONS:**

Top and side curtains

Aft curtain

Bow cover


Mooring cover

18 gallon gas tank

### SPECIFICATIONS:

Centerline length	17'1"
Beam amidship	84"
Transom height	L.S.
Transom width	78"
Gunwale length	19'3"
Depth amidship	38"
Maximum h.p.	135
Waight (annray)	1 220 lbc





# 183 ADVENTURER

According to NMMA

BIA TAG INFO;

Loud(People) 1575 165

Total w/ Bout 2025 165

She really is something special — this deep V bow rider — the G-W Adventurer! There just aren't many boats that combine the smooth, stable ride of the V hull with the spaciousness of a bow rider. This fast, responsive, extra-large 18-footer does! The 90-inch beam means space and safety without sacrificing a smidgin of boating fun. She rides almost as nicely in rough waters as in smooth — that's why we named her the Adventurer. She'll go anywhere and love it (and so will you).

### STANDARD ADVENTURER FEATURES:

Hand layup fiberglass construction
Positive foam flotation

Walk-thru anodized aluminum windshield with tempered glass

Deluxe, color-keyed vinyl interior

Swing-up table with built-in drink holders

Custom designed dash panel

Teak drink holders for both forward-facing seats

Glove box with lock Back-to-back lounge seats

Large, molded-in bow seats with storage below

Thick, vinyl-covered bow cushions and padded back rests Jump seats

Quilted, full-length side storage shelves

Custom hardware and bow rails

Anodized aluminum gunwale molding with vinyl insert

Mechanical steering

BIA approved lighting and ventilation

### **FACTORY OPTIONS:**

Top and side curtains

Aft curtain

Bow cover

Mooring cover

Horn

Windshield wiper

18 gallon gas tank

### SPECIFICATIONS:

Centerline length 18'4"
Beam amidship 90"
Transom height L.S.
Transom width 85"
Gunwale length 19'3"
Depth amidship 43"

Maximum h.p. Weight (approx.) 43"

170

1,420 lbs.



### STANDARD ROC FEATURES:

Hand layup fiberglass construction

Positive foam flotation

Walk-thru anodized aluminum windshield with tempered glass Beautiful color-keyed vinyl interior with complementary carpeting

Custom woodgrain instrument panel with tachometer, oil and temperature gauges, ampmeter and electric gas gauge Glove box with lock

Back-to-back lounge seats

Large, molded-in bow seats with storage below Thick, vinyl-covered bow cushions and padded back rests Quilted, full-length side storage shelves

Combination stern rails and boarding ladder

Custom hardware and bow rails

Heavy-duty gunwale molding with vinyl insert

Bilge pump; bilge blower

24 gallon gas tank

Insulated engine box with built-in drink holders

Standard power unit — 120 h.p.

BIA approved lighting and ventilation

### **FACTORY OPTIONS:**

Top and side curtains

Aft curtain

Bow cover

Mooring cover

Jump seats

Windshield wiper


Harn

Engine options to 245 h.p.

### SPECIFICATIONS

SPECIFICATIONS:	
Centerline length	18'4"
Beam amidship	90"
Transom height	38"
Transome width	85"
Gunwale length	19'3"
Depth amidship	43"
Weight (approx.)	2,240 lbs.
M. Committee of the Com	





### STANDARD SP SMAN FEATURES:

Hand layup fiberglass construction Positive foam flotation

Step-thru anodized aluminum windshield with tempered glass

Handsome, color-keyed vinyl interior

Swing-up table with built-in drink holders

Custom designed dash panel

Teak drink holders for both forward-facing seats

Glove box with lock

Back-to-back lounge seats

Quilted, full-length side storage shelves

Custom hardware and bow rail

Gunwale mounted pads for safe boarding

Full non-skid deck

Heavy-duty gunwale molding with vinyl insert

Mechanical steering

BIA approved lighting and ventilation

### **FACTORY OPTIONS:**

Top and side curtains

Aft curtain

Mooring cover

Pedestal seats

Jump seats

STATE OF THE PERSON NAMED IN

Windshield wiper

Horn

18 gallon gas tank

Gunwale length


Installed marine head

### SPECIFICATIONS:


Centerline length 19'1"
Beam amidship 96"
Transom height L.S.
Transom width 85"


Depth amidship 40" Maximum h.p. 180

Weight (approx.) 1,495 lbs.



20'9"





### STANDARD WEEKENDER FEATURES:

Hand layup fiberglass construction
Positive foam flotation
Opening bulkhead and forward hatch
Ventilating windshield with tempered glass
Sliding, ventilating side cabin windows
Deluxe, color-keyed vinyl interior
Swing-up table with drink holders
Fold-down helmsman and companion seats
with footrest/storage box on helmsman's side
Jump seats

Spacious sleeping bunks with foam cushions
Fresh water sink and storage cabinet
Fiberglass cabin inner-liner
Handsome hardwood cabin door
Cabin top handrails
Textured fiberglass, non-skid, molded deck
Heavy-duty gunwale molding with vinyl insert
Quilted, full-length side storage shelves
Custom hardware and bow rail
Mechanical steering
BIA approved lighting and ventilation

### FACTORY OPTIONS:

Top and side curtains
Aft curtain
Mooring cover
Windshield wiper
Horn
18 gallon gas tank
Installed marine head

### SPECIFICATIONS:

Centerline length 19'1" 96" Beam amidship Transom height L.S. 85" Transom width Gunwale length 20'9" 41" Depth amidship Maximum h.p. 180 1.620 lbs. Weight (approx.)





### STANDARD ANGLER FEATURE

Hand layup fiberglass construction Positive foam flotation Anodized step-thru windshield with tempered glass Deluxe, color-keyed vinyl interior Custom instrument panel with tachometer, oil and temperature gauges, ampmeter and electric gas gauge Glove box with lock Teak drink holders for both forward-facing seats Two removable bait wells (aft) Back-to-back lounge seats Quilted, full-length side storage shelves Gunwale mounted pads for safe boarding Custom hardware and bow rail Heavy-duty gunwale molding with vinyl insert Full, non-skid forward deck Bilge pump; bilge blower 36 gallon gas tank Insulated engine box with built-in drink holders Standard power unit - 120 h.p. BIA approved lighting and ventilation

### **FACTORY OPTIONS:**

Top and side curtains
Aft curtains
Mooring cover
Pedestal seats
Jump seats
Windshield wiper
Horn
Installed marine head
Engine options to 245 h.p.

### SPECIFICATIONS:

Centerline length 19'1"
Beam amidship 96"
Transom height 43"
Transom width 85"
Gunwale length 20'9"
Depth amidship 42"
Weight (approx.) 2,360 lbs.





Hand layup fiberglass construction with fiberglass stringer system

Positive foam flotation

Ventilating windshield with tempered glass

Deluxe, color-keyed vinyl interior

Custom designed instrument panel with tachometer, oil and temperature gauges, ampmeter and electric gas gauge

Two removable bait wells (aft)

Swivel, pedestal-mounted helmsman and companion seats

with footrest/storage box at helmsman's feet

Spacious storage compartment in cockpit floor

Thick vinyl-covered bunk cushions

Fiberglass cabin inner-liner

Handsome hardwood cabin door and opening bulkhead

Sliding forward deck hatch

Quilted, full-length side storage shelves

Custom hardware, bow and side rails Molded, non-skid deck and walkway

Bilge pump, bilge blower

40 gallon gas tank

Insulated engine box with built-in drink holders

Windshield wiper

21'2"

96"

46"

82"

Cockpit galley unit

Installed marine head

Engine options to 245 h.p.

Standard power unit — 120 h.p.

BIA approved lighting and ventilation

### **FACTORY OPTIONS:**

Top and side curtains

Aft curtain

Mooring cover Sleeper seats

Jump seats

SPECIFICATIONS:


Centerline length Beam amidship


Transom height Transom width

Gunwale length 22'10" Depth amidship 45"

Weight (approx.) 2.605 lbs.







### STANDARD NASSAU FEATURES:

Hand layup fiberglass construction with fiberglass stringer system

Positive foam flotation

Forward hatch and opening bulkhead Ventilating windshield with tempered glass

Sliding, side cabin windows

Deluxe, color-keyed vinyl interior

Custom instrument panel with tachometer, oil and temperature gauges, ampmeter and electric gas gauge

Fold-down helmsman and companion seats with footrest/storage box by helmsman's feet

Spacious storage compartment in cockpit floor

Thick, vinyl-covered foam bunk cushions

Fresh water sink and storage cabinet

Fiberglass cabin inner-liner

Handsome hardwood cabin door

Two removable bait wells (aft)

Quilted, full-length side storage shelves

Custom hardware, bow and side rails; cabin-top handrails

Non-skid deck and walkway Bilge pump; bilge blower

40 gallon gas tank

Insulated engine box with built-in drink holders

Horn

Standard power unit - 120 h.p.

BIA approved lighting and ventilation

### **FACTORY OPTIONS:**

Top and side curtains Sleeper seats Aft curtain

Jump seats

Windshield wiper Pedestal seats Cockpit galley unit Installed marine head

Engine options to 245 h.p.

### SPECIFICATIONS:


Mooring cover

Centerline length 21'2" Beam amidship 96" 43" Transom height Transom width 82" 22'10" Gunwale length Depth amidship 42" Weight (approx.) 2.800 lbs.



Our new facilities are as modern and comfortable as we could make them a fume and dust-free lamination area . . . an air-conditioned assembly area . . . all brilliantly lit. We believe that better working conditions make better workers and that better workers build better boats - for you. Of course, to be absolutely sure that your boat is as perfect as possible, we have very, very critical quality control inspectors. They go over each G-W boat, from stem to stern, checking for the tiniest flaws. To protect your new boat even more, we store our boats inside. Every G-W boat is shipped brand new, completely fresh. A Grady-White boat is never exposed to dirt or weather during building or storage.










D

- A. We're using the most recently developed NPG\*-based gel coat to make G-W colors even smoother and more stain-resistant . . . to help prevent underwater blistering . . . to eliminate crazing and yellowing. It's just one more way we build extra quality into our boats into your boat.
- B. G-W boats are built from fiberglass. But not all fiberglass boats have the same quality. We use hand layup construction which means, very simply, that Grady-White boats are stronger than most other fiberglass boats.

  Overlapping at the keel and other stress areas adds even more strength. It takes a lot to damage a G-W boat they're remarkably resistant to impact! Your G-W boat will give you pleasure year after carefree year.
- C. While the hulls are still in the mold, the stringers are glassed in heavily to add still more strength. And then, the hulls are left in the mold to cure for a considerable length of time. We could speed up production by taking our finished hulls out of the mold right away. But we think they should stay there until they're properly cured. We'd rather make fewer boats and better boats. We think you prefer it that way, too.
- D. All G-W boats are built with positive foam flotation. And, for foaming, we use only the best high-density polyurethane foam. This means that a Grady-White boat is safer, that it will keep on floating even if there is damage to the hull. It's still another way we make sure you enjoy your boating — without care and worry.





### Warranty

This warranty is in lieu of any other warranty expressed or implied. National Boat Works, Inc. warrants to the original purchaser each boat manufactured by National Boat Works, Inc. to be free of defects in material and workmanship for a period of one year from date of purchase, when purchased from an authorized dealer. Excluded from this warranty are engines, outdrives, propellers, controls, mechanical steering, bilge pumps and any other part expressly warranted by the manufacturer thereof. Also excluded are gel coats, chrome, windshields, glass breakage and upholstery. Boats subjected to misuse, abuse, negligence or used for racing are expressly excluded from this warranty. Any repairs authorized by our factory in writing will be repaired at the factory in Greenville, North Carolina or at our option by our authorized dealer. Transportation charges to and from the place of repair will be the responsibility of the owner. National Boat Works, Inc. reserves the right to make changes in design and materials without being obligated to incorporate such changes in products manufactured prior to incorporation of such changes.

G-W boats are rigorously tested so that they meet - or exceed - all applicable federal standards and BIA certification requirements covering maximum horsepower rating, load capacities, lighting, steering mechanisms, engine compartments and bilge ventilation systems, fuel BIA tanks and systems, positive flotation and many other components. These, then, are the G-W boats for 1974 and an introduction to the Grady-White way of building boats - building always for quality, not quantity.



Visit your Grady-White dealer.