

**Grady White Boats
1984 Brochure**

GRADY-WHITE BOATS





Grady White Boats
P.O. Box 1527, Greenville, N.C. 27834 Telephone: (919) 752-2111

Hello,
I'm Eddie Smith, Jr. As President of Grady-White Boats, I'd like to tell you why owning a Grady-White is a superior investment as well as a very rewarding and enjoyable experience.

In the 50's and 60's our wooden, lapstrake-hulled boats earned the respect of coastal fishermen from Maine to North Carolina by performing superbly in the roughest seas. The wide beams and flared bows proved extremely safe and dependable.

Grady-White began producing easy-to-care-for fiberglass Grady-Whites about 15 years ago. To maintain our already famous reputation for safety and dependability, we produced our fiberglass Grady-Whites by the hand lay-up method. The wide beams and flared bows proved extremely safe and dependable.

Grady-White continues to build boats by this time-consuming method. Our craftsmen are skilled and our production is limited and unhurried so that we can continue to set the standard for quality in the boat building industry. Since most Grady-Whites are being used for fishing either offshore or in large bodies of water, I feel a personal responsibility to insure that our boats are as strong and safe as possible.

Our company is family-owned and family-managed. My greatest source of personal satisfaction comes from knowing that we build for your family one of the finest, best performing and safest boats at a fair price. My entire working life has been dedicated to personalized attention to production, sales and service of Grady-White boats.

Our Grady-White dealer organization is, in my opinion, the strongest and most professional dealer group in the entire marine industry. I know our dealers and their families personally. Since I strongly believe that every Grady-White should be built and serviced as if it were my own personal boat, giving your dealer the factory support he needs is something that I, myself, attend to.

If you are ever in eastern North Carolina, please visit us in Greenville in our new, modern, air-conditioned, dust-free factory. Once you've met the people who build Grady-White boats and seen how they are made, you'll know why Grady-White is the choice of knowledgeable, skillful boaters.

Thanks for considering Grady-White in this, our 25th year. No matter whether you use your boat for family recreation, serious sportfishing or both, sooner or later as a serious boater, I'll bet you'll own a Grady-White.

Happy boating!

Sincerely,

Eddie Smith, Jr.
President



State-of-the-art construction.



1. The mold determines the boat's shape and finish, so we carefully inspect each one, then polish it to insure a smooth finish.



2. The finest NPG gelcoat is applied in our dust-free spray booths giving a smooth, durable finish to the hull and deck.



3. Hand-laid fiberglass mat and woven roving means a stronger, safer hull and deck. The hand lay-up process gives control of the fiberglass-to-resin ratio, insuring the uniform strength we require.



4. Stringers are encapsulated in resin and fiberglass and glassed into place while the hull cures in its mold. This gives your hull permanent strength and shape.



5. Strategic cavities in the hull and deck are filled with polyurethane spray which adds floatation, sound absorption, thermal insulation and hull strength.



6. Before the hull, deck and liner are assembled, our quality control people detect and repair the smallest flaws.



7. Every piece of standard hardware is through-bolted with locking nuts for long-lasting strength and safety.



8. All hardwood trim is made in our shops and custom-fitted to each boat. Gauges and cables are tested. Stern drives are test run. Canvas is fitted, then removed for shipping.



9. We wash each boat for the tough, thorough, final inspection. Then, if not shipped immediately, the boat is stored in our warehouse to protect it from the weather.

17' Tournament



The fast, efficient 170 Tournament is perfect for fishing, skiing and cruising.


170 Specifications

Center Line Length	16' 10"
Beam Amidships	81"
Transom Height (Single)	20"
Transom Width	77"
Hull Draft	12"
Maximum H.P.	125 h.p.
Weight	1300 lbs.

Battery storage compartment
Removable, aft bait well
Fold-down motor-well bulkhead
Mechanical steering
Level floatation
International lighting
Self-bailing cockpit
Vertical rod-storage holders (6)

Canvas

Top and side curtains w/boot
Aft curtain
Bow cover
Mooring cover
Pedestal chair cover



Bow area

Standard Features

Marinimum deck hardware
Stainless steel bow rail
Bow anchor locker
Walk-thru tempered-glass windshield
Two, lockable walk-thru storage compartments
Lockable, port console radio box
Heavy-duty gunwale molding
Stainless steel steering wheel
Covered instrument panel
Helm station drink holders (2)
Pedestal chairs
Non-skid fiberglass-lined cockpit
Helm station side shelves
Helm station foot rest
Companion seat grab rail
30-gallon aluminum gas tank
Removable stern light

Factory Options

General

Windshield wiper
48-quart Igloo cooler w/cushion seat
Chair gimbals
Horn
Cockpit lights
Automatic bilge pump
Rod holders (4) flush mounted marinium
Back-to-back sleeper seats
Teak swim platform w/ladder



Aft storage



Instrument panel and walk-through



Fold-down motor well bulkhead (down)



Aft cockpit


19' Tournament Series

Available in Outboard, Inboard/Outboard and Sea Drive. Stern design for each power option shown on opposite page.



Running out for a day of fishing in the 190 Tournament (Outboard) dual console.

19' Tournament Layout



Port console storage



Helm station



Cockpit forward



Family fishing expedition in the 198 Tournament (Sea Drive) dual console.



Bow-area insulated icebox

Standard Features

Cockpit & Deck 190 197 198

Marinium deck hardware	S	S	S
Stainless steel bow rail	S	S	S
Bow seat storage compartment	S	S	S
Bow seat icebox	S	S	S
Bow anchor locker	S	S	S
Two, removable bow-cushion seats	S	S	S
Walk-thru, tempered-glass windshield	S	S	S
Heavy-duty gunwale molding	S	S	S
Stainless steel steering wheel	S	S	S
Covered instrument panel	S	S	S
Lockable glove box	S	S	S
Six drink holders	S	S	S
Eight drink holders	S	S	S
Pedestal chairs	S	S	S
Cockpit side-storage shelves	S	S	S
Helm and companion side-storage shelves	S	S	S
40-gallon aluminum gas tank	S	S	S
Removable stern light	S	S	S
Hydraulic steering	S	S	S
Mechanical steering	S	S	S
Power steering	S	S	S
Level floatation	S	S	S
Basic floatation	S	S	S
International lighting	S	S	S
BIA approved ventilation	S	S	S
Automatic bilge pump	S	S	S
Removable aft-seat cushions	S	S	S
Large, lockable, starboard console storage compartment	S	S	S

Fishing Features

Non-skid fiberglass liner	S	S	S
Self-bailing cockpit	S	S	S
Horizontal rod racks	S	S	S
Removable floor fishwell	S	S	S
Insulated engine box w/drink holders and 4 vertical rod storage holders	S	S	S
Rigging area w/cutting board and drink holders	S	S	S
Removable, tackle-storage tray	S	S	S
Four, vertical rod-storage holders	S	S	S



190 Tournament

Outboard Stern

Center Line Length	18' 11"	Hull Draft	14"
Beam Amidships	96"	Maximum H.P.	200 h.p.
Transom Height	20"	Weight	1900 lbs.
Transom Width	92"		



197 Tournament

Inboard/Outboard Stern

Center Line Length	18' 11"	Transom Width	92"
Beam Amidships	96"	Hull Draft	14"
Transom Height	39"	Weight (w/170 H.P.)	2750 lbs.



198 Tournament

Sea Drive Stern

Center Line Length	18' 11"	Transom Width	92"
Beam Amidships	96"	Hull Draft	14"
Transom Height	39"	Weight (w/1/6 litre)	2450 lbs.

Factory Options

General 190 197 198


Windshield wiper	0	0	0
Portable head	0	0	0
48-quart Igloo cooler	0	0	0
Chair gimbals	0	0	0
Horn	0	0	0
Cockpit lights	0	0	0
Outrigger kit (15 feet)	0	0	0
Rod holders (4) flush-mounted marinium	0	0	0
Back-to-back sleeper seats	0	0	0
Teak swim platform w/ladder	0	0	0
Engine options to 260 h.p.	0		

Canvas

Top and side curtains w/boot	0	0	0
Aft curtain	0	0	0
Bow cover	0	0	0
Mooring cover	0	0	0
Pedestal chair cover	0	0	0



Horizontal rod racks



Starboard console storage


20' Overnighter Series

Available in Outboard, Inboard/Outboard and Sea Drive. Stern design for each power option shown on opposite page.



Running to blue water in the 204-C (Outboard) with optional hardtop.

20' Overnighter Layout



Cabin interior, forward



Bow anchor locker



Instrument panel (205)



Returning to port at nightfall in the 205 Overnighter (Inboard/Outboard).



Non-skid, recessed walkaround



Insulated fish box (starboard)

Standard Features

Cabin 204-C 205 206

Vinyl-covered, foam bunk cushions	S	S	S
Lamp	S	S	S
Under-bunk storage compartments (3)	S	S	S
Teak, lockable door	S	S	S
Fiberglass liner	S	S	S
Nylon headliner	S	S	S
Sliding, side windows	S	S	S
Four, cabin rod-storage holders	S	S	S

Cockpit and Deck

Marinium deck hardware	S	S	S
Stainless steel bow rail	S	S	S
Bow anchor locker w/cushion seat	S	S	S
Ventilating windshield w/tempered-glass	S	S	S
Heavy-duty gunwale molding	S	S	S
Stainless steel steering wheel	S	S	S
Covered instrument panel	S	S	S
Pedestal chairs	S	S	S
Side-storage shelves	S	S	S
Spring line cleats	S	S	S
Port and starboard footrests	S	S	S
Lockable storage under helm seat	S	S	S
Two battery-storage compartments	S		
Hydraulic steering			S
Power steering		S	
Mechanical steering	S		
Basic floatation	S	S	S
International lighting	S	S	S
BIA approved ventilation	S	S	S

Fishing Features

Non-skid fiberglass liner	S	S	S
Self-bailing cockpit	S	S	S
Lockable, tackle drawers under companion seat	S	S	S
65-gallon aluminum gas tank	S	S	S
Two, removable aft bait wells	S		
Two, large, overboard-draining cockpit fish boxes	S	S	S
Insulated engine box w/drink holders and 4 vertical rod storage holders	S		
Combination cutting board, rigging area with drink holders	S	S	
Removable, tackle-storage tray		S	
Six, cockpit, vertical rod-storage holders	S	S	S
Four, rod-storage holders in front of cutting board		S	
Insulated ice box or fish box between aft bait wells	S		
Automatic bilge pump	S	S	S



204-C Overnighter

Outboard Stern

Center Line Length	20' 4"	Hull Draft	14"
Beam Amidships	96"	Maximum H.P.	230 h.p.
Transom Height (Single)	25"	Weight	2300 lbs.
Transom Width	94"		



205 Overnighter

Inboard/Outboard Stern

Center Line Length	20' 4"	Transom Width	94"
Beam Amidships	96"	Hull Draft	14"
Transom Height	43"	Weight (w/170 H.P.)	3100 lbs.



206 Overnighter

Sea Drive Stern

Center Line Length	20' 4"	Transom Width	94"
Beam Amidships	96"	Hull Draft	14"
Transom Height	43"	Weight (w/2.5 Litre)	3000 lbs.

Factory Options

General 204-C 205 206

Windshield wiper(s)	O	O	O
Marine head	O	O	O
48-quart Igloo cooler with cushioned seat	O	O	O
95-quart, insulated fish box	O	O	O
Chair gimbals	O	O	O
Horn	O	O	O
Cockpit lights	O	O	O
Outrigger kit, 15 feet	O	O	O
Rod holders (4), flush-mounted, marinium	O	O	O
Teak swim platform, w/ladder	O	O	O
Engine options to 260 h.p.		O	
Single binnacle control	O		
Dual binnacle control	O		
Bow lifting ring	O	O	O
Aerated live well	O	O	O
Hydraulic steering	O		
Transom modification for 20" twin engines	O		
Hardtop, w/radio box	O	O	O
Hardtop rod holders	O	O	O

Canvas

Top and side curtains, w/boot	O	O	O
Drop curtain	O	O	O
Helm station cover	O	O	O
Mooring cover	O	O	O
Pedestal chair cover	O	O	O
Hardtop canvas	O	O	O



Engine access (205)



Cockpit forward

204 Fisherman



204 Specifications

Center Line Length	20' 4"
Beam Admships	96"
Transom Height (Single)	25"
Transom Width	94"
Hull Draft	14"
Maximum H.P.	230 h.p.
Weight	1995 lbs.

Standard Features

Cockpit and Deck

- Marinium deck hardware
- Stainless steel bow rail
- Bow rope locker
- Heavy-duty gunwale molding
- Stainless steel steering wheel
- Pedestal chairs
- Spring line cleats
- 80-gallon aluminum gas tank
- Removable stern light
- Forward compartment for storage or marine head
- Two battery-storage compartments
- Mechanical steering
- Basic floatation
- International lighting
- Automatic bilge pump
- Console drink holder
- Lockable console storage

Fishing Features

- Self-bailing cockpit
- Non-skid fiberglass liner
- Horizontal rod racks
- Two forward fish boxes w/overboard drains
- Two aft-cockpit insulated fish boxes w/overboard drains
- Fold-down motor well bulkhead
- Vertical rod storage holders (4)
- Console w/forward-ice box seat
- Console tackle drawers (3)
- Lockable radio box
- Lockable chart-recorder box
- Plexiglass windshield w/handrail
- Raised casting platform

Factory Options

General

- Marine head
- 48-quart Igloo cooler
- Chair gimbals
- Horn
- Cockpit lights
- Outrigger kit (15 feet)
- Rod holders (4) flush-mounted marinium
- Teak swim platform w/ladder
- Chain-pipe deck fitting
- Single binnacle control
- Dual binnacle control
- Bow lifting ring
- Aerated live well
- Hydraulic steering
- Twin engine transom modifications (20")
- Washdown pump w/hose
- Leaning post w/rocket launchers

Canvas

- Mooring cover
- Pedestal chair cover
- Folding Bimini top w/boot
- Side curtains
- Casting platform sprayhood
- Connector top to sprayhood
- Casting platform privacy curtain
- Console cover
- T-top w/curtains



The incredibly dry-riding 204 crashes through swells off North Carolina's Outer Banks.



Center console with lockable dry-storage and electronics boxes



Lockable chart-recorder box with plexiglass shield removed



Lockable, radio box with plexiglass shield removed



Center console with optional T-top and standard pedestal chairs. Notice tackle-drawer storage door on console port side.



Forward console insulated fish box



Optional leaning post with rocket launchers



Aft-cockpit motor well bulkhead, down. Fish boxes and battery storage, port and starboard


22' Tournament Series

Available in Outboard, Inboard/Outboard and Sea Drive. Stern design for each power option shown on opposite page.



Running offshore in the 223 Tournament (Outboard) dual console

22' Tournament Layout



Lockable glove box with chart tube



Bow anchor locker



Helm console, with lockable radio box



Big blue marlin catch in a 225 Tournament (Sea Drive) dual console.



Insulated fish box (starboard)



Motor well bulkhead, down (223)

Standard Features

Cockpit & Deck 223 224 225


Marinium deck hardware	S	S	S
Recessed stainless steel bow rails	S	S	S
Bow lifting ring	S	S	S
Removable, bow cushion seats (2)	S	S	S
Bow-area drink holders (2)	S	S	S
Bow anchor locker w/overboard drain	S	S	S
Walk-thru, tempered-glass windshield	S	S	S
Heavy-duty gunwale molding	S	S	S
Stainless steel steering wheel	S	S	S
Covered instrument and accessory switch panels	S	S	S
Horn	S	S	S
Cockpit lights	S	S	S
Glove box w/chart-storage tube	S	S	S
Helm and companion seat drink holder	S	S	S
Lockable radio box	S	S	S
Pedestal chairs	S	S	S
Side storage shelves	S	S	S
Spring line cleats	S	S	S
93-gallon aluminum gas tank	S	S	S
Removable stern light	S	S	S
Battery-storage compartments (2)	S		
Hydraulic steering			S
Mechanical steering	S		
Power steering		S	
Basic floatation	S	S	S
International lighting	S	S	S
BIA approved ventilation	S	S	S
Automatic bilge pump	S	S	S
Removable, aft seat cushions	S	S	S
Fish-box seat cushions	S	S	S
Lockable, starboard console storage	S	S	S
Two large, lockable port console storage compartments w/four tackle drawers	S	S	S

Fishing Features

190-quart insulated fish box w/overboard drain	S	S	S
Full non-skid fiberglass liner	S	S	S
Divided insulated fish box (or ice box) under companion seat—larger is 90-qt. and smaller (45-qt.) section accepts live well aerator.			
Both w/overboard drains	S	S	S
60-quart bow fishbox (or ice box) w/overboard drain	S	S	S
Self-bailing cockpit	S	S	S
Horizontal rod racks	S	S	S
Two, aft cockpit, insulated fish boxes w/overboard drains	S		
Fold-down motor well bulkhead	S		
Insulated engine box w/drink holders and 4 vertical rod-storage holders	S		
Rigging area w/cutting board and drink holders	S	S	
Removable, tackle-storage tray		S	S
4 vertical rod-storage holders	S		S



Removable, tackle tray (225)



223 Tournament

Outboard Stern

Center Line Length	22'	Hull Draft	14"
Beam Amidships	96"	Maximum H.P.	280 h.p.
Transom Height (Single)	25"	Weight	2400 lbs.
Transom Width	94"		



224 Tournament

Inboard/Outboard Stern

Center Line Length	22'	Transom Width	94"
Beam Amidships	96"	Hull Draft	14"
Transom Height	47"	Weight (w/170 H.P.)	3200 lbs.



225 Tournament

Sea Drive Stern

Center Line Length	22'	Transom Width	94"
Beam Amidships	96"	Hull Draft	14"
Transom Height	47"	Weight (w/2.6 Litre)	3000 lbs.

Factory Options

General 223 224 225

Windshield wiper	O	O	O
Portable head	O	O	O
48-quart Igloo cooler	O	O	O
95-quart, insulated, portable fish box	O	O	O
Outrigger kit (15 feet)	O	O	O
Rod holders (4) flush-mounted marinium	O	O	O
Teak swim platform w/ladder	O	O	O
Engine options to 260 h.p.		O	
Single binnacle control	O		
Dual binnacle control	O		
Aerated live well	O	O	O
Hydraulic steering	O		
Hydraulic trim tabs	O	O	O
Transom modification for 20" twin engines	O		
40-gallon auxiliary gas tank	O	O	O
Hardtop w/radio box	O	O	O
Hardtop rod holders	O	O	O
Combination washdown pump w/hose and recirculating live well	O	O	O
Tower frame and platform	O	O	O
Twin 1.6 litre Sea Drives			O

Canvas

Top and side curtains w/boot	O	O	O
Helm station cover	O	O	O
Bow cover	O	O	O
Mooring cover	O	O	O
Pedestal chair cover	O	O	O
Hardtop canvas	O	O	O
Tower canvas	O	O	O



Port-console tackle drawers and storage


22' Seafarer Series

Available in Outboard, Inboard/Outboard and Sea Drive. Stern design for each power option shown on opposite page.



Plenty of fish boxes and storage keep the 226 Seafarer (Outboard) cockpit clear and uncluttered.

22' Seafarer Layout




Cabin interior, forward



Cockpit forward



Recessed, non-skid walkway



Trolling in a 227 Seafarer (Inboard/Outboard) with optional hardtop.



Insulated fish box

Standard Features

Cabin	226 227 228
Rod storage holders (4)	S S S
Recessed non-skid walkway around entire cabin	S S S
Sliding, side windows	S S S
Two fixed, front windows	S S S
Forward hatch w/cushion seat	S S S
Fabric-covered foam, bunk cushions	S S S
Lamp	S S S
Underbunk storage compartments (3)	S S S
Lockable, teak door w/hatch	S S S
Nylon headliner	S S S
Liner side shelves	S S S
Storage shelves (port)	S S S

Cockpit & Deck

Marinimum deck hardware	S S S
Stainless steel bow rail	S S S
Bow lifting ring	S S S
Bow rope locker	S S S
Ventilating windshield w/tempered glass	S S S
Heavy-duty gunwale molding	S S S
Stainless steel steering wheel	S S S
Covered instrument panel	S S S
Horn	S S S
Cockpit lights	S S S
Helm and companion seat drink holders	S S S
Lockable radio box	S S S
Pedestal chairs	S S S
Side storage shelves	S S S
Spring line cleats	S S S
93-gallon aluminum gas tank	S S S
Battery-storage compartments (2)	S S
Hydraulic steering	S
Mechanical steering	S
Power steering	S
Basic floatation	S S S
International lighting	S S S
BIA approved ventilation	S S S
Two automatic bilge pumps	S S S
Removable aft seat cushions	S S S
Two fish box seat cushions	S S S

Fishing Features

190-quart fish box w/overboard drain	S S S
Divided, insulated fish box (or icebox) under companion seat—larger section is 90-qt. and smaller (45-qt.) section accepts live well aerator option	S S S
Horizontal rod racks	S S S
Two—aft-cockpit insulated fish boxes w/overboard drains	S
Fold-down motor-well bulkhead	S
Insulated engine box w/drink holders and 4 vertical rod storage holders	S
Rigging area w/cutting board and two drink holders	S S
Removable, tackle-storage tray	S
Vertical, rod storage holders (4)	S S
Self-bailing cockpit	S S S
Full, non-skid fiberglass liner	S S S



226 Seafarer

Outboard Stern

Center Line Length	22'	Hull Draft	14"
Beam Amidships	96"	Maximum H.P.	280 h.p.
Transom Height (Single)	25"	Weight	2600 lbs.
Transom Width	94"		



227 Seafarer

Inboard/Outboard Stern

Center Line Length	22'	Transom Width	94"
Beam Amidships	96"	Hull Draft	14"
Transom Height	47"	Weight (w/170 H.P.)	3400 lbs.



228 Seafarer

Sea Drive Stern

Center Line Length	22'	Transom Width	94"
Beam Amidships	96"	Hull Draft	14"
Transom Height	47"	Weight (w/2.6 Litre)	3200 lbs.

Factory Options

General	226 227 228
Windshield wiper(s)	O O O
Marine head	O O O
95-quart, insulated, portable fish box	O O O
48-quart Igloo cooler	O O O
Chair gimbals	O O O
Outrigger kit (15-feet)	O O O
Rod holders (4) flush-mounted marinimum	O O O
Small swim platform w/ladder	O O O
Chain-pipe deck fitting	O O O
Engine options to 260 h.p.	O
Single binnacle control	O
Dual binnacle control	O
Bow lifting ring	O O O
Aerated live well	O O O
Hydraulic steering	O
Hydraulic trim tabs	O O O
Transom modification for 20" twin engines	O
40-gallon auxiliary gas tank	O O O
Combination washdown pump w/hose and recirculating live well	O O O
Hardtop w/radio box	O O O
Hardtop rod holders	O O O
Twin 1.6 litre Sea Drives	O

Canvas

Top and side curtains w/boot	O O O
Drop curtain	O O O
Helm station cover	O O O
Mooring cover	O O O
Pedestal chair cover	O O O
Hardtop canvas	O O O



Horizontal rod racks



Helm console


24' Offshore Series

Available in Outboard, Inboard/Outboard and Sea Drive. Stern design for each power option shown on opposite page.



Heading for the Baltimore Canyon in a fully-rigged 241 Offshore (Inboard/Outboard) walkaround cabin.


24' Offshore Layout



Recessed walkaround area



Cabin interior, forward



Cockpit forward



Running home in the 242 Offshore (Sea Drive) walkaround cabin.




Aft rigging station (242)

Standard Features

Cabin	240	241	242
Rod storage holders (4)	S	S	S
Recessed, non-skid walkway around entire cabin	S	S	S
Sliding, side windows	S	S	S
Fixed, front windows (2)	S	S	S
Forward hatch w/cushion seat	S	S	S
Fabric-covered, foam bunk cushions	S	S	S
Lamp	S	S	S
Underbunk storage compartment (3)	S	S	S
Lockable, teak door w/hatch	S	S	S
Nylon headliner	S	S	S
Liner side shelves	S	S	S
Port storage shelves	S	S	S

Cockpit & Deck			
Marinimum deck hardware	S	S	S
Stainless steel bow rail	S	S	S
Bow lifting ring	S	S	S
Bow compartment rope locker	S	S	S
Ventilating, tempered-glass windshield	S	S	S
Heavy-duty gunwale molding	S	S	S
Stainless steel steering wheel	S	S	S
Covered instrument panel	S	S	S
Horn	S	S	S
Cockpit lights	S	S	S
Helm and companion seat drink holders	S	S	S
Lockable, radio box	S	S	S
Pedestal chairs	S	S	S
Side-storage shelves	S	S	S
Helm and companion seat side-storage shelves	S	S	S
Spring line cleats	S	S	S
93-gallon aluminum gas tank	S	S	S
Two battery-storage compartments	S		
Hydraulic steering		S	
Mechanical steering	S		
Power steering		S	
Basic floatation	S	S	S
International lighting	S	S	S
BLA approved ventilation	S	S	S
Two, automatic bilge pumps	S	S	S
Removable aft-seat cushions	S	S	S
Two fish box seat cushions	S	S	S

Fishing Features.			
Self-bailing cockpit	S	S	S
Full, non-skid fiberglass liner	S	S	S
190-quart fish box w/overboard drain	S	S	S
Divided, insulated fish box (or ice box) under companion seat—larger section is 90 qt. and smaller (45-qt.) section accepts live well aerator option	S	S	S
Horizontal rod racks	S	S	S
Two, aft-cockpit, insulated fish boxes w/overboard drain	S		
Fold-down motor well bulkhead	S		
Insulated engine box w/drink holders and 4 vertical rod-storage holders	S		
Rigging area w/cutting board and 2 drink holders	S	S	
Removable, tackle-storage tray		S	
Four vertical rod-storage holders	S	S	



240 Offshore

Outboard Stern

Center Line Length	24' 1"	Transom Width	94"
Beam Amidships	96"	Hull Draft	16"
Transom Height (Single)	25"	Maximum H.P.	280 h.p.
Transom Height (Twin)	20"	Weight	2900 lbs.



241 Offshore

Inboard/Outboard Stern

Center Line Length	24' 1"	Transom Width	94"
Beam Amidships	96"	Hull Draft	16"
Transom Height	49"	Weight (w/260 H.P.)	4000 lbs.



242 Offshore

Sea Drive Stern

Center Line Length	24' 1"	Transom Width	94"
Beam Amidships	96"	Hull Draft	16"
Transom Height	49"	Weight (w/2.6 Litre)	3500 lbs.

Factory Options

General	240	241	242
Windshield wiper(s)	0	0	0
Marine head	0	0	0
48-qt. Igloo cooler	0	0	0
95-qt., insulated, portable fish box	0	0	0
Chair gimbals	0	0	0
Outrigger kit (15-feet)	0	0	0
Outrigger kit (18-feet)	0	0	0
Rod holders, (4) flush-mounted marinium	0	0	0
Small teak swim platform, w/ladder	0	0	0
Large teak swim platform, w/ladder		0	
Chain-pipe deck fitting	0	0	0
Engine options to 260 h.p.		0	
Single binnacle control	0		
Dual binnacle control	0		
Aerated live well	0	0	0
Hydraulic steering	0		
Hydraulic trim tabs	0	0	0
55-gallon, auxiliary gas tank	0	0	0
Hardtop, w/radio box	0	0	0
Hardtop rod holders	0	0	0
Combination washdown pump w/hose, and recirculating live well	0	0	0
Twin 1.6 litre Sea Drives		0	

Canvas			
Top & side curtains, w/boot	0	0	0
Drop curtain	0	0	0
Helm station cover	0	0	0
Pedestal chair cover	0	0	0
Hardtop canvas	0	0	0



Insulated fish box



Horizontal rod racks


24' Tournament Series

Available in Outboard, Inboard/Outboard and Sea Drive. Stern design for each power option shown on opposite page.



Heading to the Gulf Stream in the 243 Tournament (Outboard) dual console.

24' Tournament Layout



Walk-through area, aft



Cockpit forward



Bow insulated icebox



Insulated fish box



Trolling for king mackerel in the 245 Tournament (Sea Drive) dual console.



Vista-top canvas option

Standard Features

Cockpit & Deck 243 244 245

Marinium deck hardware	S	S	S
Recessed, stainless steel bow rails	S	S	S
Bow lifting ring	S	S	S
Removable bow cushion seats (2)	S	S	S
Bow area drink holders (2)	S	S	S
Bow anchor locker	S	S	S
Walk-thru, tempered-glass windshield	S	S	S
Heavy-duty gunwale molding	S	S	S
Stainless steel steering wheel	S	S	S
Covered instrument and accessory switch panels	S	S	S
Horn	S	S	S
Cockpit lights	S	S	S
Glove box w/chart tube	S	S	S
Helm and companion seat drink holders	S	S	S
Lockable radio box	S	S	S
Pedestal chairs	S	S	S
Cockpit side-storage shelves	S	S	S
Spring line cleats	S	S	S
93-gallon aluminum gas tank	S	S	S
Removable stern light	S	S	S
Battery storage compartments (2)	S		
Hydraulic steering		S	
Power steering		S	
Mechanical steering	S		
Basic floatation	S	S	S
International lighting	S	S	S
BIA approved ventilation	S	S	S
Automatic bilge pump	S	S	S
Removable, aft seat cushions	S	S	S
Two, fish box seat cushions	S	S	S
Two large, lockable, portside console storage compartments w/4 tackle drawers	S	S	S
Large, lockable, starboard console storage compartment	S	S	S

Fishing Features

Full, non-skid fiberglass liner	S	S	S
Self-bailing cockpit	S	S	S
190-quart fish box w/overboard drain	S	S	S
Divided, insulated fish box (or ice box) under companion seat—larger section is 90 qt. and smaller (45 qt.) section accepts livewell aerator option	S	S	S
60-quart bow fish box (or ice box) w/overboard drain	S	S	S
Horizontal rod racks	S	S	S
Two aft-cockpit insulated fish boxes w/overboard drains	S		
Fold-down motor well bulkhead	S		
Insulated engine box w/drink holders and 4 vertical rod storage holders	S		
Rigging area w/cutting board and 2 drink holders	S	S	
Removable, tackle-storage tray	S		
Four vertical rod-storage holders	S	S	



243 Tournament

Outboard Stern

Center Line Length	24' 1"	Hull Draft	16"
Beam Amidships	96"	Maximum H.P.	280 h.p.
Transom Height (Single)	25"	Weight	2700 lbs.
Transom Width	94"		



244 Tournament

Inboard/Outboard Stern

Center Line Length	24' 1"	Transom Width	94"
Beam Amidships	96"	Hull Draft	16"
Transom Height	49"	Weight (w/260 H.P.)	3800 lbs.



245 Tournament

Sea Drive Stern

Center Line Length	24' 1"	Transom Width	94"
Beam Amidships	96"	Hull Draft	16"
Transom Height	49"	Weight (w/2.6 Litre)	3300 lbs.

Factory Options

General 243 244 245

Windshield wiper	O	O	O
Portable head	O	O	O
48-quart Igloo cooler	O	O	O
95-quart, portable, insulated fish box	O	O	O
Outrigger kit (15-feet)	O	O	O
Outrigger kit (18-feet)	O	O	O
Rod holders, (4) flush-mounted marinium	O	O	O
Small, teak swim platform, w/ladder	O	O	O
Large, teak swim platform, w/ladder	O		
Engine options to 260 h.p.		O	
Single binnacle control	O		
Dual binnacle control	O		
Aerated live well	O	O	O
Hydraulic steering	O		
Hydraulic trim tabs	O	O	O
55-gallon auxiliary gas tank	O	O	O
Hardtop, w/radio box	O	O	O
Hardtop rod holders	O	O	O
Combination washdown pump w/hose, and recirculating live well	O	O	O
Tower frame and platform	O	O	O
Twin 1.6 litre Sea Drives	O		

Canvas

Top and side curtains w/boot	O	O	O
Drop curtain	O	O	O
Helm station cover	O	O	O
Bow cover	O	O	O
Mooring cover	O	O	O
Pedestal chair cover	O	O	O
Hardtop canvas	O	O	O
Tower canvas	O	O	O



Helm console with storage



Port-console tackle drawers and storage


25' Sailfish Series

Available in Outboard, Inboard/Outboard and Sea Drive. Stern design for each power option shown on opposite page.



Prize sailfish catch in the 255 Sailfish (Outboard) walkaround cabin.

25' Sailfish Layout




Fold-down stove in galley



Cabin interior, forward



Trolling with the entire family in the 254 Sailfish (Inboard/Outboard) walkaround cabin.



Cockpit forward



Horizontal rod racks

Standard Features

Cabin	255 254 252
Sliding windows w/screen	S S S
Two fixed, front-cabin windows	S S S
Underbunk storage compartments (4)	S S S
Liner side shelves	S S S
Rod-storage holders (6)	S S S
Nylon headliner	S S S
Bow compartment rope locker	S S S
Forward hatch w/cushion seat	S S S
Galley cabinet	S S S
Stainless steel sink	S S S
Head enclosure w/lamp	S S S
Fold-down alcohol stove	S S S
Built-in icebox	S S S
Two tables	S S S
Lamp	S S S
Three full-sized bunks	S S S
Cabin-step storage box	S S S
25-gallon water tank	S S S
Lockable teak door w/hatch	S S S

Cockpit & Deck

Full fiberglass, non-skid liner	S S S
Recessed, non-skid walkway around entire cabin	S S S
Bow lifting ring	S S S
Stainless steel bow rail	S S S
Heavy-duty gunwale molding	S S S
Marinimum deck hardware	S S S
Ventilating windshield w/ tempered-glass	S S S
Spring line cleats	S S S
Stainless steel steering wheel	S S S
Covered instrument panel	S S S
Pedestal chairs	S S S
Horn	S S S
Drink holders	S S S
Lockable radio box	S S S
Cockpit lights	S S S
125-gallon aluminum gas tank	S
198-gallon gas capacity gas tanks (125-gal. and 73-gal.)	S S
Side storage shelves	S S S
Two automatic bilge pumps	S S S
Hydraulic steering	S S
Power steering	S
BIA approved ventilation	S S
Hydraulic trim tabs	S
International lighting	S S S
Basic floatation	S S S

Fishing Features

130-quart insulated fishbox	S S S
Two removable aft deck wells	S S S
Insulated, recirculating aft livewell	S
Insulated, aft-deck well w/overboard drain	S S S
Insulated engine box w/drink holders and 4 vertical rod holders (twins only)	S
Lockable side compartment w/fishing rig holder racks	S S S
Horizontal rod racks	S S S
Aft cockpit tackle drawer	S
Fold-down motor well bulkhead	S
Washdown pump w/hose	S S
Self-bailing cockpit w/non-skid fiberglass floor	S S S



255 Sailfish

Outboard Stern


Center Line Length	25'4"	Hull Draft	19"
Beam Amidships	9'6"	Maximum H.P.	400 h.p.
Transom Height (Twin)	25"	Weight	4075 lbs.
Transom Width	108"		



254 Sailfish

Inboard/Outboard Stern

Center Line Length	25'4"	Transom Width	108"
Beam Amidships	9'6"	Hull Draft	19"
Transom Height	52"	Weight (w/Dual 170 H.P.)	5500 lbs.



252 Sailfish

Sea Drive Stern

Center Line Length	25'4"	Transom Width	108"
Beam Amidships	9'6"	Hull Draft	19"
Transom Height	52"	Weight (w/twin 2.5 Litre)	5130 lbs.

Factory Options


General	255 254 252
Windshield wiper(s)	0 0 0
Marine head	0 0 0
Rod holders (4) flush-mounted marinimum	0 0 0
Outrigger kit (15-feet)	0 0 0
Outrigger kit (18-feet) cabin side mount	0 0 0
Chair gimbals	0 0 0
Small teak swim platform w/ladder	0 0 0
Large teak swim platform w/ladder	0
Chain-pipe deck fitting	0 0 0
Shower	0 0 0
Dockside power	0 0 0
Hot water heater — 110V — requires dockside power	0 0 0
Tower w/controls	0 0 0
Hardtop w/radio box	0 0 0
Hardtop rod holders	0 0 0
Shipping cradle	0 0 0
95-quart, portable, insulated fishbox	0 0 0
Transom modification for single 25' engine	0
Single engine option — 260 h.p.	0
Twin I/O engine options	0
Hydraulic trim tabs	0 0
Single binnacle control	0
Dual binnacle control	0
Washdown pump w/hose	0
48-quart Igloo cooler	0 0 0

Canvas

Top & side curtains w/boot	0 0 0
Drop curtain	0 0 0
Helm station cover	0 0 0
Pedestal chair cover	0 0 0
Tower canvas	0 0 0
Hardtop canvas	0 0 0



Insulated aft icebox (254,252)



Optional head, shower, sink


25' Trophy Series

Available in Outboard, Inboard/Outboard and Sea Drive. Stern design for each power option shown on opposite page.



Bringing aboard a white marlin in the 257 Trophy (Outboard)

25' Trophy Layout



Cabin interior (port)



Cabin interior (starboard)



Instrument panel and radio box



Coho fishing on Lake Ontario in the 258 Trophy (Inboard/Outboard)



Cockpit forward

Standard Features

Cabin 257 258 259

Sliding windows	S	S	S
Two fixed, front windows	S	S	S
One full-sized bunk	S	S	S
Underbunk storage compartment	S	S	S
Tackle drawers (3)	S	S	S
Storage cabinets (2)	S	S	S
Shelf for tackle box storage	S	S	S
Liner side shelves	S	S	S
Rod storage holders (12 rods)	S	S	S
Nylon headliner	S	S	S
Hanging locker	S	S	S
Bow compartment rope locker	S	S	S
Forward hatch w/cushion seat	S	S	S
Head compartment	S	S	S
Lamp	S	S	S
Lockable teak door w/hatch	S	S	S
Chart storage tubes (2)	S	S	S
Drink holders (2)	S	S	S

Cockpit & Deck

Full fiberglass non-skid liner	S	S	S
Ventilating windshield w/tempered glass	S	S	S
Recessed non-skid walkway around entire cabin	S	S	S
Bowlifting ring	S	S	S
Stainless steel bow rail	S	S	S
Heavy-duty gunwale molding	S	S	S
Marinium deck hardware	S	S	S
Spring line cleats	S	S	S
Stainless steel steering wheel	S	S	S
Covered instrument panel	S	S	S
Pedestal chairs	S	S	S
Horn	S	S	S
Drink holders (2)	S	S	S
Radio box	S	S	S
Cockpit lights	S	S	S
150-gallon aluminum gas tank	S		
223-gallon capacity aluminum gas tanks (150 gal. and 73-gal.)	S	S	S
Side storage shelves	S	S	S
Two automatic bilge pumps	S	S	S
Hydraulic steering	S	S	S
Power steering	S		
BLA approved ventilation	S	S	S
Hydraulic trim tabs	S	S	S
International lighting	S	S	S
Basic floatation	S	S	S

Fishing Features

300-quart, insulated fish box	S	S	S
150-quart recirculating live well	S	S	S
Tackle drawers under helm and companion chairs	S	S	S
Bait rigging station w/sink (15-gal. water tank, electric pump, 80-quart fish box and cutting board)	S	S	S
Horizontal rod racks	S	S	S
Two, removable aft-deck wells and one insulated well w/overboard drain	S	S	S
Two, insulated aft-deck bait wells w/overboard drain	S		
Insulated engine box w/drink holders and 4 vertical rod holders (twins only)	S		
Aft cockpit tackle drawer	S		
Fold-down motor well bulkhead	S		
Washdown pump w/hose	S	S	S
Self-bailing cockpit w/non-skid fiberglass floor	S	S	S



Cockpit tackle-drawers



257 Trophy

Outboard Stern

Center Line Length	25' 4"	Hull Draft	19"
Beam Amidships	9' 6"	Maximum H.P.	400 h.p.
Transom Height (Twin)	25"	Weight	4075 lbs.
Transom Width	108"		



258 Trophy

Inboard/Outboard Stern

Center Line Length	25' 4"	Transom Width	108"
Beam Amidships	9' 6"	Hull Draft	19"
Transom Height	52"	Weight (w/Dual 170 H.P.)	5500 lbs.



259 Trophy

Sea Drive Stern

Center Line Length	25' 4"	Transom Width	108"
Beam Amidships	9' 6"	Hull Draft	19"
Transom Height	52"	Weight (w/Twin 2.5 Litre)	5130 lbs.

Factory Options

General 257 258 259

Windshield wiper(s)	O	O	O
Marine head	O	O	O
Rod holders (4) flush mounted marinium	O	O	O
Outrigger kit (15-feet)	O	O	O
Outrigger kit (18-feet) cabin side mount	O	O	O
Chair gimbals	O	O	O
Small teak swim platform w/ladder	O	O	O
Large teak swim platform w/ladder			O
Chain-pipe deck fitting	O	O	O
Dockside power	O	O	O
Tower w/controls	O	O	O
Hardtop w/radio box	O	O	O
Hardtop rod holders	O	O	O
Shipping cradle	O	O	O
Single engine option—260 h.p.			O
Twin I/O engine options			O
Hydraulic trim tabs	O	O	
Dual binnacle control	O		
48-quart Igloo cooler	O	O	O
95-quart, portable, insulated fish box	O	O	O

Canvas

Top & side curtains w/boot	O	O	O
Drop curtain	O	O	O
Helm station cover	O	O	O
Pedestal chair cover	O	O	O
Tower canvas	O	O	O
Hardtop canvas	O	O	O



Portside rigging station with sink

Factory Options

You can customize your boat with factory options designed specifically for your model. Consult the factory options listing for each boat series to determine those available for your boat.

Note: Cover options (except the mooring cover) are made of the finest quality marine vinyl with corrosion resistant fittings. Each cover option is individually custom-fit to the boat, then removed for shipping.



Grady-White's 150,000 square foot boat-building plant in Greenville, North Carolina



Tower with rod holders and radio box



Hardtop with canvas, rod holders and radio box



Binnacle control(s) (all outboard models except 19s and 17)



Chain-pipe deck fitting (all models except 20 Walkarounds, 19's and 17)



Stern seat cushions and safety rail (204-C only)




95-quart, insulated, portable fish box (all models except 205, 19's and 17)



48-quart, removable, insulated cooler with cushion seat



Marine head (available on all models, cabin installation shown)



Saltwater wash down with hose (all models except 19s and 17)



Helm station cover (all models except 19s and 17)



Vista top (all walkaround cabin models)



Aft curtain (19s and 17)



Tournament Series vista top (all Tournament dual consoles)



Mooring cover (canvas) covers and protects entire deck and interior.

Notice: All prices and specifications are subject to change. Grady-White Boats, Inc. reserves the right to discontinue models or change prices, specifications, materials, equipment, color or design at any time without incurring obligation. Weight and dimensions of all models are approximate and may vary.



Most Grady-White accessories are available from your Grady-White dealer. But, if he's out of stock, please fill out the coupon to the left, enclose a check for the full amount and mail to Grady-White Boats, P.O. Box 1527, Greenville, N.C. 27834. Telephone 919-752-2111.

Name _____
 Address _____
 City, State _____ Zip _____

A. Hats
 _____ at \$5.50 each \$ _____
 (One size fits everyone)

B. Golf Shirts
 _____ Small at \$14.95 each \$ _____
 _____ Medium at \$14.95 each \$ _____
 _____ Large at \$14.95 each \$ _____
 _____ Extra Large at \$14.95 each \$ _____

C. Can Coolers
 _____ Sets at \$8.00 per set \$ _____
 (4 coolers per set with
 Grady-White logo)

D. T-Shirts
 _____ Small at \$5.00 each \$ _____
 _____ Medium at \$5.00 each \$ _____
 _____ Large at \$5.00 each \$ _____
 _____ Extra Large at \$5.00 each \$ _____

E. Windbreaker Jacket
 _____ Small at \$21.95 each \$ _____
 _____ Medium at \$21.95 each \$ _____
 _____ Large at \$21.95 each \$ _____
 _____ Extra Large at \$21.95 each \$ _____

Subtotal \$ _____

N.C. Residents add 4% sales tax \$ _____

Add \$1.50 handling charge \$1.50

Total \$ _____

Please enclose check or money order and mail to
 Grady-White Boats, P.O. Box 1527, Department B,
 Greenville, N.C. 27834



- A. Hat (one size fits all) \$5.50
- B. Golf shirt (cotton/polyester in S,M,L,XL) \$14.95
- C. Can cooler (set of 4) \$8.00
- D. T-shirt (printed front & back in S,M,L,XL) \$5.00
- E. Windbreaker jacket (S,M,L,XL) \$21.95