
# GRADY-WHITE BOATS





# HOW TO USE THIS CATALOGS

We've tried to make choosing the right Grady-White as easy as possible. So, this brochure is arranged by boat model design series in descending boat lengths within each series. The power options and features are listed with each model. Here's how to tell which Grady-White is right for you:

## MODEL SERIES

We build "Pro" models, walkaround cabin models, center consoles and dual console "Tournament" models. The designs are grouped in that order with the larger boats first. You'll find overhead drawings on all models (except the center consoles) which tell you more about the cockpit and cabin layouts.



#### **POWER OPTIONS**

The Grady-White center consoles are available only in outboard powered versions. All other Grady-Whites are available with either outboard inboard/outboard or Sea Drive power. The aft cockpit design for each model changes with the specified power option, so we've included aft cockpit pictures with each model series. Specifications directly related to each boat, such as hull draft, weight, etc., are in-

#### STANDARD FEATURES & FACTORY OPTIONS

cluded directly under each aft

cockpit picture.

Standard features and factory options for each boat are included on each model's page. Since features and options vary according to power, each boat model has its own column specifying exactly what's standard and optional for the boat. Additional pictures of factory options can be found on page 23.

# STATE-OF-THE-ART SPORTFISHING DESIGNS

There are four basic design concepts among the 26 Grady-Whites from 19 to 25 feet. Blue water day boat "Pro" models are available in 24 and 25 feet. Walkaround cabin models are available in 20, 22, 24 and 25 foot lengths. We build two center consoles in 20 and 24 foot lengths and dual console Tournament models are available in 22 and 19 foot lengths.

## Pro models are walkaround cabin boats designed for maximum cockpit room and lockable cabin storage.

Pro models offer the protection of a full windshield, top and side curtains, ready bow access for 360° fishing, huge aft cockpits packed with fishing features and one-bunk cabins which offer plenty of lockable storage. The cabins have room for a marine head and the single bunk can be converted to a double with optional cushions. The cabin emphasis is on lockable storage with rod racks, tackle drawers, storage compartments and shelves.

The self-bailing cockpits are clean and uncluttered as a result of the built-in storage, tackle drawers and overboard draining fish boxes. Popular with blue water day fishermen and charter captains, the Promodel helm areas are specifically designed to accommodate advanced electronics.

## Walkaround cabin models offer 360° fishing and the protection of a cabin that has berths for overnighting.

The first Grady-White walkaround cabin designs were introduced over a decade ago. Today, our current models cover 10 years of refinements and improvements in our 20, 22, 24 and 25 foot walkaround cabin designs.

The walkaround cabin concept combines a rugged, no-nonsense hull design with 360° fishability around the windshield and cabin. Inside the lockable cabins, there's room for a head, lots of storage, berths, rod storage and a rope locker. The self-bailing cockpits feature overboard draining fishboxes, more rod storage and lots of fishing features.


#### The revolutionary Grady-White center consoles.

For the ultimate in wide-open, no-nonsense sportfishing, the Grady-White 24 and 20-foot Fisherman center consoles offer true blue water capability and outstanding hull designs. These center consoles are unique in the industry because of their huge dry storage areas, lockable electronics compartments, and in the 24, unequaled lockable rod and tackle storage.

## Open, dual console Tournament models offer the protection of a full windshield and canvas.

If you need a completely open boat that offers the protection of a full windshield, top and side curtains, the dual console Tournament models in 19 and 22 foot lengths are designed for you. With dual consoles instead of a single center console, Tournament models retain easy forward access without sacrificing weather protection.

Dual console Tournament models also offer storage in two consoles, a much larger aft cockpit space for fishing and, of course, a rugged seaworthy Grady-White hull design with fully-lined, non-skid, self-bailing cockpits.





Grady-White's 185,000 square foot plant in Greenville, North Carolina



1 Mold preparation



2 Gel coat spray booth



3 Fiberglass hand lay up



7 Through bolted deck hardware



8 Engine electrical systems test



9 Hand fitted teak trim

#### The time-honored craftsmanship of North Carolina boat-building combined with state-of-the-art fiberglass technology.

One visit to the 185,000 square foot Grady-White plant in Greenville, North Carolina will give you insight into how technology like central resin systems, air management control and production efficiency all work in concert with unhurried attention to detail and hand craftsmanship to produce Grady-White boats. At Grady-White, we utilize advanced technology in order to maintain top quality at a competitive price.

Lach Grady-White hull, deck and liner is produced from a mold which is painstakingly prepared, inspected, then polished to a high gloss that insures Grady-White's

smooth, lasting finish.

The molds then enter dust-free spray booths where NPG gel coat, a thin layer of ultra-high quality resin, is evenly sprayed over the surface. The gel coat provides the outer, protective surface, the color and the smooth finish traditional with Grady-White boats.

When the gel coat is dry, pre-cut patterns of fiberglass mat and woven roving are placed in the hull and sprayed with precise amounts of resin. The fiberglass is then rolled smooth by hand, producing an exact ratio of fiberglass to resin. Grady-White is one of the few boat builders that continues to use the expensive, time-consuming hand lay up method, but no other method of fiberglass boat-building offers such uniformity of thickness for strength and lasting durability.

All Grady-Whites have high-strength wooden stringers which are completely encapsulated in resin and fiberglass and glassed into the hull while it remains in its mold. This combination of both wood and fiberglass provides a superior structural grid system for maximum strength.

5 After the stringer systems are installed, the hull "cures" in its mold for many hours. This curing means that your Grady-White hull will always retain its original shape.

6 After the hulls and decks are pulled from their molds, polyurethane foam is sprayed into strategic cavities providing floatation, strength, sound insulation and thermal insulation. The insulated boxes, fitted with through-hull overboard drains, receive large amounts of foam for insulation superior to that of portable coolers.





4 Glassing stringer system



5 Hull curing process



6 Sprayed foam flotation



10 Canvas installation



11 Quality control checklists



12 Grady-White truck delivery

Decks are turned upside down and all standard deck hardware is securely through-bolted with aircraft-type locking nuts. Hardware subject to added stress, such as the marinium cleats, receive added backing for rugged durability.

Stern drive engines are installed and test-run in the plant. During the test, the electrical systems, gauges and steering systems are also tested before the boat moves toward the finishing touches.

As the boat takes shape, it receives the dividual attention of a custom-made boat dardwood trim is made in our woodworking shop then custom fitted to each boat.

10 Windshield systems and canvas options are custom-installed to each boat. Canvas is installed then repacked for

shipping to insure a perfect fit.

11 Quality control gets top priority all down the assembly line and our quality control inspectors have top authority. Our plant is equipped with lighting systems that produce twice the required illumination in order to detect even the slightest flaws.... before assembly, during assembly and during the tough, final inspection which can cover as many as 150 different check points.

When your boat is ready to be shipped, it is carefully loaded on a Grady-White truck and transported to your dealerbya Grady-White driverwhoisspecifically trained in delivery of fiberglass boats.

# Compare these Grady-White features:

- ☐ Original Grady-White hull & deck designs
- □ 100% hand laid hulls & decks
- ☐ Solid foam floatation & insulation
- ☐ Self-bailing cockpits
- Overboard draining insulated boxes with through-hull fittings.
- ☐ Through-bolted standard deck hardware
- ☐ State-of-the-art VDO gauges
- ☐ Custom-fitted hardwood trim
- ☐ Heavy-duty marinium deck hardware & stainless steel bow rails
- Precise, integrated sportfishing design resulting from over 25 years of boatbuilding experience



#### 190 TOURNAMENT

Outboard
Center Line Length 18'11"
Beam Amidships 96"
Transom Height (single)
Transom Width 92"
Hull Draft 14"
Maximum H.P. 200 h.p.
Weight 1900 lbs.

#### 197 TOURNAMENT

Inboard/Outboard

Center Line Length 18'11"
Beam Amidships 96"
Transom Height 39"
Transom Width 92"
Hull Draft 14"
Weight w/(170 h.p.) 2750 lbs.

#### 198 TOURNAMENT

Sea Drive

 Center Line Length
 18'11"

 Beam Amidships
 96"

 Transom Height
 39"

 Transom Width
 92"

 Hull Draft
 14"

 Weight w/(1.6 Litre)
 2450 lbs.

### **STANDARD FEATURES**

FISHING
Non-skid fiberglass liner
Self-bailing cockpit
Vertical rod storage holders
Removable fishwell in cockpit floor
Horizontal rod racks
Insulated engine box w/drink holders
Rigging area w/cutting board & drink holders
Removable storage tray

## FACTORY OPTIONS

GENERAL
Rod holders (4) flush mounted marinium
Portable head
Bow litting ring
Chair gimbal
Sleeper seat(s)
48 qt. igloo cooler w/cushion
Swim platform w/ladder
Outrigger kit 15 ft. (gunwale mount)

CANVAS
Folding top & side curtains w/boot
X
Aft curtain
Bow cover
Wooring cover
Chair covers for ped. seats
X


197 198

190

190



Our smaller, 20-foot center console Fisherman is a definite winner in this size range when it comes to rugged, blue water sportfishing. The solid, hand-laid hull and deck is dry-riding and the fully lined, non-skid cockpit is self-bailing like all Grady-Whites. The 204 Fisherman shares the same console design with the 24' Fisherman so there's plenty of lockable storage for your VHF, CB, Loran unit and chart recorder. There are even lockable tackle drawers on the port side of the console. When you add optional features like t-tops, canvas, washdown systems and aerated live wells, it's easy to see why the 204 is one of our favorite state-of-the-art sportfishing boats.





#### 249 FISHERMAN

Outboard Aft Cockpit 24'1" Hull Draft 96" Maximum Hull Draft Maximum H.P. Weight

16" 280 h.p. 2900 lbs.



# 204 FISHERMAN Outboard Aft Cockpit

Center Line Length Beam Amidships Transom Height (single) Transom Width 20'4" 96" Hull Draft Maximum H.P. Weight

230 h.p. 1995 lbs.



204 and 249 center console

Center Line Length Beam Amidships Transom Height (single) Transom Width





Chart recorder box (249,204)



Radio box (249,204)



Console fish box (249,204)



Optional leaning post (249,204)



Optional T-top outriggers (249,204)

STANDARD FEATU	RE	ES
COCKPIT & DECK Marinium deck hardware Heavy-duty gunwale molding Bow lifting ring Stainless steel bow rail Bow compartment rope locker Forward anchor locker w/rope storage Forward, lockable portside storage compartment Forward compt. for storage or a portable head Stainless steel steering wheel Horn Pedestal chairs w/cushions Companion grab rail Cockpit lights Spring line cleats Cockpit side storage shelves Automatic bilge pump 2 Battery storage compartments 80 Gallon aluminum gas tank 150 Gallon aluminum gas tank capc. (1) 100 gallon tank (1) 50 gallon tank (1) 50 gallon tank (1) 40 gallon tank (1) 40 gallon tank (1) 40 gallon tank (1) 40 gallon tank (1) 50 gallon tank	204 X X X X X X X X X X X X X	249 X X X X X X X X X X X X X X X X X X X
FISHING Non-skid fiberglass liner Raised casting platform	204 X X	249 X X

2 Forward fish boxes w/ob dra	in X	4 2 4 9
Forward, stbd lockable rod sto compartment		X
Forward, portside fresh water & sink w/8.5 gallon tank		X
Large, forward 215 qt. insulate fish box Console features:	d Hoor	Х
Forward icebox & seat cushi Lockable storage compartm Drink holder 3 Tackle drawers	ent X X X	×××
Lockable radio & chart recor w/weather-proof vinyl cov Plexiglass windshield w/han Self-bailing cockpit Vertical rod storage holders 2 Aft cockpit insulated fish box	vers X Idrail X X X X X X X X X X X X X	X X X 4
2 Aft cockpit round insulated fi w/ob drain Horizontal rod racks Cockpit toe-rail w/aft tackle sh Fold-down motor well bulkhea Washdown pump w/hose	elf	X X X X

## **FACTORY OPTIONS**

GENERAL 204 249 Lean bar w/86 qt. cooler & marinium rod holders T-top frame w/canvas top T-top outriggers: 11½ ft. (T-top mount)


Outrigger kit 15 ft. (gunwale mount) Rod holders (4) flush mounted marinium Portable head Bow lifting ring Chair deck pipe fitting Chair gimbal Aerated livewell Washdown pump w/hose Swim platform w/ladder MORSE/OMC/MERC single binnacle	X X X X X X X X X X X X X X X X X X X
controls MORSE/OMC dual binnacle controls Hydraulic trim tabs Hydraulic steering (single or dual) Transom modification (twins)	X X X X X X X 20" 25
CANVAS Mooring cover Chair covers for ped. seats Folding "Bimini" top w/boot Casting platform sprayhood w/boot Casting platform privacy curtain Connector top to sprayhood Console cover T-top curtains	204 24

204 249



he walkaround cabin fishing boat was a novel idea when we built our first Overnighter 20s over ten years ago. With a cabin for overnighting, the protection of a full windshield and canvas and 360° fishing all around

the boat, this design concept is now popular with fishing families from coast to coast. These easily trailerable 20-footers for 1985 are the result of over a decade of improvements and refinements. With 325 quarts of overboard draining fishbox capacity, storage for 10 or more rods and tackle drawers and lockable storage for your gear, the big self-bailing cockpits stay clear and uncluttered. With the protection of a full windshield and canvas, you can fish offshore or cruise and ski with the family.



## STANDARD FEATURES


CABIN	204-C	205	206
Recessed, non-skid walkway			
around entire cabin	X	X	X
2 Sliding side windows	X	X	X
Nylon headliner	X	X	X 4 2
Rod storage holders	4	4	4
Bunks	2	2	2
Under-bunk storage compart-			
ments	3	3	3
Lamp		X	X
2 Side storage shelves	X	X	X
Forward storage shelf	X	X	X
Storage compartment for marine			
head	X	X	X
Vinyl-covered foam bunk cushions	X	X	X
Lockable door	X	X	X
20011107-0-0-0-0			
COCKPIT & DECK	204-C	205	20

COCKPIT & DECK

Marinium deck hardware
Heavy-duty gunwale molding
Stainless steel bow rail
Bow anchor locker w/cushion

204-C 205 206
X X X
X
X
X

Ventilated windshield



#### 204-C OVERNIGHTER

204-C OVERNIGHT
Outboard Aft Cockpit
Center Line Length
Beam Amidships
Transom Height (single)
Transom Width
Hull Draft
Maximum H.P. 23
Weight 236 230 h.p. 2300 lbs.



#### 205 OVERNIGHTER

Inboard/Outboard Aft Cockpit
Center Line Length 20
Beam Amidships 5
Transom Height 4
Transom Width 9
Hull Draft 1 Weight w/(170 h.p.) 3100 lbs.



206 OVERNIGHTER
Sea Drive Aft Cockpit
Center Line Length Beam Amidships Transom Height Transom Width Hull Draft Weight w/(2.6 Litre) 3000 lbs.





Cockpit forward



Recessed walkway



205 engine access



Insulated fish box



Bow anchor locker



Instrument panel



204-C 205 206

	204-C	205	206
Windshield wiper	X	X	X
Stainless steel steering wheel	X	X	X
Horn	X	X	X
Covered instrument & accessory switch panel	X		
Covered instrument panel	10.00	Х	Y
Pedestal chairs w/cushions	X	X	×
Helm & companion footrests	X	X	X
Floor storage between pedestal chain		X	×××
Helm & companion side shelves	X	X	X
Drink holders	4	6	4
Companion grab rail	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Removable aft seat cushions		X	X
Automatic bilge pump	1	1	1 X
2 Battery compartments	X	X	X
65 Gallon aluminum gas tank	X	X	X
Mechanical steering	X		
Power steering		X	
Hydraulic steering			X
BIA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	Χ	Х

FISHING	204-C	205	206
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders 2 Removable aft bait wells & 1	6	10	10
insulated icebox or fishwell Lockable storage under helm chair 8	X		
tackle drawers under comp. chair	X	X	X
2 large cockpit fish boxes w/ob drain Insulated engine box w/drink holder Rigging area w/cutting board & drink	S	X	X
holders		X	X
Removable storage tray			X

#### FACTORY OPTIONS **GENERAL** 204-C 205 206 Hardtop w/radio box Hardtop rod holders X Outrigger kit 15 ft. (gunwale mount) Outrigger kit 15 ft. (hardtop mount) X X Rod holders (4) flush mounted marinium X Portable head X X

Head w/deck pump out	X	X	X	
Bow lifting ring	X	X	X	
Chair gimbal	X	X	X	
Aerated livewell	X	X	X	
Wash down pump w/hose	X	X	X	
Stern seat cushions & safety rails	X	-		
95 qt. insulated portable fish box	X		X	
Swim platform w/ladder	X	X	X	
MORSE/OMC/MERC single bin-	^	"	^	
nacle controls	X			
MORSE dual binnacle controls	Ŷ			
Hydraulic steering (single or dual)	Ŷ			
Transom modification (twins)	20"			
Transom modification (twins)	20			
CANDIAG				
CANVAS	204-C	205	206	
Folding top & side curtains w/boot	X	X	X	
Drop curtain	X	X	X	
Helm station cover	X	X	X	
Mooring cover	Y	Y	Y	

Chair covers for ped. seats


Hardtop curtains



he Seafarer 22s have become one of our most popular models since their introduction three years ago. No wonder. Their 8-foot beam, 22foot modified vee hulls provide a solid, stable and dry ride. And the

walkaround cabin design gives full forward access without sacrificing the protection of a windshield, top and side curtains.

The self-bailing Seafarer cockpits are outfitted with four scuppers and the big, insulated fish boxes all drain overboard...not into the bilge. With two berths in the cabin and room for an optional marine head, these trailerable 22s are perfect family boats that double as hardnosed offshore sportfishing machines.



## CTANDADD FEATI DEC

STANDARDFEAD	U	KI	S
CABIN	226	227	228
Recessed, non-skid walkway around entire cabin Forward hatch w/seat cushions 2 Fixed front windows 2 Sliding side windows Nylon headliner Rod storage holders Bunks Under-bunk storage compartments Bow compartment rope locker Lamp 2 Side storage shelves Storage compartment for marine head Fabric-covered foam bunk cushions	X X X X X X X X X X X X X X X X X X X	XXXXX423XXXX	XXXXX423XXXX
Lockable door w/companionway hatch	Х	Χ	Х
COCKPIT & DECK Marinium deck hardware Heavy-duty gunwale molding Bow lifting ring Stainless steel bow rail Ventilated windshield Windshield wiper	226 X X X X X	227 X X X X X	228 X X X X X X

Stainless steel steering wheel



226 SEAFARER
Outboard Aft Cockpit
Center Line Length
Beam Amidships
Transom Height (single)
Transom Width
Hull Draft
Maximum H.P. 2:
Weight 26 280 h.p. 2600 lbs.




227 SEAFARER
Inboard/Outboard Aft Cockpit
Center Line Length
Beam Amidships Transom Height
Transom Width
Hull Draft
Weight w/(170 h.p.) 3400 lbs.




# 228 SEAFARER Sea Drive Aft Cockpit

Sea Drive Att
Center Line Length
Beam Amidships
Transom Height
Transom Width
Hull Draft
Weight w/(2.6 Litre) 3200 lbs.



Cockpit forward



Recessed walkway




**Helm station** 



Insulated fish box



Rod storage and optional faucet



Cabin interior

Hardtop curtains

Compass mount pad Covered instrument panel Pedestal chairs w/cushions Helm & companion side shelves Drink holders Companion grab rail Lockable helm station radio box Cockpit lights Spring line cleats Cockpit side storage shelves 2 Fish box cushions Removable aft seat cushions Automatic bilge pumps 2 Battery storage compartments 93 Gallon aluminum gas tank Mechanical steering Hydraulic steering Hydraulic steering BIA approved International lighting Basic flotation	226 X X X X X X X X X X X X X	227 X X X X X X X X X X X X X X X X X X	228 X X X 4 X X X X X X X X X X X X X X X X
FISHING Non-skid fiberglass liner Self-bailing cockpit w/4 floor drains Vertical rod storage holders 2 Aft cockpit round insulated fish boxes	X	227 X X 4	228 X X 4

100 at fish how as stored as and	226	227	228
190 qt. fish box or storage compt. under helm seat w/ob drain	Х	X	Х
Divided fish box or icebox under comp. seat, both w/ob drain (1) 90 qt. section (2) 45 qt. section w/optional	X	×	X
aerated livewell Horizontal rod racks Insulated engine box w/drink holders Rigging area w/cutting board & drink	X	X	Х
holders Removable storage tray		X	X
Fold-down motor well bulkhead	X		
FACTORY OPTION	IS		

THE POILT OF THE	10		
GENERAL Hardtop w/radio box	226 X	227 X	228 X
Hardtop rod holders	X	X	X
Outrigger kit 15 ft. (gunwale mount)	X	X	X
Outrigger kit 15 ft. (hardtop mount) Rod holders (4) flush mounted	X	X	X
marinium	X	X	X
Portable head	X	X	X
Head w/deck pump out	X	X	X
Chain deck pipe fitting	X	X	X
Chair gimbal	X	X	X


	226	221	228	
Aerated livewell	X	X	X	
Combination washdown/recirculating livewell	Х	X	×	
Gunwale mounted fresh water system w/8.5 gallon tank 48 qt. igloo cooler w/cushion 95 qt. insulated portable fish box Swim platform w/ladder	XXX	XXX	X X X	
Auxiliary gas tank—55 gallon MORSE/OMC/MERC single binnacle controls	x x	^	x	
MORSE/OMC dual binnacle controls Hydraulic trim tabs Hydraulic steering (single or dual) Transom modification (twins)	X X 20"	×	X	
CANVAS	226	227	228	
Folding top & side curtains w/boot Drop curtain Helm station cover	X	X	X X	
Mooring cover Chair covers for ped. seats	X	XX	X	



# DURNAME

professional tourna-ment fisherman told us he bought a dual console immediately after find-

ing out about our Tournament models. He said he had wanted this exact design for years. The dual console design concept gives you bow access for fighting fish or casting nets and the aft cockpits are much larger than those of center consoles. But, the real advantage offshore is the extra protection provided by the full windshield, and optional top and side curtains. Two consoles offer more storage too. So, the big self-bailing cockpits stay uncluttered when you're running offshore for the big ones.



### STANDARD FEATURES

COCKPIT & DECK	223	224	225
Marinium deck hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Bow lifting ring	X	X	X
Recessed stainless steel bow rails	X	X	X
2 Removable bow cushions Anchor locker in bow floor w/ob	X	X	X
drain	Х	X	X
Lockable storage compartments	v	V	v
in both consoles	X	X	X
4 Tackle drawers in port console	X	X	X
Walk-thru windshield	X	X	X
Windshield wiper	X	X	X
Stainless steel steering wheel	X	X	X
Horn	×	X	X
Compass mount pad Covered instrument panel & acces-	- 11	X	Х
sory switch panels	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Drink holders	4	8	6
Lockable glove box w/chart			
storage tube	X	X	X
Companion grab rail	X	X	X



#### 223 TOURNAMENT

Outboard Aft Cockpit
Center Line Length
Beam Amidships
Transom Height (single)
Transom Width
Hull Draft
Maximum H.P. 28
Weight 240 280 h.p. 2400 lbs.



#### 224 TOURNAMENT

Inboard/Outboard Aft Cockpit Center Line Length Beam Amidships Transom Height Transom Width Hull Draft Weight w/(170 h.p.) 3200 lbs.



225 TOURNAMENT
Sea Drive Aft Cockpit
Center Line Length
Beam Amidships
Transom Height
Transom Width
Hull Draft
Weight w/(2.6 Litre)
3000 3000 lbs.



Cockpit forward



Helm station and console storage



Port console tackle drawers and storage



Starboard fish box



Bow anchor locker



Fold-down motor well bulkhead (down)



Removable storage tray (225)

	223	22/	225
Lockable helm station radio box	(500)		X
			x
			0
			X 1 X
			X
		X	X
	X		
		X	
			X
	X	X	X
	X	X	X
Basic flotation	X	X	X
FISHING	222	224	225
Non-skid fiboralass liner			X
	^	^	^
	×	Y	Х
			^
	×	×	X
	100		4
		- 1	-
	X		
	Lockable helm station radio box Cockpit lights Spring line cleats Cockpit side storage shelves 2 Fish box cushions Removable aft seat cushions Automatic bilge pump 2 Battery storage compartments 93 Gallon aluminum gas tank Mechanical steering Power steering Hydraulic steering BIA approved International lighting Basic flotation  FISHING Non-skid fiberglass liner 60 qt. icebox in forward bow area w/overboard drain Self-bailing cockpit w/4 floor drains Vertical rod storage holders 2 Aft cockpit round insulated fish boxes	Cockpit lights X Spring line cleats X Cockpit side storage shelves X 2 Fish box cushions X Removable aft seat cushions Automatic bilge pump 1 2 Battery storage compartments X 93 Gallon aluminum gas tank X Mechanical steering X Power steering Hydraulic steering Hydraulic steering BIA approved X International lighting X Basic flotation X  FISHING 223 Non-skid fiberglass liner X 60 qt. icebox in forward bow area W/overboard drain X Self-bailing cockpit w/4 floor drains X Vertical rod storage holders 4 2 Aft cockpit round insulated fish	Lockable helm station radio box Cockpit lights Spring line cleats Cockpit side storage shelves 2 Fish box cushions Removable aft seat cushions Automatic bilge pump 1 1 1 2 Battery storage compartments 93 Gallon aluminum gas tank Mechanical steering Power steering Hydraulic steering BIA approved International lighting Basic flotation  FISHING Non-skid fiberglass liner 60 qt. icebox in forward bow area W/overboard drain Self-bailing cockpit w/4 floor drains Vertical rod storage holders 2 Aft cockpit round insulated fish


	223	224	225	
190 qt. fish box or storage compt. under helm seat w/ob drain Divided fish box or icebox under	X	Х	Х	
comp. seat, both w/ob drain (1) 90 qt. section	×	X	X	
(2) 45 qt. section w/optional aerated livewell				
Horizontal rod racks Insulated engine box w/drink	X	X	Χ	
holders		X		
Rigging area w/cutting board & drink holders		X	~	
Removable storage tray		^	Ŷ	
Fold-down motor well bulkhead	X			

## **FACTORY OPTIONS**

GENERAL	223	224	225
Outrigger kit 15 ft. (gunwale	220	-	LLU
mount)	X	X	X
Rod holders (4) flush mounted			
marinium	X	X	X
Portable head	X	X	X
Aerated livewell	×	X	X

	223	224	225
Combination washdown/ recirculating livewell	X	X	X
Gunwale mounted fresh water			
system w/8.5 gallon tank	X	X	X
48 qt. igloo cooler w/cushion	X	X	X
95 qt. insulated portable fish box	X	X	X
Swim platform w/ladder	X	X	X
Auxiliary gas tank—55 gallon MORSE/OMC/MERC single	Х		Χ
binnacle controls MORSE/OMC dual binnacle	X		
controls	X		
Hydraulic trim tabs	X	X	X
Hydraulic steering (single or dual) Transom modification (twins)	X 20"		


CANVAS	223	224	225
Folding top & side curtains w/boot	X	X	X
Orop curtain	X	X	X
Helm station cover	X	X	X
Bow cover	X	X	X
Mooring cover	X	X	X
Chair covers for ped. seats	X	X	X



trailerable 24-footer has lots of advantages. Especially if it isa Grady-White Off-shore 24 walkaround cabin. This Jim Wynne-designed, 100% hand-laid fiber-

glass hull is ready for real blue water fishing. In the self-bailing cockpit with both aft and forward scuppers, there are two large insulated fish boxes that drain overboard. And in the cabin, you can stretch out on two full sized bunks and lock up plenty of rods and gear.

The Offshore 24s offer you blue water action and the protection of a full windshield and cabin in a trailerable sportfisherman that lets you fish more places. That's a great combination for family fishing fun.



CABIN	240	241	242
Recessed, non-skid walkway around entire cabin	X	Х	X
Forward hatch w/seat cushions	X	X	XXXXX423XXXXX
2 Fixed front windows	X	X	X
2 Sliding side windows	X	XXX	X
Nylon headliner	X	X	X
Rod storage holders	4	4	4
Bunks	X 4 2 3 X X X X X	4 2 3 X X X X X X	2
Under-bunk storage compartments Bow compartment rope locker	×	×	X
Lamp	X	x	X
2 Side storage shelves	X	X	X
5 Port storage shelves	X	X	X
Storage compartment for marine head	X	X	X
Fabric-covered foam bunk cushions Lockable door w/companionway	X	X	X
hatch	X	X	Х
COCKPIT & DECK	240	241	242
Marinium deck hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Bow lifting ring	X	X	X
Stainless steel bow rail	X	X	X
Ventilated windshield	X	X	X

Windshield wiper



240 OFFSHORE
Outboard Aft Cockpit
Center Line Length
Beam Amidships
Transom Height (single)
Transom Width
Hull Draft
Maximum H.P. 28
Weight 290 16 280 h.p. 2900 lbs.




241 OFFSHORE
Inboard/Outboard Aft Cockpit
Center Line Length 24'1'
Beam Amidships 96'
Transom Height 49'
Transom Width 94''
Hull Draft 16''
Weight w/(260 h.p.) 4000 lbs.



# 242 OFFSHORE Sea Drive Aft Cockpit

Sea Drive Att
Center Line Length
Beam Amidships
Transom Height
Transom Width
Hull Draft
Weight w/(2.6 Litre) 24'1" 3500 lbs.



Cockpit forward



Companionway hatch



Aft rigging station (242)




Recessed walkaround



Insulated fish box



Horizontal rod racks



Cabin interior

Stainless steel steering wheel Horn Compass mount pad Covered instrument panel Pedestal chairs w/cushions Helm & companion footrests Helm & companion side shelves Drink holders Companion grab rail Lockable helm station radio box Cockpit lights Spring line cleats Cockpit side storage shelves 2 Fish box cushions Removable aft seaf cushions Automatic bilge pumps 2 Battery storage compartments 93 Gallon aluminum gas tank Mechanical steering Power steering Hydraulic steering BIA approved International lighting Basic flotation	240 X X X X X X X X X X X X X	241 X X X X X X X X X X X X X X X X X X X	242
FISHING	240	2/11	242

Non-skid fiberglass liner Self-bailing cockpit w/4 floor drains

Vertical rod storage holders 2 Aft cockpit insulated fish boxes	240 4	241 4	242
w/ob drain	X		
190 qt. fish box or storage compt. under helm seat w/ob drain Divided fish box or icebox under comp. seat, both w/ob drain	X	Х	х
(1) 90 qt. section	X	X	X
(2)45 qt. sectionw/optional aerated livewell Horizontal rod racks Insulated engine box w/drink holders Rigging area w/cutting board & drink	X	×	X
holders Removable storage tray Fold-down motor well bulkhead	х	X	X

### FACTORY OPTIONS

The state of the s	-			
GENERAL Hardtop w/radio box Hardtop rod holders Outrigger kit 15 feet (gunwale mount) Outrigger kit 15 feet (hardtop mount) Rod holders (4) flush mounted	240 X X X X	241 X X X X	242 X X X	
marinium Portable head	X	X	×	

	240	241	242	
Head w/deck pump out	X	X	X	
Chain deck pipe fitting	X	X	X	
Chair gimbal	X	X	X	
Aerated livewell	X	X	X	
Combination washdown/recirculat-				
ing livewell	X	X	X	
Gunwale mounted fresh water system				
w/8.5 gallon tank	X	X	X	
48 qt. igloo cooler w/cushion	X	X	X	
95 qt. insulated portable fish box	X	X	X	
Swim platform w/ladder	X	X	X	
Large swim platform w/ladder Auxiliary gas tank—55 gallon		X		
MORSE/OMC/MERC single	X		X	
binnacle controls	V			
MORSE/OMC dual binnacle controls	X			
Hydraulic trim tabs	0	v	v	
Hydraulic steering (single or dual)	X	^	^	
Transom modification (twins)	25"			
contraction (ching)	20			


#### CANVAS 240 241 242 Folding top & side curtains w/boot Drop curtain Helm station cover Chair covers for ped. seats Hardtop curtains



ew for 1985, the Offshore Pro 24s offer blue water day fishing capabilities in an 8-foot beam, trailerable fisherman. If you've found that cabins are most often used

as storage spaces for fishing gear and an occasional nap, these Offshore Pros are designed for you. There's a single berth, room for a head, and the rest is specifically

designed for secure, lockable storage.
The self-bailing cockpits provide four scuppers, two big overboard draining fish boxes, a live well and even a fresh water faucet built into the portside gunwale. While there are pros and cons to every trailerable sportsfisherman, this one's built for pros.



#### STANDARD FEATURES

#### CARIN

Recessed, non-skid walkway around entire cabin

Forward hatch w/seat cushions 2 Fixed front windows

2 Sliding side windows Nylon headliner

Rod storage holders Single bunk Under-bunk storage compartments

Bow compartment rope locker Lamp Tackle box shelf w/storage below 2 Large storage shelves—port

Tackle box shelf w/storage below 2 Large storage shelves—port Storage shelf on stbd bulkhead Storage compartment for marine

Tackle drawers
Fabric-covered foam bunk cushions
Lockable door w/companionway
hatch

#### COCKPIT & DECK

Marinium deck hardware Heavy-duty gunwale molding Bow lifting ring Stainless steel bow rail

246 247 248



# 246 OFFSHORE PRO Outboard Aft Cockpit

Center Line Length
Beam Amidships
Transom Height (single)
Transom Width
Hull Draft
Maximum H.P.
Weight 16 280 h.p. 2900 lbs.



#### 247 OFFSHORE PRO

Inboard/Outboard Aft Cockpit Center Line Length Beam Amidships Transom Height Transom Width Hull Draft Weight w/(260 h/p.) 16 4000 lbs.



# 248 OFFSHORE PRO Sea Drive Aft Cockpit

Sea Drive Att
Center Line Length
Beam Amidships
Transom Height
Transom Width
Hull Draft
Weight w/(2.6 Litre) 16 3500 lbs.



Cockpit forward



Helm station



Insulated fish box



Faucet and live well



Cabin rod storage



Cabin bunk

Ventilated windshield Windshield wiper Stainless steel steering wheel Horn Compass mount pad Covered instrument panel Pedestal chairs w/cushions Helm & companion footrests Helm & companion side shelves Drink Holders Companion grab rail Lockable helm station radio box Cockpit lights Spring line cleats Cockpit side storage shelves 2 Fish box cushions Removable aft seat cushions Automatic bilge pumps 2 Battery storage compartments Gallon aluminum gas tank wer steering Hydraulic steering BIA approved International lighting Basic flotation	246 X X X X X X X X X X X X X	247 X X X X X X X X X X X X X X X X X X X	24XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
FISHING	246	247	24

Non-skid fiberglass liner Self-bailing cockpit w/4 floor drains

	246	247	248
Vertical rod storage holders	4	4	4
2 Aft cockpit round insulated fish boxes with recirculating livewell Tackle drawers under helm &	X		
companion chairs	X	X	X
190 qt. fish box or storage compt. under helm seat w/ob drain	X	X	Х
Divided fish box or icebox under comp. seat, both w/ob drain			
(1) 90 qt. section (2) 45 qt. section (3) 90 qt. section w/recirculating	X	×	X
livewell Horizontal rod racks Insulated engine box w/drink holders	х	XXX	X
Rigging area w/cutting board & drink holders Removable storage tray		X	X
Gunwale mounted fresh water system w/8.5 gallon tank Fold-down motor well bulkhead	X	Х	X
Washdown pump w/hose	x	X	Χ

## **FACTORY OPTIONS**

**GENERAL** 246 247 248 Hardtop w/radio box Hardtop rod holders

	246	241	248
Outrigger kit 15 ft. (gunwale mount)	X	X	X
Outrigger kit 15 ft. (hardtop mount)	X	X	X
Rod holders (4) flush mounted			
marinium	X	X	X
Portable head	X	X	X
Chain deck pipe fitting	X	X	X
Chair gimbal	X	X	X
Second berth cushions	X	X	X
48 at. igloo cooler w/cushion	X	X	××××××
95 qt. Insulated portable fish box	X	X	X
Swim platform w/ladder	X	XXXXXX	X
Large swim platform w/ladder		X	
Auxiliary gas tank - 55 gallon	X		X
MORSE/OMC/MERC single			
binnacle controls	X		
MORSE/OMC dual binnacle controls	X		
Hydraulic trim tabs	X	X	X
Transom modification (twins)	25"		

CANVAS Folding top & side curtains w/boot Drop curtain Helm station cover Chair covers for ped. seats Hardtop curtains	246	247	248
	X	X	X
	X	X	X
	X	X	X
	X	X	X
Hardtop curtains	X	X	X

245 247 249




his is the boat that started the movement toward wide beam, blue water sportfishermen in the 25foot range. The Sailfish 25s offer 9½ feet of beam

in their 100% hand laid, modified vee hulls. With big four scupper, self-bailing cockpits and overboard draining fish boxes, you can fish offshore with the much larger

sportfishermen.

In the cabins, the Sailfish 25s give you weekending capability with three berths, enclosed head area, galley, table and plenty of storage. But make no mistake, the Sailfish 25s are true, hardnosed fishing machines. We think they're the perfect marriage of blue water sportfishing and overnighting cabins.



### STANDARD FEATURES

CABIN Recessed, non-skid walkway around entire cabin Forward hatch w/seat cushions 2 Fixed front windows 2 Sliding side windows w/screens Nylon headliner Rod storage holders Bunks Under-bunk storage compartments Bow compartment rope locker Galley cabinet Stainless steel sink 25-Gallon water tank

Fold-down alcohol stove Built-in icebox 2 Tables Head enclosure w/lamp Lamp 2 Side storage shelves Fabric-covered foam bunk cushions

Step storage box Lockable door w/sliding access hatch

#### **COCKPIT & DECK**

Marinium deck hardware Heavy-duty gunwale molding Bow lifting ring Stainless steel bow rail

255 254 252



## 255 SAILFISH

Outboard Aft Cockpit
Center Line Length
Beam Amidships
Transom Height (twin)
Transom Width
Hull Draft
Maximum H.P. 40
Weight 40 25'4" 9'6" 400 h.p. 4075 lbs.



254 SAILFISH
Inboard/Outboard Aft Cockpit
Center Line Length 25'4"
Beam Amidships 9'6"
Transom Height 52"
Transom Width 9'
Hull Draft 19"
Weight w/(dual 170 h.p.) 5500 lbs.



252 SAILFISH
Sea Drive Aft Cockpit
Center Line Length 25'4"
Beam Amidships 9'6"
Transom Height 52"
Transom Width 9'
Hull Draft 19"
Weight w/(dual 2.6 Litre) 5130 lbs.



Cockpit forward



Lure storage racks



Head enclosure



Forward hatch with cushion seats



Aft insulated box



Galley and quarter berth




Cabin interior forward

	255	254	252
Ventilated windshield	X	X	X
Windshield wiper	X X X X X X X X X X X X X	XXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Stainless steel steering wheel	X	X	X
Horn	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	4	2
Companion grab rail	X	X	X
Lockable, portside storage compart-			
ment w/rig holder	XXXXXXX	XXXXXXXXXX	XXXXXXXXXX
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Cockpit side storage shelves	X	Х	X
2 Fish box cushions	X	Х	X
Automatic bilge pumps	2	2	2
2 Battery storage compartments	X	X	
125 Gallon aluminum gas tank	11	X	X
198 Gallon aluminum gas tank capc.	X		X
(1) 125 gallon tank			
(1) 73 gallon tank			
Power steering		X	10
Hydraulic steering	X		X
Hydraulic trim tabs	v	20	X
BIA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X

FISHING Non-skid fiberglass liner Self-bailing cockpit	255 X X	254 X X	252 X
Vertical rod storage holders 130 qt. insulated fish box Horizontal rod racks	X	4 X X X	X
Insulated engine box w/drink holders 2 Removable aft-deck wells		X	X
Insulated aft-deck recirculating live well	×		Х
Insulated aft-deck well w/overboard drain Fold-down motor well bulkhead	×	X	
Aft cockpit tackle drawer Washdown pump w/hose	×		X
FACTORY OPTIO	VS		
GENERAL		254	252

FACTORY OPTION	VS			
GENERAL	255	254	252	
Hardtop w/radio box	X	X	X	
Hardtop rod holders	X	X	X	
Outrigger kit 15 ft. (gunwale mount)	X	X	X	
Outrigger kit 15 ft. (hardtop mount) Outriggers 18 ft. (Lee Jr.) (side cabin	X	X	X	
mount)	X	X	X	
Tower-Deluxe-w/controls,	V	V	X	
outriggers, etc. Rod holders (4) flush mounted	^	0	^	
marinium	X	X	X	

	255	254	252	
Portable Head	11.9.6		X	
Head w/deck pump out	X X X	XXXXXXX	X	
Chain deck pipe fitting	X	X	X	
Chair gimbal	Х	X	X	
Washdown pump w/hose	v	Ŷ	Y	
Cockpit bolsters 48 at. igloo cooler w/cushion	Ŷ	Ŷ	Ŷ	
95 gt. insulated portable fish box	XXX	X	X	
Swim platform w/ladder	X	X	X	
Large swim platform w/ladder		X		
MORSE/OMC/MERC single binnacle	V			
controls	Ş			
MORSE/OMC dual binnacle controls Hydraulic trim tabs	X	X		
Transom modification (single)	25"	^		
Shower	X	X	X	
Hot water heater - 110V - requires				
dockside power	X	X	X	
Dockside power	X	X	X	
CANVAS	255	254	252	
Folding top & side curtains w/boot	X	X	X	
Drop curtain	X	X	X	
Helm station cover	X	Ş	×	
Chair covers for ped. seats Hardtop curtains	Ŷ	Ŷ	x	
Tower curtains and top	X	X	X	



harter captains and big water day fishermen asked us for a blue water day boat for years. The Trophy Pro 25s are our answer. The cabins on these boats are deligned specifically for day trips offshore

signed specifically for day trips offshore with storage for 12 rods, shelves for tackle boxes, tackle drawers, a hanging locker and side shelves. A single berth (convertible to double with the optional cushions) and a head compartment are also included.

The huge, self-bailing cockpits are fitted for offshore with tackle drawers, a bait rigging area, recirculating live well and 380 quarts of insulated fish box capacity. Plus, the recessed walkway around the cabin provides safe forward access.

Secure storage for 12 rods
Large underbunk storage
— Tackle drawers
— Marine head area
— Hanging locker
— Lockable radio box
— Tackle drawers
— Recirculating live well
— 300 qt. fishbox with
fresh water sink
— 2 fuel tanks
— Built-in bait wells

## STANDARD FEATURES

CABIN Recessed, non-skid walkway around entire cabin XXXXXX12X1XXXX oward hatch w/seat cushions 2 Fixed front windows 2 Sliding side windows Nylon headliner Rod storage holders Single bunk Under-bunk storage compartments Bow compartment rope locker Tackle box shelf 2 Side storage shelves Storage compartment for marine Tackle drawers Storage compartment (port side) Hanging locker 2 Chart storage tubes Drink holders Fabric-covered foam bunk cushions

#### hatch

COCKPIT & DECK
Marinium deck hardware
Heavy-duty gunwale molding
Bow lifting ring

Lockable door w/companionway



# 257 TROPHY PRO Outboard Aft Cockpit

Center Line Length Beam Amidships Transom Height (twin) Transom Width

Hull Draft Maximum H.P. Weight 400 h.p. 4075 lbs.



#### 258 TROPHY PRO


Inboard/Outboard Aft Cockpit
Center Line Length 25'
Beam Amidships 9'
Transom Height 5
Transom Width
Hull Draft 1 Weight w/(dual 170 h.p.) 5500 lbs.



#### 259 TROPHY PRO

259 TROPHT PRO
Sea Drive Aft Cockpit

Center Line Length 25'4"
Beam Amidships 96"
Transom Height 52"
Transom Width 9'
Hull Draft 19"
Weight w/(dual 2.6 Litre) 5130 lbs.



Cockpit forward



**Helm station** 



**Tackle drawers** 



Insulated box and sink



Cabin storage



Cabin bunk, tackle drawers

Stainless steel bow rail Ventilated windshield Windshield wiper Stainless steel steering wheel Horn Compass mount pad Covered instrument panel Pedestal chairs w/cushions Helm & companion footrests Helm & companion side shelves Drink holders Companion grab rail Lockable helm station radio box Cockpit lights Spring line cleats Cockpit side storage shelves 2 Fish box cushions	257 XX XX XX XX XX XX XX XX XX X	258 X X X X X X X X X X X X X X X X X X X	259 X X X X X X X X X X X X X X X X X X X	
Automatic bilge pumps attery storage compartments	X	X	X	
J Gallon aluminum gas tank 223 Gallon aluminum gas tank capc. (1) 150 gallon tank	X	X	Х	
(1) 73 gallon tank Power steering Hydraulic steering Hydraulic trim tabs	X	X	X	
BIA approved International lighting Basic flotation	X	X	×××	

FISHING	257	258	259	
Non-skid fiberglass liner Self-bailing cockpit w/4 floor drains Vertical rod storage holders	X	X X 4	X	
Tackle drawers under helm & companion chairs Bait rigging station behind comp. seat	Х	X	X	
includes sink (15 gal, water tank w/ electric pump) & insulated fish box w/cutting board	X	x	×	
300 qt. insulated fish box behind helm seat	X	X	X	
150 qt. recirculating live well Horizontal rod racks Insulated engine box w/drink holders	X	X	X	
2 Removable aft-deck wells Insulated aft-deck well w/overboard		X	X	
drain 2 Insulated aft-deck bait wells w/ overboard drains	X	^	^	
Fold-down motor well bulkhead Aft cockpit tackle drawer		V	X	
Washdown pump w/hose	Х	X	x	
THE CONTRACT OF STREET	TO			

<b>FACTORY OP</b>	TIONS
GENERAL	257
Hardtop w/radio box Hardtop rod holders	Ŷ

258 259

Outrigger kit 15 ft. (gunwale mount)
Outrigger kit 15 ft. (hardtop mount)
Outriggers 18 ft. (Lee Jr.)
(side cabin mount)
Tower—Deluxe—w/controls, X X outriggers, etc. Rod holders (4) flush mounted marinium X X XXXXXXXXX XXXXXXXXXX Portable head Head w/deck pump out Chain deck pipe fitting Chair gimbal Second berth cushions Cockpit bolsters 48 qt. igloo cooler w/cushion 95 qt. insulated portable fish box Swim platform w/ladder Large swim platform w/ladder MORSE/OMC dual binnacle controls Hydraulic trim tabs XXX X Dockside power X CANVAS 258 259 257 Folding top & side curtains w/boot

257 258 259

# **FACTORY OPTIONS**

You can customize your boat with factory options designed specifically for your model. Consult the factory options listing for each boat series to determine those available for your boat.

Note: Cover options (except the mooring cover) are made of the finest quality marine vinyl with corrosion resistant fittings. Each cover option is individually custom-fit to the boat, then removed for shipping.



Walkaround Series vista top



Tournament Series vista top



Center Console bimini top and spray hood



Center Console T-top and curtains



Aft curtain (19s only)



Hardtop with rod holders and radio box



Tower with rod holders and radio box



Wash down system with hose (all models except 19s)



Cockpit bolsters (25s only)



Stern seat cushions and safety rail (204-C only)



Marine head (cabin installation shown)



Canvas mooring cover



95 qt., insulated portable fish box (all models except 249, 205, 204, 19s)



Second berth cushion (Pro models)



Chain deck pipe fitting (except 20 Walkarounds, Tournament 22s, 19s)







A. Hats at \$5.50		at \$17.95 each	\$
(One size fits everyone)	4	Subtotal	\$
B. Golf Shirts Small at \$15.95 each Medium at \$15.95 each Large at \$15.95 each Extra Large at \$15.95 each	\$ \$ \$	N.C. Residents add 4% sales tax Add \$1.50 handling charge Total  Please enclose check or money order	\$\$1.50 \$and mail to:
C. Can Grippers Sets at \$8.00 per set (4 grippers per set with Grady-White logo)	\$	Grady-White Boats, P.O. Box 1527 Greenville, N.C. 27834	
D. T-Shirts Small at \$5.50 each Medium at \$5.50 each	\$	Name	
Large at \$5.50 each Extra Large at \$5.50 each	\$	Address	
E. Windbreaker Jacket Small at \$21.95 each Medium at \$21.95 each	\$	City	
Large at \$21.95 each Extra Large at \$21.95 each	\$	State	Zip