GRADY-WHITE BOATS



1986

GRADY-WHITE BOATS

Hello.

I'm Eddie Smith, Jr. As president of Grady-White Boats, I'd like to tell you why owning a Grady-White is a superior investment as well as a very rewarding and enjoyable experience.

In the 50's and 60's our wooden, lapstrake-hulled boats earned the respect of coastal fishermen from Maine to North Carolina by performing superbly in the roughest seas. The wide beams and flared bows proved extremely safe and dependable.



Grady-White began producing easy-to-care-for fiberglass Grady Whites about 17 years ago. To maintain our already famous reputation for safety and dependability, we produced our fiberglass Grady-Whites by the hand lay-up method. No other method of boat building insures the same degree of uniformity, strength from stem to stern, hull performance and lasting beauty.

Grady-White continues to build boats by this time-consuming method. Our craftsmen are skilled and our production is limited and unhurried so that we can continue to set the standard for quality in the boat building industry. Since most Grady-Whites are being used for fishing either off-shore or in large bodies of water, I feel a personal responsibility to insure that our boats are as strong and safe as possible.

Our company is family-owned and family-managed. My greatest source of personal satisfaction comes from

knowing that we build for your family one of the finest, best performing and safest boats at a fair price. My entire working life has been dedicated to personalized attention to production, sales and service of Grady-White boats.

Our Grady White dealer organization is, in my opinion, the strongest and most professional dealer group in the entire marine industry. I know our dealers and their families personally. Since I strongly believe that every Grady-White should be built and serviced as if it were my own personal boat, giving your dealer the factory support he needs is something that I, myself, attend to.

If you are ever in eastern North Carolina, please visit us in Greenville in our new, modern, air-conditioned, dust-free factory. Once you've met the people who build Grady-White boats and have seen how they are made, you'll know why Grady-White is the choice of knowledgeable, skillful boaters.

Thanks for considering Grady-White in this, our 27th year. No matter whether you use your boat for family recreation, serious sportfishing or both, sooner or later as a serious boater, I'll bet you'll own a Grady-White.

Happy boating!

Sincerely,

Eddie Smith, Jr., president

Four state-of-

PRO MODELS

Both 25 and 24-foot Pro models are blue water day boats with emphasis on self-bailing cockpit room and cabin rod and tackle storage. They feature walk-around cabins and their cockpits are packed with everything from tackle drawers to recirculating live wells.

WALKAROUND CABIN MODELS

The 25, 24, 22 and 20foot walkaround cabin boats offer forward access, full windshield protection, lots of selfbailing cockpit room and fishing features combined with cabin bunks for overnighting.

TOURNAMENT MODELS

With dual consoles, the 22 and 19-foot Tournament models are wide open self-bailing cockpit boats with plenty of room and fishing features. Close the walk-through windshield and put up the canvas, and you get weather protection.

CENTER CONSOLE MODELS

Lockable storage for electronics, big fish boxes, and live bait wells make these center consoles state-of-the-art. Both 20-foot and 24-foot center console models are no nonsense, blue water fishing machines. The Fisherman 24 even has lockable storage for offshore rods.

the-art designs.










Each built around one central requirement...safety.

We strongly feel that no 19 to 25-foot sportfishing boat should venture out on large bodies of water without a 100% hand-laid hull and deck, sprayed foam floatation, heavy-duty, through-bolted hardware and a self-bailing cockpit that has no fishboxes that drain into the bilge. That's why Grady-Whites, from our smallest boat to our 25-footers, share characteristics similar to those shown in the typical cutaway drawing below.



All deck hardware is through-bolted stainless steel with aircraft-type locking nuts and backing plates and includes spring line cleats on all boats over 19 feet

Electrical lines and steering and control cables in the gunwales are protected by PVC tubing.

The hull and liner are bonded with fiberglass. Then the deck is secured to the hull with stainless steel screws every 8 inches. The heavy-duty vinyl gunwale molding is attached with more stainless screws placed between the existing screws resulting in secure through-bonds every 4 inches all around. To further insure a watertight bond a silicone sealant is placed between the hull and deck.

Fish boxes, iceboxes and all storage compartments have gutter systems to properly direct the flow of any water which comes aboard.

Fish boxes and iceboxes are foam insulated and positioned above the self-bailing cockpit floor. These raised boxes allow the installation of through-hull fittings which drain directly overboard above the water level. No insulated box in a Grady-White drains directly into the bilge.

Foam floatation is sprayed into both the hulls and decks of all Grady-Whites, not just those under 20 feet as in many other boats. This foam expands and adheres to the surfaces for positive floatation, solid feel, sound insulation and thermal insulation


Solid hand-laid hulls and decks contain absolutely no chopped fiberglass as can be found in some so-called "hand-laid" boats. Hand lay up insures uniformity and strength so that there are no weak spots that the pressure of pounding seas will ultimately seek out.

Stringer systems are / encapsulated in fiberglass and resin as they are bonded to the hull. Non-skid interliners are also securely fiberglassed to the stringer system for a unitized structural grid.

The non-skid self-bailing cockpits in Grady-Whites are designed specifically to eliminate drainage into the bilge. All scuppers (four on all models except 19-footers) drain directly overboard. Even the inspection ports are covered with heavy-duty watertight caps. As an additional safety precaution against water entering the bilge through condensation or other means, all Grady-Whites have standard automatic bilge pumps with two pumps on boats over 20 feet. We know of no other builder that maintains this dedication to self-bailing cockpit integrity.



Grady-White's 185,000 square foot plant in Greenville, North Carolina



1) Mold preparation



2) Gel coat spray booth



3) Fiberglass hand lay up



7) Through bolted deck hardware



8) Engine electrical systems test



9) Hand fitted teak trim

The time-honored craftsmanship of North Carolina boat-building combined with state-of-the-art fiberglass technology.


One visit to the 185,000 square foot Grady-White plant in Greenville, North Carolina will give you insight into how technology like central resin systems, air management control and production efficiency all work in concert with unhurried attention to detail and hand craftsmanship to produce Grady-White boats. At Grady-White, we utilize advanced technology in order to maintain top quality at a competitive price.

1 Each Grady-White hull, deck and liner is produced from a mold which is painstakingly prepared, inspected, then polished to a high gloss that insures Grady-White's smooth, lasting finish.

2 The molds then enter dust-free spray booths where NPG gel coat, a thin layer of ultra-high quality resin, is evenly sprayed over the surface. The gel coat provides the outer, protective surface, the color and the smooth finish traditional with Grady-White boats.

When the gel coat is dry, pre-cut patterns of fiberglass mat and woven roving are placed in the hull and sprayed with precise amounts of resin. The fiberglass is then rolled smooth by hand, producing an exact ratio of fiberglass to resin. Grady-White is one of the few boat builders that continues to use the expensive, time-consuming hand lay up method, but no other method of fiberglass boat-building offers such uniformity of thickness for strength and lasting durability.

All Grady-Whites have high-strength wooden stringers which are completely encapsulated in resin and fiberglass and glassed into the hull while it remains in its mold. This combination of both wood and fiberglass provides a






4) Glassing stringer system



5) Hull curing process



6) Sprayed foam flotation



10) Canvas installation



11) Quality control checklists



12) Grady-White truck delivery

superior structural grid system for maximum strength.

5 After the stringer systems are installed, the hull "cures" in its mold for many hours. This curing means that your Grady-White hull will always retain its original shape.

6 After the hulls and decks are pulled from their molds, polyurethane foam is sprayed into strategic cavities providing floatation, strength, sound insulation and thermal insulation. The insulated boxes, fitted with through-hull overboard drains, receive large amounts of foam for insulation superior to that of portable coolers.

7 Decks are turned upside down and all standard deck hardware is securely through-bolted with aircraft-type locking nuts. Hardware subject to added stress, such as the stainless steel cleats, receive added backing for rugged durability.

8 Stern drive engines are installed and test-run in the plant. During the test, the electrical systems, gauges and steering systems are also tested before the boat moves toward the finishing touches.


As the boat takes shape, it receives the individual attention of a custommade boat. Hardwood trim is made in our wood-working shop then custom fitted to each boat.

10 Windshield systems and canvas options are custom-installed to each boat. Canvas is installed then re-

packed for shipping to insure a perfect fit.


11 Quality control gets top priority all down the assembly line and our quality control inspectors have top authority. Our plant is equipped with lighting systems that produce twice the required illumination in order to detect even the slightest flaws....before assembly, during assembly and during the tough, final inspection which can cover as many as 150 different check points.

12 When your boat is ready to be shipped, it is carefully loaded on a Grady-White truck and transported to your dealer by a Grady-White driver who is specifically trained in delivery of fiberglass boats.



ost people think the Tournament 19 is much larger than a 19-footer when they first step aboard. The wide, 8-foot beam and stem-to-stern access combine to give these dual console boats an incredible amount of "people room" for fishing, cruising or skiing. There's plenty of storage area aboard too. Big storage compartments are in both consoles. There is a forward anchor locker, icebox and more storage. And in the big selfbailing aft cockpits, there are rod racks, and a removable fish box.

Best of all, the Tournament 19s have a split personality. With the walk-through windshield open, you have a fully open boat. Close the windshield and put up canvas, and the Tournament 19s give you a dry, protected area to get out of the weather.







190 TOURNAMENT

Outboard Aft Cockpit
Center Line Length
Beam Amidships
Transom Height (single)
Transom Width 20" **Hull Draft** Maximum H.P. Weight 200 h.p. 2075 lbs.




197 TOURNAMENT Inboard/Outboard Aft Cockpit Center Line Length Beam Amidships Transom Height Transom Width Hull Draft Weight w/(170 h.p.) 2925 lbs.



198 and 198G TOURNAMENT Sea Drive/Grady Drive Aft Cockpit Center Line Length Beam Amidships Transom Height Transom Width 18'11" 96" 39" Hull Draft Weight (198 w/1.6 litre) Weight (198G) 14 2625 lbs. 2240 lbs.



Cockpit forward



Starboard console storage

Rigging area w/cutting board & drink

Removable storage tray



Helm station



Bow-area insulated icebox



Horizontal rod racks



Port console storage

STANDARD FEATURES

OH MINIMUS A LAKE			30	
COCKPIT & DECK	190	197	198	1980
Stainless steel deck hardware	X	X	X	X
Heavy-duty gunwale molding	X	X	X	X
Stainless steel bow rail	X	X	X	X
Bow anchor locker	X	X	X	X
Bow seat storage compartment	X	X	X	X
Bow seat icebox	X	X	X	X
2 Removable bow cushions	X	X	X	X
Lockable storage compartments in both consoles	Х	Х	х	X
Walk-thru windshield	X	X	X	X
Windshield wiper	X	X	X	X
Stainless steel steering wheel	X	X	X	X
Horn	X	X	X	X
Covered instrument panel	X	X	X	X
Pedestal chairs w/cushions	X	X	X	X
Helm & companion side shelves	X	X	X	X
Drink holders	6	8	6	6
Lockable glove box	X	X	X	X
Companion grab rail	X	X	X	X
Cockpit lights	X	X	X	X

	190	197	198	1980
Cockpit side storage shelves	X	X	X	X
Removable aft seat cushions & backs	X	X	X	X
Automatic bilge pump	1	1	1	1
Battery storage compartments		2	2	2
45 gallon aluminum gas tank	X	X	X	X
Mechanical steering	X			
Power steering		X		
Hydraulic steering			X	X
BIA approved	X	X	X	X
International lighting	X	X	X	X
Basic flotation		X		
Level flotation	X		X	X
FISHING Non-skid fiberglass liner	190	197	198 X	1981
Self-bailing cockpit	X	X	X	X
[X	4		X
Vertical rod storage holders	(2)		4	4
Removable fishwell in cockpit floor	X	X	X	X
Horizontal rod racks	X	X	X	X
Four flush mounted rod holders	X	X	X	X
Insulated engine box w/drink holders		X		

GENERAL	190	197	198	198G
Portable head	X	X	Х	X
Bow lifting ring	X	X	X	X
Outrigger kit 15 feet (gunwale mount)	X	X	X	X
Chair gimbal	X	X	X	X
Sleeper seat	X	X	X	X
48 at. igloo cooler w/cushion	X	X	X	X
Swim platform w/ladder	X	X	X	X
CANVAS	190	197	198	198G
Folding top & side curtains w/boot	X	X	X	X
Aft curtain	X	X	X	X
Bow cover	X	X	X	X
Mooring cover	X	X	X	X
Covers for pedestal chairs	X	X	X	X

FISHERMAN 20





Outboard Aft Cockpit

Center Line Length 20'4"

Beam Amidships 96"


Transom Height (single) 25"

Transom Width 94"

Hull Draft 14"

Maximum H.P. 230 h.p.

Weight 2245 lbs.




STANDARD FEATURES

COCKPIT & DECK Stainless steel deck hardware Heavy-duty gunwale molding Stainless steel bow rail Bow compartment rope locker Forward compt. for storage or a portable head Stainless steel steering wheel Horn Pedestal chairs w/cushions Companion grab rail Cockpit lights Spring line cleats Cockpit side storage shelves Automatic bilge pump Battery storage compartments 80 gallon aluminum gas tank Mechanical steering BIA approved International lighting	204 × × × × × × × × × × × × ×
Basic flotation	x
FISHING Non-skid fiberglass liner Raised casting platform	204 × ×


	204
2 forward fish boxes w/ob drain	X
Self-bailing cockpit	X
Vertical rod storage holders	4
2 Aft cockpit insulated fish boxes w/ob drai	n X
Horizontal rod racks	X
Four flush mounted rod holders	X
Fold-down motor well bulkhead	X
CONSOLE	204
Forward icebox & seat cushions	X
Lockable storage compartment	X
Drink holder	X
3 tackle drawers	X
Lockable radio & chart recorder boxes	
w/weather-proof vinyl covers	X
Plexiglass windshield w/handrail	X
EXCHODYODUONS	

GENERAL	204
eanbarw/86qt.cooler&stainlessrodholders	X
f-top frame w/canvas top only	X
7-top outriggers: 11½ feet (t-top mount)	X

	204
Outrigger kit 15 feet (gunwale mount)	X
Portable head	X
Bow lifting ring	X
Chain deck pipe fitting	X X X
Chair gimbal	X
48 qt. igloo cooler w/cushion	X
Aerated livewell	X
Washdown pump w/hose	X
Swim platform w/ladder	X
MORSE/OMC/MERCsinglebinnaclecontrol	X
MORSE/OMC/MERC dual binnacle control	X
Hydraulic steering (single or dual)	
Transom modification (twins)	20"
CANVAS	204
4-4	4.00



he walkaround cabin fishing boat was a novel idea when we built our first Overnighter 20s over ten years ago. With a cabin for overnighting, the protection of a full windshield and canvas and 360° fishing all around the boat, this design concept is now popular with fishing families from coast to coast. These easily trailerable 20-footers for 1986 are the result of over a decade of improvements and refinements. With 325 quarts of over-board draining fish box capacity, storage for 10 or more rods and tackle drawers and lockable storage for your gear, the big self-bailing cockpits stay clear and uncluttered. With the protection of a full windshield and canvas, you can fish offshore or cruise and ski in comfort with the family.



STANDARD FEATURES

CABIN	204C	205	206	206G
Recessed, non-skid walkway around	V	V	~	V
entire cabin	X	X	X	X
2 Sliding side windows	X	X	X	X
Nylon headliner	X	X	X	X
Rod storage holders	4	4	4	4
Bunks	2	2	2	2
Under-bunk storage compartments	3	3	3	3
Lamp	X	X	X	X
2 Side storage shelves	X	X	X	X
Forward storage shelf	X	X	X	X
Storage compartment for marine				
head	X	X	X	X
Vinyl-covered foam bunk cushions	X	X	X	X
Lockable door	X	X	X	X
COCKPIT & DECK	204C	205	206	206G
Stainless steel deck hardware	X	X	X	X
Heavy-duty gunwale molding	X	X	X	X
Stainless steel bow rail	X	X	X	X
Bow anchor locker w/cushion	X	X	X	X
Ventilated windshield	X	X	X	X
Windshield wiper	X	X	X	X



204-C OVERNIGHTER

Outboard Aft Cockpit

Center Line Length 20'4"
Beam Amidships 96"
Transom Height (single) 25"
Transom Width 94"
Hull Draft 14"
Maximum H.P. 230 h.p.
Weight 2550 lbs.




205 OVERNIGHTER

Inboard/Outboard Aft Cockpit
Center Line Length 20'4"
Beam Amidships 96"
Transom Height 43"
Transom Width 94"
Hull Draft 14"
Weight w/(170 h.p.) 3350 lbs.



206 and 206G OVERNIGHTER

Sea Drive/Grady Drive Aft Cockpit
Center Line Length 20'4"
Beam Amidships 96"
Transom Height 43"
Transom Width 94"
Hull Draft 14"
Weight (206 w/2.6 litre) 3250 lbs.
Weight (206G) 2715 lbs.



Cockpit forward



Recessed walkway



205 engine access



Insulated fish box



Bow anchor locker



Instrument panel



Cabin interior


	0040	005	000	0000
VZ SELVILOS CONTO O VENEZ DE CONTO DE CONTO			206	
Stainless steel steering wheel	X	X	X	X
Horn	X	X	X	X
Covered instrument panel & accessory switch panel	X			
Covered instrument panel		X	X	X
Pedestal chairs w/cushions	X	X	X	X
Helm & companion footrests	X	X	X	X
Floor storage between pedestal				
chairs	X	X	X	X
Helm & companion side shelves	X	X	X	X
Drink holders	4	6	4	4
Companion grab rail	X	X	X	X
Cockpit lights	Х	X	X	X
Spring line cleats	X	X	X	X
Removable aft seat cushions & back		X	X	X
Automatic bilge pump	1	1	1	1
Battery compartments	2	2	2	2
65 gallon aluminum gas tank	X	X	X	X
Mechanical steering	X			
Power steering		X		
Hydraulic steering		(5.5)	X	X
BIA approved	X	X	X	X
International lighting	X	X	X	X
Basic flotation	X	X	x	X
basis instation	11	1		/

FISHING 204C 205 206 206G Non-skid fiberglass liner X X X X Self-bailing cockpit w/4 floor drains X X X Vertical rod storage holders 10 10 10 6 Lockable storage under helm chair & 2 tackle drawers under com-panion chair X 2 Large cockpit fish boxes w/ob drain X X X Four flush mounted rod holders 2 Removable aft wells & 1 insulated center well X Insulated engine box w/drink holders Rigging area w/cutting board & drink X X Removable storage tray X X

FACTORY OPTION	9			
GENERAL	204C	205	206	206G
Hardtop w/radio box	X	X	X	X
Hardtop rod holders	X	X	X	X
Windshield wiper (port side)	X	X	X	X
Outrigger kit 15 feet (gunwale mount)	X	X	X	X
Outrigger kit 15 feet (hardtop mount)	X	X	X	X
Portable head	X	X	X	X
Head w/deck pump out	X	X	X	X

	204C	205	206	206G
Bow lifting ring	X	X	X	X
Chair gimbal	X	X	X	X
Aerated livewell	X	X	X	X
Washdown pump w/hose	X	X	X	X
Stern seat cushions & safety rails	X			
48 qt. igloo cooler w/cushion	X	X	X	X
95 qt. insulated portable fish box	X		X	X
Swim platform w/ladder	X	X	X	X
MORSE/OMC/MERC single binnacle control	×			Х
MORSE dual binnacle control	X			
Hydraulic steering (single or dual) Transom modification (twins)	20"			
CANVAS Folding top & side curtains w/boot	204C	205 X	206 X	206G X
Drop curtain	V	V	V	V

CANVAS Folding top & side curtains w/boot	204C X	205 X	206 X	2060 X
Drop curtain	X	X	X	X
Helm station cover	X	X	X	X
Mooring cover	X	X	X	X
Covers for pedestal chairs	X	X	X	X
Hardtop curtains	×	X	X	X



professional tournament fisherman told us he bought a dual console immediately after finding out about our Tournament models. He said he had wanted this exact design for years. The dual console design concept gives you bow access for fighting fish or casting nets and the aft cockpits are much larger than those of center consoles.

But the real advantage offshore is the extra protection provided by the full windshield, and optional top and side curtains. Two consoles offer more storage too. So the big self-bailing cockpits stay uncluttered when you're running offshore for the big ones.



STANDARD FEATURES

COCKPIT & DECK	223	224	225	225G
Stainless steel deck hardware	X	X	X	X
Heavy-duty gunwale molding	X	X	X	X
Bow lifting ring	X	X	X	X
Recessed stainless steel bow rails	X	X	X	X
2 Removable bow cushion seats	X	X	X	X
Anchor locker in bow floor w/ob drain	X	X	X	X
Lockable storage compartments in both consoles	X	X	X	×
4 Tackle drawers in port console	X	X	X	X
Walk-thru windshield	X	X	X	X
Windshield wiper	X	X	X	X
Stainless steel steering wheel	×	X	X	X
Horn	X	X	X	X
Compass mount pad	X	X	X	X
Covered instrument panel &	15020	10.50		53
accessory switch panel	X	X	X	X
Pedestal chairs w/cushions	X	X	X	X
Helm & companion footrests	X	X	X	X
Drink holders	4	8	6	6
Lockable glove box w/chart storage				
tube	X	X	X	X
Companion grab rail	X	X	X	X



223 TOURNAMENT
Outboard Aft Cockpit
Center Line Length
Beam Amidships
Transom Height (single)
Transom Width
Hull Draft
Maximum H.P. 280
Weight 2675 14 280 h.p. 2675 lbs.



224 TOURNAMENT Inboard/Outboard Aft Cockpit Center Line Length Beam Amidships Transom Height Transom Width Hull Draft Weight w/(170 h.p.) 3475 lbs.



225 and 225G TOURNAMENT

Sea Drive/Grady Drive Aft Cockpit
Center Line Length 22'
Beam Amidships 96"
Transom Height 47"
Transom Width 94"
Hull Draft 14"
Weight (225 w/2.6 litre) 3275 lbs.
Weight (225G) 2800 lbs.



Cockpit forward



Helm station and console storage



Port console tackle drawers and storage



Starboard fish box



Bow anchor locker



Fold-down motor well bulkhead (down)




Removable storage tray (225)

According to sell or the	223	224	225	225G	
Lockable helm station radio box	X	X	X	X	
Cockpit lights	X	X	X	X	
Spring line cleats	X	X	X	X	
Cockpit side storage shelves	X	X	X	X	
2 Fish box cushions	X	X	X	X	
Removable aft seat cushions & backs		X	X	X	
Automatic bilge pump	1	1	1	1	
Battery storage compartments	2	2	2	2	
93 gallon aluminum gas tank	X	X	X	X	
Mechanical steering	X				
Power steering		X			
Hydraulic steering			X	X	
BIA approved	X	X	X	X	
International lighting	X	X	X	X	
Basic flotation	X	X	X	X	
FISHING	223	224	225	225G	
Non-skid fiberglass liner	X	X	X	X	
60 qt. icebox in forward bow area w/ob drain	X	х	х	X	
Self-bailing cockpit w/4 floor drains	X	X	X	X	
Vertical rod storage holders	4	4	4	4	
190 qt. fish box or storage compt. behind helm chair w/ob drain	×	X	X	×	
		0.0		100	

	223	224	225	225G
Divided fish box or icebox behind comp. chair, both w/ob drain				
One 90 qt. section w/optional recirculating livewell		X	X	X
One 45 qt. section w/optional aerated livewell	X	Х	Х	X
Horizontal rod racks	X	X	X	X
Four flush mounted rod holders	X	X	X	X
2 aft cockpit round insulated fish boxes w/opt. livewell	×			
Insulated engine box w/drink holders		X		
Rigging area w/cutting board & drink				
holders		X	X	X
Removable storage tray			X	X
Fold-down motor well bulkhead	X			
FACTORY OPTION	IS			


THE PROPERTY SERVICES AND STREET	1000			
GENERAL	223	224	225	225G
Outrigger kit 15 feet (gunwale mount)	X	X	X	X
Portable head	X	X	X	X
Aerated livewell	X	X	X	X
Combination washdown/recirculat- ing livewell	X	X	×	×

	223	224	225	225G
Gunwale mounted fresh water syster w/8.5 gallon tank	m X	Х	×	X
48 qt. igloo cooler w/cushion	X	X	X	X
95 qt. insulated portable fish box	X	X	X	X
Swim platform w/ladder	X	X	X	X
Auxiliary gas tank-55 gallon	X		X	X
MORSE/OMC/MERC single binnacle control	X			X
MORSE/OMC dual binnacle contro	I X			
Hydraulic trim tabs	X	X	X	X
Hydraulic steering (single or dual)	X			
Transom modification (twins)	20"			
CANVAS	223	224	225	225G
Folding top & side curtains w/boot	X	X	X	X
Drop curtain	X	X	X	X
Helm station cover	X	X	X	X
Bow cover	X	X	X	X
Mooring cover	X	X	X	X
Covers for pedestal chairs	X	X	X	X



he Seafarer 22s have become one of our most popular models since their introduction five years ago. No wonder. Their 8-foot beam, 22-foot modified vee hulls provide a solid, stable and dry ride. And the walkaround cabin design gives full forward access without sacrificing the protection of a windshield, top and side curtains.

The self-bailing Seafarer cockpits are outfitted with four scuppers and the big, insulated fish boxes all drain overboard... not into the bilge. With two berths in the cabin and room for an optional marine head, these trailerable 22s are perfect family sport-fishing machines.



STANDARDFEATURES

CABIN	226	227	228	228G	
Recessed, non-skid walkway around	X	X	X	v	
entire cabin Forward hatch w/seat cushions	x	X	X	X X X X 4 2 3 X X X	
		0	2	0	
2 Fixed front windows	X X 4 2 3	X X 4 2 3 X	X X X 4 2 3 X X	Ŷ	
2 Stiding side windows	0	0	0	0	
Nylon headliner	^	2	^	^	
Rod storage holders	4	4	4	4	
Bunks	2	2	2	2	
Under-bunk storage compartments	3	3	3	3	
Bow compartment rope locker	X		X	×	
Lamp	X	X	X	X	
2 Side storage shelves	X	X	X	X	
Storage compartment for marine	14	34	V.	V	
head	X	X	X	X	
Fabric covered foam bunk cushions	X	X	X	X	
Lockable door w/companionway	X	v	Х	X	
hatch	X	X	A	^	
ACCUPIT A DECK	000	007	000	anne	
COCKPIT & DECK	226	227		228G	
Stainless steel deck hardware	0	0	0	~	
Heavy-duty gunwale molding	××××	XXXX	×××××	XXXX	
Bow lifting ring	^	A	0	· ·	
Stainless steel bow rail	X	X	X	X	
Ventilated windshield	X	X	X	X	
Windshield wiper	X	X	X	X	



226 SEAFARER
Outboard Aft Cockpit
Center Line Length
Beam Amidships
Transom Height (single)
Transom Width
Hull Draft
Maximum H.P. 20 280 h.p. Weight 2875 lbs.



227 SEAFARER

Inboard/Outboard Aft Cockpit Center Line Length Beam Amidships Transom Height Transom Width Hull Draft Weight w/(170 h.p.) 3675 lbs.



228 and 228G SEAFARER

 228 and 228G SEAFAREK

 Sea Drive/Grady Drive Aft Cockpit

 Center Line Length
 22'

 Beam Amidships
 96"


 Transom Height
 47"

 Transom Width
 94"


 Hull Draft
 14"

 Weight (228 w/2.6 litre)
 3475 lbs.

 Weight (228G)
 3000 lbs.



Cockpit forward



Recessed walkway




Helm station



Insulated fish box



Rod storage and optional faucet



Cabin interior

	226	227	228	228G
Stainless steel steering wheel	X	X	X	X
Horn	X	X		X
Compass mount pad	X	X	X	X
Covered instrument panel	X	X	X	X
Pedestal chairs w/cushions	X	X	X	X
Helm & companion side shelves	X	X	X	×
Drink holders	2	6	4	4
Companion grab rail	X	X	X	X
Lockable helm station radio box	X	X	XXXXX4XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	X X X X X X X X X X X X X X X X X X X
Cockpit lights	X	X	X	X
Spring line cleats	X	X	X	X
Cockpit side storage shelves	X	X	X	X
2 Fish box cushions	X	X	X	X
Removable aft seat cushions & backs		X	X	X
Automatic bilge pumps	2	2	2	2
Battery storage compartments	2 2 X X	2	2	2
93 gallon aluminum gas tank	X	X	X	X
Mechanical steering	X			
Power steering		X		
Hydraulic steering			X	X
BIA approved	X	X	X	X X X
International lighting	X	X	X	X
Basic flotation	X	X	X	X
FISHING	226	227	228	228G

355	355	35.5	2.2
226	227	228	228G
X	X	X	X
X	X	X	X
4	4	4	4
	226 × × 4	226 227 × × × × 4 4	226 227 228 X X X X X X 4 4 4


	226	227	228	228G	
190 qt. fish box or storage compt. behind helm chair w/ob drain Divided fish box or icebox behind comp. chair, both w/ob drain	×	X	X	Х	
One 90 qt. section w/optional recirculating livewell One 45 qt. section w/optional		X	Х	×	
aerated livewell Horizontal rod racks	X	X	X	×	
Four flush mounted rod holders 2 Aft cockpit round insulated fish	X	X	X	X	
boxes w/opt. livewell	X		14		
Insulated engine box w/drink holders Rigging area w/cutting board & drink		X			
holders Removable storage tray		X	X	X	
Fold-down motor well bulkhead	X			21	

FACTORY OPTIONS

GENERAL	226	227	228	2280
Hardtop w/radio box	X	X	X	X
Hardtop rod holders	X	X	X	X
Windshield wiper (port side)	X	X	X	X
Outrigger kit 15 feet (gunwale mount)	X	X	X	X
Outrigger kit 15 feet (hardtop mount)	X	X	X	X
Portable head	X	X	X	X
Head w/deck nump out	X	X	X	×

	226	227	228	228G
Chain deck pipe fitting	X	X	X	X
Chair gimbal	X	X	X	X
Aerated livewell	X	X	X	X
Combination washdown/recirculat-				
ing livewell	×	X	X	X
Gunwale mounted fresh water system	100		200	390
w/8.5 gallon tank	X	Х	X	X
48 qt. igloo cooler w/cushion	X	X	X	X
95 qt. insulated portable fish box	X	X	X	X X
Swim platform w/ladder	X	X	X	X
Auxiliary gas tank-55 gallon	X		X	X
MORSE/OMC/MERC single binnacle				
control	X			X
MORSE/OMC/MERC dual binnacle				
control	X			
Hydraulic trim tabs	X	X	X	X
Hydraulic steering (single or dual)	X			
Transom modification (twins)	20"			
CANVAS	226	227	228	228G
		777.7	-	

Folding top & side curtains w/boot Drop curtain Helm station cover Mooring cover Covers for pedestal chairs Hardtop curtains



ffshore 24s are designed for maximum offshore fishing performance in a trailerable family boat. Two big berths in the cabin mean there's plenty of room for overnighting. Butsportfishermen enjoy huge self-bailing cockpit and walkaround area — over 110 square feet—packed with fish boxes and rod storage.

This 24' hull shared with Offshore Pros and Fisherman 24s, is a unique Grady-White design. The bottom is a modified vee, slightly rounded for a softer ride. The hard chine directs spray away, for a dry ride. And the hull's sides aren't flat, they're slightly concaved to shed quartering seas. The result is an 8-foot beam, trailerable 24-footer with offshore capability and comfort.

Non-skid walkway around cabin
Cabin rod storage
Marine head area

2 cabin berths

Insulated fish boxes

Underdeck gas tanks
Rod racks
Self-bailing cockpit
Insulated fishboxes

Battery storage

STANDARD FEATURES

CABIN	240	241	242	242G
Recessed, non-skid walkway around entire cabin	X	X	X	Х
Forward hatch w/seat cushions	×	X X X X 4 2 3 X X X X	XXXXX423XXX	X X X X 4 2 3 X X X X
2 Fixed front windows	X	X	X	X
2 Sliding side windows Nylon headliner	Ŷ	Ŷ	Ŷ	Ŷ
Rod storage holders	4	4	4	4
Bunks	2	2	2	2
Under-bunk storage compartments	3	3	3	3
Bow compartment rope locker	X 4 2 3 X X X	X	X	X
Lamp	X	X	X	X
2 Side storage shelves 5 Port storage shelves	×	Ŷ	0	Ŷ
Storage compartment for marine	-	^	^	^
head	X	X	X	X
Fabric-covered foam bunk cushions	X	X	X	X
Lockable door w/companionway			60	14
hatch	X	X	X	X
COCKPIT & DECK	240	241	242	242G
Stainless steel deck hardware	X	X		
Heavy-duty gunwale molding		X	X	X
Bow lifting ring	X X X	XXX	X	X
Stainless steel bow rail	X	×	0	×
Ventilated windshield Windshield wiper	Ŷ	Ŷ	Ŷ	Ŷ
Stainless steel steering wheel	x	X	××××××	××××××



240 OFFSHORE

Outboard Aft Cockpit
Center Line Length 24'1"
Beam Amidships 96"
Transom Height (single) 25"
Transom Width 94"
Hull Draft 16"
Maximum H.P. 300 h.p.
Weight 3200 lbs.



241 OFFSHORE

Inboard/Outboard Aft Cockpit
Center Line Length 24'1"
Beam Amidships 96"
Transom Height 49"
Transom Width 94"
Hull Draft 16"
Weight w/(260 h.p.) 4300 lbs.



242 and 242G OFFSHORE

Sea Drive/Grady Drive Aft Cockpit
Center Line Length 24'1"
Beam Amidships 96"
Transom Height 49"
Transom Width 94"
Hull Draft 16"
Weight (242 w/2.6 litre) 3800 lbs.
Weight (242G) 3325 lbs.



Cockpit forward



Companionway hatch



Aft rigging station (242)



Recessed walkaround



Insulated fish box



Horizontal rod racks



Cabin interior

	240	241	242 2		
Horn Compass mount pad Covered instrument panel Pedestal chairs w/cushions Helm & companion footrests Helm & companion side shelves Drink holders Companion grab rail Lockable helm station radio box Cockpit lights Spring line cleats Cockpit side storage shelves 2 fish box cushions Removable aft seat cushions & backs Automatic bilge pumps Battery storage compartments 93 gallon aluminum gas tank Mechanical steering Power steering Hydraulic steering BIA approved International lighting Basic flotation	XXXXX2XXXXX 222XX XXX	XXXXXX6XXXXXXX22X X XXX	X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
FISHING Non-skid fiberglass liner Self-bailing cockpit w/4 floor drains	240 X	241 × × 4	242 X X X	242G X	
Vertical rod storage holders 190 qt. fish box or storage compt.	4	4	4	4	

XXXX

behind helm chair w/ob drain

Divided fish box or icebox behind comp. seat, both w/ob drain One 90 at. section w/optional				
recirculating livewell One 45 gt. section w/optional	X	X	Х	>
aerated livewell	X	X	X	>
Horizontal rod racks	X	X	X	>
Four flush mounted rod holders	×	X	X)
2 aft cockpit insulated fish boxes w/ob drain	X			
Insulated engine box w/drink holders		X		
Rigging area w/cutting board & drink				
holders		X	X)
Removable storage tray Fold-down motor well bulkhead	X		X	?
Told down motor well ballared	2.0			

240 241 242 242G

FACTORY OPTIONS

THE TURT OF THOM	NO			
GENERAL Hardtop w/radio box	240 X	241 X	242 X	242G X
Hardtop rod holders Windshield wiper (port side) Outrigger kit 15 feet (gunwale mount)	X	X	X	X
Outrigger kit 15 feet (hardtop mount) Portable head	×	X	X	×
Head w/deck pump out Chain deck pipe fitting	X	X	X	X
Chair gimbal Aerated livewell	X	X	X	X

Combination washdown/recirculat- ing livewell
Gunwale mounted fresh water syster w/8.5 gallon tank
48 at. igloo cooler w/cushion
95 gt. insulated portable fish box
Swim platform w/ladder
Large swim platform w/ladder
Auxiliary gas tank - 55 gallon
MORSE/OMC/MERC single
hinnacle control

MORSE/OMC/MERC dual binnacle control


Hydraulic trim tabs Hydraulic steering (single or dual) Transom modification (twins)

CANVAS

Folding top & side curtains w/boot Drop curtain Helm station cover Covers for ped. seats Hardtop curtains

		-	
Х	×	X	X
X	×	X X X X	X X X X X
X	^	Х	X
Х			Х
X X X 25"	Х	Х	X
240 X X X	241 X X X	242 X X X	2420 X X X X


240 241 242 2420



hen POWER AND MOTORYACHT reviewed the Offshore Pro 24s, they couldn't miss the fact that these boats are "designed with one purpose in mind: Fishing. Serious Fishing."

Since serious offshore fishermen don't want a salon-type cabin, the walkaround Offshore Pro 24s use practically all cabin space for fishing tackle storage. There's even a big storage locker under the single bunk.

POWER AND MOTORYACHT continued, "everywhere you look there's a bait well, recirculating livewell, tackle drawer or tackle box. Saltwater washdown is standard, as is a freshwater spigot recessed into the gunwale portside. You get the idea, nothing is missing."



STANDARD FEATURES

8G
v :
V
7
X
n
1
2
5
0
0
0
2
X.
X
X
X
18G
X
X
X
X
X
X



246 OFFSHORE PRO

Outboard Aft Cockpit
Center Line Length
Beam Amidships
Transom Height (single)
Transom Width
Hull Draft
Maximum H.P. 33 94 16 300 h.p.

3200 lbs.

Weight



247 OFFSHORE PRO

Inboard/Outboard Aft Cockpit Center Line Length Beam Amidships Transom Height Transom Width Hull Draft Weight w/(260 h/p.) 16 4300 lbs.



248 and 248G OFFSHORE PRO

46 and 248G OFFSHORE PR
Sea Drive/Grady Drive Aft Cockpit
Center Line Length 241"
Beam Amidships 96"
Transom Height 49"
Transom Width 94"
Hull Draft 16"
Weight (248 w/2.6 litre) 3800 lbs.
Weight (248G) 3325 lbs.



Cockpit forward



Helm station



Insulated fish box



Faucet and livewell



Cabin rod storage



Cabin bunk


Stainless steel steering wheel Horn Compass mount pad Covered instrument panel Pedestal chairs w/cushions Helm & companion footrests Helm & companion side shelves Drink holders Companion grab rail Lockable helm station radio box Cockpit lights Spring line cleats Cockpit side storage shelves 2 Fish box cushions Removable aft seat cushions & backs Automatic bilge pumps Battery storage compartments 93 gallon aluminum gas tank Power steering Hydraulic steering BIA approved International lighting Basic flotation	246 X X X X X X X X X X X X X	247 X X X X X X X X X X X X X	248 248 248 X X X X X X X X X X X X X X X X X X X	
Non-skid fiberglass liner	X	X	XX	

Self-bailing cockpit w/4 floor drains Vertical rod storage holders

	246	247	248	248G	
2 Tackle drawers under both helm & comp. chairs	X	X	X	×	
190 qt. fish box or storage compt. behind helm chair w/ob drain Divided fish box or icebox behind	X	X	X	X	
comp. chair, both w/ob drain One 90 gt. section	×				
One 45 qt. section One 90 qt. section w/recirculating	X	X	X	X	
livewell		X	X X	X	
Horizontal rod racks	X	X	X	X	
Four flush mounted rod holders	X	X	X	X	
2 Aft cockpit round insulated fish					
boxes w/recirculating livewell	X				
Insulated engine box w/drink holders		X			
Rigging area w/cutting board & drink		10			
holders		X	X	X	
Removable storage tray			X	X	
Gunwale mounted fresh water system w/8.5 gallon tank	V	V	v	V	
	0	X	X	0	
Washdown pump w/hose	0	^	^	0	
Fold-down motor well bulkhead	^				

246	247	248	248G
×	X	X	X
X	X	X	X
	246 × ×	246 247 × × × ×	246 247 248 × × × × × ×


		100	17272	248G	
Windshield wiper (port side)	X	×	X X X X X X X X X X X X X X X X X X X	X X X X X X X X	
Outrigger kit 15 feet (gunwale mount)	0	0	0	~	
Outrigger kit 15 feet (hardtop mount)	×××××××××××××××××××××××××××××××××××××××	××××××	X	X	
Portable head	X	X	X	X	
Head w/deck pump out	X	X	X	X	
Chain deck pipe fitting	X	Х	X	Х	
Chair gimbal	X	X	X	X	
Second bunk cushions	X	X	X	X	
48 qt. igloo cooler w/cushion	X	X	X	X	
95 qt. insulated portable fish box	X	X	X	X	
Swim platform w/ladder	X	X	X	X	
Large swim platform w/ladder		X			
Auxiliary gas tank-55 gallon	X		X	X	
MORSE/OMC/MERC single			1		
binnacle control	X			X	
MORSE/OMC/MERC dual binnacle					
control	X				
Hydraulic trim tabs	X	X	X	X	
Transom modification (twins)	25"		100	**	
Transom modification (twins)	20				
CANVAS	246	247	248	248G	
Folding top & side curtains w/boot	X	X	X	X	
Drop curtain	Ŷ	Ŷ	Ŷ	×	
Helm station cover	×	0	X	Ŷ	
	0	0	0	0	
Covers for pedestal chairs	0	×××	0	X X X	
Hardtop curtains	^	^	٨	^	



n BOATING, sportswriter Bob Stearns called the 249 "a step up the evolutionary ladder" for center consoles. Everything you need for offshore fishing is built in, and all your gear—including big, offshore rods—can be locked up aboard.

With 8 offshore rods locked up aboard, all your fishing gear in the forward compartments and electronics secured in the console, there's no lugging gear back and forth when you're ready to go fishing.

Plus, there are two big forward fish boxes (one fits five-foot long fish), two raw water live wells, a fresh water sink and a head compartment. Altogether, they make the Fisherman 24s the next generation in open, offshore fishing design.







249 FISHERMAN

Outboard Aft Cockpit
Center Line Length
Beam Amidships
Transom Height (single)
Transom Width **Hull Draft** Maximum H.P. 300 h.p. Weight 3260 lbs.




249SD and 249G FISHERMAN

Sea Drive/Grady Drive Aft Cockpit
Center Line Length 24'1" Center Line Length Beam Amidships Transom Height Transom Width **Hull Draft** Weight (249SD w/2.6 litre) 3960 lbs. Weight (249G) 3425 lbs.



Bow storage

Basic flotation



Center Console



Optional leaning post



Optional T-top outriggers



Lockable electronics boxes



Chart recorder box



Radio box



Console fish box

Hydraulic trim tabs

Transom modification (twins)

STANDARD FEATURES

on word and the training of th	. OI	u	
COCKPIT & DECK	249	249SE	249G
Stainless steel deck hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Bow lifting ring	X	X	X
Stainless steel bow rail	X	X	××××
Forward anchor locker w/rope storage	X	X	X
Forward, lockable portside storage			
compartment	X	X	X
Forward compt. for storage or a port-			
able head	X	X	X
Stainless steel steering wheel	X	X	X X X
Horn	X	X	X
Pedestal chairs w/cushions	X	X	X
Companion grab rail	X	X	X X X 1
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Automatic bilge pump	1	1	1
Battery storage compartments	2	2	2
150 gallon aluminum gas tank capc. One 100 gallon tank One 50 gallon tank	Х	X	X
Hydraulic steering	X	X	X
BIA approved	X	X	X
International lighting	X	×	×

FISHING

249 Non-skid fiberglass liner X X Raised casting platform Forward, stbd lockable rod storage X X X compartment Forward, port fresh water faucet & sink w/8.5 gallon tank X X Large, forward 215 qt. insulated floor X fish box X X Self-bailing cockpit Vertical rod storage holders 4 4 4 2 Aft cockpit round insulated fish boxes w/recirculating livewell XXX X X Horizontal rod racks Four flush mounted rod holders X Cockpit toe-rail w/aft tackle shelf X X Fold-down motor well bulkhead Washdown pump w/hose X CONSOLE 249

Forward icebox & seat cushions Lockable storage compartment Drink holder 3 tackle drawers Lockable radio & chart recorder boxes w/weather-proof vinyl covers Plexiglass windshield w/handrail

249SD 249G

249SD 249G X X

> X X

X


X

FACTORY OPTIONS

GENERAL 249SD 249G 249 Lean bar w/86 qt. cooler & stainless rod holders T-top frame w/canvas top XXXXXX T-top outriggers: 11½ ft. (t-top mount) Outrigger kit 15 ft. (gunwale mount)
Portable head Chair gimbal 48 qt. igloo cooler w/cushion Swim platform w/ladder MORSE/OMC/MERC single binnacle control X MORSE/OMC/MERC dual binnacle X X 25 control


CANVAS 249 249SD 249G Covers for pedestal chairs Folding "Bimini" top w/boot X Casting platform sprayhood w/boot XXXX Casting platform privacy curtain Connector top to sprayhood Console cover T-top curtains

XXXXXX



hen we first introduced our 91/2-foot beam, Sailfish 25, sportfishing writer Jim Martenhoff saw it as beginning a trend toward "downsized" sportfishermen because there's not much missing in the three-bunk Sailfish cabin-even for sportfishermen accustomed to much larger boats. But the Sailfish 25 series has been popular with sportfishing families "upsizing" as well, because of the accomodations below, and the large fish boxes, recirculating live well, tackle drawers and storage in the big self-bailing cockpit.

If you're looking for a boat with berths, a galley and an enclosed head with shower option that also doubles as a 50 mph fishing machine, the Sailfish 25 is a perfect choice.



STANDARD FEAT	U.	RI	ES
CABIN	255	254	252
Recessed, non-skid walkway around entire cabin Forward hatch w/seat cushions 2 Fixed front windows 2 Sliding side windows w/screens Nylon headliner Rod storage holders Bunks Under-bunk storage compartments Bow compartment rope locker Galley cabinets, port & starboard	X X X X 6 3 4 X X	X X X X X X 6 3 4 X X	X X X X 6 3 4 X X
Stainless steel sink w/pressurized water system 25-gallon water tank Fold-down alcohol stove Built-in icebox 2 Tables Head enclosure w/lamp Lamp 2 Side storage shelves Fabric-covered foam bunk cushions Step storage box Lockable door w/ hatch	×××××××××××××××××××××××××××××××××××××××	× × × × × × × × × × × × × × × × × × ×	X X X X X X X X X X
COCKPIT & DECK Stainless steel deck hardware Heavy-duty gunwale molding	255 X X	254 × ×	252 X X



255 SAILFISH

Outboard Aft Cockpit
Center Line Length
Beam Amidships
Transom Height (twin)
Transom Width
Hull Draft 25'4" 19 Maximum H.P. 400 h.p. Weight 4375 lbs.




254 SAILFISH
Inboard/Outboard Aft Cockpit
Center Line Length 25
Beam Amidships 9
Transom Height 5
Transom Width Hull Draft 19" Weight w/(dual 170 h.p.) 5800 lbs.



252 SAILFISH

Sea Drive Aft Cockpit Center Line Length Beam Amidships Transom Height Transom Width Hull Draft Weight w/(dual 2.6 Litre) 5430 lbs.



Cockpit forward



Head enclosure




Forward hatch with cushion seats



Insulated fish box



Galley and quarter berth



Cabin interior forward


Helm station cover Covers for pedestal chairs Hardtop curtains Tower curtains & top

	255	254	252
Bow lifting ring	X	X	X
Stainless steel bow rail	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X
Stainless steel steering wheel	X	X	X
Horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	4	2
Companion grab rail	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	Š	X
Cockpit side storage shelves	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXX4XXXX22X	X X X X X X X X X X X X X X X 2 2
2 Fish box cushions	^	^	^
Automatic bilge pumps	2	6	2
Battery storage compartments	2	~	2
125 gallon aluminum gas tank 198 gallon aluminum gas tank capc.	X	^	X
One 125 gallon tank	^		^
One 73 gallon tank			
Power steering		X	
Hydraulic steering	×		Y
Hydraulic trim tabs	Ŷ	Y	Ŷ
BIA approved	Ŷ	Ŷ	Ŷ
International lighting	X	X	x
Basic flotation	X X X	X X X	XXXX
The second second second second second	2.0		

FISHING 255 254 252 Non-skid fiberglass liner Self-bailing cockpit w/4 floor drains Vertical rod storage holders Lockablestorage under the helm chair & 2 tackle drawers under the com-panion chair X X 60 qt. insulated fish box behind companion chair w/ob drain 230 qt. insulated fish box behind helm chair w/ob drain X 80 qt. recirculating livewell Horizontal rod racks Four flush mounted rod holders 2 Removable aft-deck wells Insulated aft-deck well w/ob drain Aft cockpit tackle drawer 2 Fold-down motor well bulkhead Washdown pump w/hose

GENERAL	255	254	252
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Windshield wiper (port side)	X	X	X
Outrigger kit 15 feet (gunwale mount)	X	X	X
Outrigger kit 15 feet (hardtop mount) Outriggers 18 feet (Lee Jr.) (side	X	X	X
cabin mount)	X	X	X


	255	254	252
Tower-deluxe-w/controls,			
outriggers, etc.	X	X	X
Portable Head	X	XXXXXX	X X X X X X X X
Head w/deck pump out	X X X X X X	X	X
Chain deck pipe fitting	X	X	X
Bow pulpit	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
48 at. igloo cooler w/cushion	÷.	0	X
95 qt. insulated portable fish box	0	÷.	×
Swim platform w/ladder Large swim platform w/ladder	^	Ŷ.	X
MORSE/OMC/MERC single binnacl	lo:	^	
control	X		
MORSE/OMC/MERC dual binnacle			
control	, Y		
Transom modification (single)	25"		
Shower	X	X	×
Hot water heater - 110V - requires			- 60
dockside power	X	X	X
Dockside power	X	X	X
CANVAS	255	254	252
Folding top & side curtains w/boot	X	X	X
Drop curtain	X	X	X



he Trophy Pro 25s are designed especially for serious day fishing trips with plenty of capability to go whereverthe fish are. Their 25-foot, 91/2-foot beam modified vee hulls are packed with fishing features. MOTORBOATING AND SAILING said, "this design should appeal to the fisherman (or fishing family) who knows the value of order and organization when it comes to storing the endless array of gear that serious fishing requires.'

There's storage for 12 offshore rods and all your gear in the cabin, lockable electronics boxes, and a cockpit that's packed with everything from fish boxes and raw water live wells to a rigging station complete with fresh water sink.

A boat built to order for serious sportfishing.



STANDARD FEAT	U.	KE	S
CABIN	257	258	259
Recessed, non-skid walkway around entire cabin Forward hatch w/seat cushions 2 Fixed front windows 2 Sliding side windows Nylon headliner Rod storage holders Single bunk w/optional second bunk Under-bunk storage compartments Bow compartment rope locker Lamp Tackle box shelf 2 Side storage shelves	X X X 12 X 1 X X X X X X X X X X X X X X	X X X X 12 X 1 X X X X X	X X X X 12 X 1 X X X X X
Storage compartment for marine head 3 Tackle drawers Storage compartment (port side) Hanging locker 2 Chart storage tubes Drink holders Fabric-covered foam bunk cushions Lockable door w/companionway	X X X X 2 X	X X X X X 2 X	X X X X X Z X
hatch	X	188	
COCKPIT & DECK Stainless steel deck hardware Heavy-duty gunwale molding	257 X X	258 × ×	259 X X



257 TROPHY PRO Outboard Aft Cockpit

Center Line Length
Beam Amidships
Transom Height (twin)
Transom Width
Hull Draft
Maximum H.P. 19 400 h.p. Weight 4375 lbs.




258 TROPHY PRO Inboard/Outboard Aft Cockpit Center Line Length Beam Amidships Transom Height Transom Width Hull Draft Weight w/(dual 170 h.p.) 5800 lbs.



259 TROPHY PRO Sea Drive Aft Cockpit

Center Line Length 25'4"
Beam Amidships 96"
Transom Height 52"
Transom Width 9'
Hull Draft 19"
Weight w/(dual 2.6 litre) 5430 lbs.



Cockpit forward



Helm station



Tackle drawers



Insulated box and sink



Cabin storage



Cabin bunk, tackle drawers

Helm station cover Covers for pedestal chairs Hardtop curtains Tower curtains and top

			100
Bow lifting ring Stainless steel bow rail Ventilated windshield Windshield wiper Stainless steel steering wheel Horn Compass mount pad Covered instrument panel Pedestal chairs w/cushions Helm & companion footrests Helm & companion side shelves Drink holders Companion grab rail Lockable helm station radio box Cockpit lights Spring line cleats Cockpit side storage shelves 2 Fish box cushions Automatic bilge pumps Battery storage compartments 125 gallon aluminum gas tank 223 gallon aluminum gas tank Cone 150 gallon tank One 73 gallon tank Power steering	257 X X X X X X X X X X X X X	258 X X X X X X X X X X X X X X X X X X X	259 X X X X X X X X X X X X X X X X X X X
	××××	××××	XXXX
Battery storage compartments 125 gallon aluminum gas tank 223 gallon aluminum gas tank capc. One 150 gallon tank One 73 gallon tank Power steering Hydraulic steering Hydraulic trim tabs BIA approved International lighting	3	×	× × × × × × ×

FISHING Non-skid fiberglass liner Self-bailing cockpit w/4 floor drains Vertical rod storage holders 2 Tackle drawers under both helm & comp. chairs Balt rigging station behind comp. chair includes sink (15 gallon water tank w/electric pump) & insulated fish box w/cutting board 300 qt. insulated fish box behind helm chair X X 150 qt. recirculating livewell Horizontal rod racks Four flush mounted rod holders 2 Removable aft-deck wells Insulated aft-deck well w/ob drain Fold-down motor well bulkhead Aft cockpit tackle drawer Washdown pump w/hose

GENERAL Hardtop w/radio box Hardtop rod holders Windshield wiper (port side) Outrigger kit 15 feet (gunwale mount)	257 X X X	258 X X X	259 X X X
Outrigger kit 15 feet (ganwaie mount) Outrigger kit 15 feet (hardtop mount)	Ŷ	x	x

	257	258	259	
Outriggers 18 feet (Lee Jr.) (side cabin mount) Tower—deluxe—w/controls,	X	×	X	
outriggers, etc. Portable head Head w/deck pump out Chain deck pipe fitting Bow pulpit Chair gimbal	X X X X X X X X X X X X X X X X X X X	XXXXX	X X X X X X X X X	
Second bunk cushions Cockpit bolsters 48 qt. igloo cooler w/cushion 95 qt. insulated portable fish box Swim platform w/ladder Large swim platform w/ladder MORSE/OMC/MERC dual binnacle	X X X X	XXXXX	XXXX	
control Dockside power	X	х	×	
CANVAS Folding top & side curtains w/boot	257 X X	258 X X	259 X X	

The New Grady Drive Outboard Mounting System.





Outboards can be tilted completely out of the water.



Grady Drive gives higher top speed and a tighter turning radius.

Grady Drive gives you all the advantages of a full transom with the power and response of an outboard.

Today's powerful, fuel-efficient outboards are far and away the most popular choice of Grady-White owners. And the new Grady Drive outboard mounting system gives the added space and quiet benefits of a full transom. So a Grady-White with Grady Drive offers more cockpit fishing room, quieter outboard operation and the speed and dependability that makes outboards so popular.

The aluminum Grady Drive is an enclosed box system for added structural strength.

There are distinct advantages of an enclosed Grady Drive outboard mounting system over brackets and open box mounting systems. In addition to the obvious added strength of a totally enclosed structural grid, the closed box helps part the seas when backing down in full reverse. The bottom of the Grady Drive directs water to the sides of the engine and under the boat rather than into the transom and back over the engine.

Quiet operation, more cockpit space and super performance.

With a full transom between you and your outboard power, you can carry on a normal conversation, even at full throttle. Plus, with the motor mounted outside the boat, there's added cockpit room because the motor and motor well don't take up space. Grady-Whites with Grady Drive power have even larger self-bailing cockpits.

The bottom of the Grady Drive is designed to direct spray downward and provide an added planing surface when accelerating to planing speeds. Since the motor is mounted off the transom, you also get a wider trim range for precise boat attitudes at all speeds. In addition, having the power aft gives your Grady-White a shorter turning radius while minimizing hull turbulence and cavitation in the turns.

Engineered, developed and backed by Grady-White.

Our research and development team engineered the new Grady Drive system specifically for Grady-White boats. The all aluminum system is securely bolted to a full transom with a zinc sacrificial plate attached to prevent deterioration from electrolysis.

Standard equipment with a Grady Drive also includes hydraulic steering for easy maneuvering at speed and taking full advantage of the short turning radius when docking.

All in all, the new Grady-White Grady Drive makes outboard power even better. Quiet, full transom operation and better maneuverability with the entire range of power options available from today's outboard manufacturers. Exclusively from Grady-White, Grady Drive is state-of-the-art.

FACTORY OPTIONS

You can customize your boat with factory options designed specifically for your model. Consult the factory options listing for each boat series to determine those available for your boat.

Note: Cover options (except the mooring cover) are made of the finest quality marine vinyl with corrosion resistant fittings. Each cover option is individually custom-fit to the boat, then removed for



Walkaround Series vista top



Tournament Series vista top



Center Console bimini top and spray hood



Center Console T-top and curtains



Aft curtain (19s only)



Hardtop with rod holders and radio box



Tower with rod holders and radio box



Wash down system with hose (all models except 19s)



Chain deck pipe fitting (except 20 Walk-arounds, Tournament 22s, 19s)



Stern seat cushions and safety rail (204-C only)



95 qt., insulated portable fish box (all models except 249,205,204,19s)



Bow pulpit (25s only)




Marine head (cabin installation shown)



Second bunk cushion (Pro models)




Cockpit bolsters (25s only)



	ALL WEATHER SACKET	
\$	Small at \$49.95 each	\$
	Medium at \$49.95 each	S
	Large at \$49.95 each	S
2		\$
Ψ		
	Subtotal	\$
	N.C. Residents add 41/8 sales tax	\$
2	Add \$2.00 handling charge	\$2.00
	Total	\$
	Please enclose check or money order and	mail to:
\$	CRADY-WHITE BOATS	
S		N.C. 07004
S	P.O. Box 1521, Department B, Greenville, 1	N.C. 27034
\$	Name	
	Address	
c	Address	
Š.	City	
Š	Oity	
\$	State	Zip
	\$ \$	Medium at \$49.95 each Large at \$49.95 each Extra Large at \$49.95 each Subtotal N.C. Residents add 4½% sales tax Add \$2.00 handling charge Total Please enclose check or money order and GRADY-WHITE BOATS P.O. Box 1527, Department B, Greenville, I Name Address City City







Photography by Jerry Imber