


GRADY-WHITE BOATS



1 9 9 1

Hello—

Thank you for your interest in the 1991 Grady-White line. At Grady-White, we're dedicated to providing you and your family with the safest, best performing, most durable fishing and cruising boats you can buy.

Our air conditioned, state-of-the-art manufacturing facility means greater efficiency, allowing us to "pour in the value" yet remain surprisingly competitive in today's marketplace. If you are ever in eastern North Carolina, we hope you'll visit us and meet the craftsmen who build Grady-White boats.


Your dealer provides the vital link between you and Grady-White. He or she is a member of the most professional and knowledgeable dealer organization in the industry. We know your dealer and his family, and we feel personally responsible for helping them provide the service support you need.

Once you've examined the design and quality and you've experienced the performance of Grady-White boats, you'll understand why Grady-White has been the choice of demanding fishing and cruising families for over 32 years.

Sincerely,



Eddie C. Smith, Jr., chairman and CEO



Wiley B. Corbett, president



Eddie Smith (right), Wiley Corbett (left).

State-of-the art production technology makes handcraftsmanship affordable.

Phrases like "just-in-time manufacturing," "CNC router systems," "computerized, integrated production control," and "central resin measurement systems" may seem incongruous in a company building what is essentially a handmade sportfishing boat. However, this state-of-the-art manufacturing technology enables the 400+ craftsmen working in our 300,000 square foot facility to deliver a handcrafted boat incorporating superior raw materials at an amazingly affordable price.



Grady-White's 300,000 square foot plant in Greenville, NC



1. Fiberglass boats are built from the outside inward. So the molds which determine each fiberglass part's shape are painstakingly inspected and polished to insure Grady-White's smooth, lasting finish.



2. Gelcoat, a thin layer of white, ultra-high quality polyester, is sprayed into the molds in dust-free spray booths. This outer layer provides the protective surface and color of your Grady-White boat.



3. Fiberglass mat and woven roving are precut to size, placed in the mold then sprayed with a measured amount of resin from the central resin system. This insures the fiberglass to resin ratio of each hull and deck for maximum strength.



4. To insure uniform laminate layers which give the strength Grady-Whites are known for, the fiberglass and resin are rolled smooth and

evenly distributed by hand. There is no chopped glass in a Grady-White hull or deck because chopped glass is inherently non-uniform and therefore weaker than hand-laid fiberglass.



5. Stringer systems and laminated transoms are completely encapsulated in resin and fiberglassed into the hull while it remains in its mold. This insures that the hull-stringer grid system retains the shape of the mold for optimum performance and strength.



6. Hulls, decks and liners are allowed to dissipate the heat of the resin/catalyst reaction—"curing" many hours before the part is pulled and ready for assembly. This allows the parts to reach their maximum strength and hardness while in the mold, which determines the shape.



7. Polyurethane foam is sprayed into strategic cavities in the hull, deck and liner in all Grady-Whites. Most boats over 20 feet do not have foam which provides flotation, strength, sound insulation and thermal insulation.



8. Deck hardware is securely through-bolted with aircraft-type locking nuts. All deck hardware is higher grade 316 stainless steel or chrome over bronze for unsurpassed corrosion protection.



9. Stern drive engines are installed and test run. Yamaha outboards are factory rigged. Electrical and hydraulic systems are operational when installed. They are checked as the boats move down the assembly line.



10. Computer-controlled router precisely cuts parts; including stringer systems and plexiglass radio box covers. It also roughs out bulkheads and other wood parts before final installation.



11. As the boat takes shape, cabin interiors are hand-built, bulkheads fitted and through-bolted and maintenance free Duratrim is custom fitted by hand, making each Grady-White an original of the boat builders' art.



12. Windshield systems and hard tops are then installed. Canvas options are custom-fitted by erecting the canvas then fitting each strap and fastener before the canvas is repacked for shipment.



13. Quality control inspectors work all down the assembly line during the eight days it takes to build each Grady-White. Each has top authority and our plant has twice the normal illumination in order to detect the slightest flaws.



14. Before the tough, final inspection, each boat receives a thorough wash including a 15-minute shower check for cabin leaks. Grady-Whites must pass as many as 150 checkpoints before the boats are okayed for shipment.

The bottom line to you, as a Grady-White owner, is a tough, foam-filled, fiberglass boat designed for years of use and covered by a three year limited warranty. The following pages outline our different models to help you select the design that's right for you and your family.


19' DUAL CONSOLE

Tournament 19



190 TOURNAMENT Outboard Aft Cockpit

Center Line Length	18'11"
Beam Amidships	8'
O/B Shaft Length	25"
Transom Width	7'8"
Hull Draft	14"
Maximum H.P.	200 h.p.
Weight	2075 lbs.



Standard Features

COCKPIT & DECK

Stainless steel, through-bolted deck hardware
Heavy-duty gunwale molding
Duratrim maintenance-free trimwork
Stainless steel bow rail
Forward anchor locker w/rope storage
Bow seat port storage compartment
Bow seat starboard icebox
2 Removable bow cushions
Lockable console storage compartments
Walk-thru windshield
Windshield wiper
Stainless steel steering wheel
Stainless steel horn
Covered instrument panel
Pedestal chairs w/cushions
Compass mount pad

Lockable helm station

radio box
6 Drink holders
Lockable glove box
Companion grab rail
Cockpit lights
Cockpit side storage shelves
Removable aft seat cushions & backs
Automatic bilge pump
62 gallon aluminum gas tank
Mechanical steering
NMMA approved
International lighting
Level flotation

FISHING

Non-skid fiberglass liner
Self-bailing cockpit
4 Flush mounted rod holders
Removable fishwell in cockpit floor
Cockpit toe rails
Horizontal rod racks

Factory Options

GENERAL

Compass
Portable head
Bow lifting ring
Outrigger kit 15 feet (gunwale mount)
Chair gimbal
Sleeper seat
Swim platform w/ladder
Aerated livewell
Battery select switch
Hydraulic steering

CANVAS

Folding top & side curtains w/boot
Aft curtain
Bow cover
Mooring cover
Covers for pedestal chairs


20' CENTER CONSOLE

Fisherman 20



204 FISHERMAN Outboard Aft Cockpit

Center Line Length	20'4"
Beam Amidships	8'
O/B Shaft Length	25"
Transom Width	7'10"
Hull Draft	14"
Maximum H.P.	230 h.p.
Weight	2245 lbs.



Standard Features

COCKPIT & DECK

Stainless steel, through-bolted deck hardware
Heavy-duty gunwale molding
Duratrim maintenance-free trimwork
Stainless steel bow rail
Bow compartment rope locker
Forward comp. for storage or a portable head
Stainless steel steering wheel
Stainless steel horn
Pedestal chairs w/cushions
Companion grab rail
Cockpit lights
Spring line cleats
Cockpit side storage shelves
Automatic bilge pump
2 Battery storage compartments
80 gallon aluminum gas tank
Mechanical steering
NMMA approved
International lighting
Basic flotation

FISHING

Non-skid fiberglass liner

Fold-down motor well bulkhead
Raised casting platform
2 Forward fish boxes w/ob drains
Self-bailing cockpit
4 Vertical rod storage holders
2 Aft cockpit insulated fish boxes w/ob drain
Horizontal rod racks
4 Flush mounted rod holders

CONSOLE

Forward icebox & seat cushions
Lockable storage compartment
Drink holder
3 Tackle drawers
Lockable radio & chart recorder boxes
w/weather-proof vinyl covers
Plexiglass windshield w/handrail

Factory Options

GENERAL

Compass
Lean bar w/86 qt. cooler & stainless rod holders
T-top frame w/canvas top

T-top outriggers: 11½ feet (t-top mount)
Outrigger kit 15 feet (gunwale mount)
Portable head
Bow lifting ring
Chain deck pipe fitting
Chair gimbal
Aerated livewell
Washdown pump w/hose
Swim platform w/ladder
YAMAHA/OMC/MERC single binnacle control
Hydraulic steering
Hydraulic trim tabs
Battery select switch
Console mounted freshwater system w/10 gallon tank


CANVAS

Mooring cover
Covers for pedestal chairs
Folding "Bimini" top w/boot
Casting platform sprayhood w/boot
Casting platform privacy curtain
Connector top to sprayhood
Console cover
T-top curtains

Overnighter 20



Cockpit forward



Standard Features

CABIN

	204C	205	206G
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Sliding side windows	X	X	X
Headliner	X	X	X
Rod storage holders	4	4	4
Bunks	2	2	2
Under-bunk storage compartments	3	3	3
Lamp	X	X	X
2 Side storage shelves	X	X	X
Forward storage shelf	X	X	X
Storage compartment for marine head	X	X	X
Vinyl-covered foam bunk cushions	X	X	X
Lockable door	X	X	X

COCKPIT & DECK

	204C	205	206G
Stainless steel, through-bolted deck hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrим maintenance-free trimwork	X	X	X
Stainless steel bow rail	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X



204-C OVERNIGHTER

Outboard Aft Cockpit

Center Line Length	20'4"
Beam Amidships	8'
O/B Shaft Length	25"
Transom Width	7'10"
Hull Draft	14"
Maximum H.P.	230 h.p.
Weight	2550 lbs.



205 OVERNIGHTER

Inboard/Outboard Aft Cockpit

Center Line Length	20'4"
Beam Amidships	8'
Transom Width	7'10"
Hull Draft	14"
Weight (w/180 h.p.)	3380 lbs.



206G OVERNIGHTER

Grady Drive Aft Cockpit

Center Line Length	20'4"
Beam Amidships	8'
O/B Shaft Length	25"
Transom Width	7'10"
Hull Draft	14"
Maximum H.P.	230 h.p.
Weight	2715 lbs.



Helm station



Insulated fish box



Recessed walkway



Cabin interior

	204C	205	206G
Stainless steel steering wheel	X	X	X
Forward anchor locker w/rope storage	X	X	X
Stainless steel horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	4	6	4
Companion grab rail	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Removable aft seat cushions & backs	X	X	X
Aft seat handrails	X		
Automatic bilge pump	X	X	X
Battery compartments	2	2	2
80 gallon aluminum gas tank	X	X	X
Mechanical steering	X		
Power steering		X	
Hydraulic steering			X
NMMA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X

FISHING

	204C	205	206G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders	6	10	10
Lockable storage under helm chair & 2 tackle drawers under companion chair	X	X	X
2-70 qt. cockpit fish boxes w/ob drains	X	X	X
2 Removable aft wells	X		
1-40 qt. aft fish box w/optional recirculating livewell	X		
4 Flush mounted rod holders	X	X	X
Insulated engine box w/drink holders		X	
Rigging area w/cut. board & drink holders		X	X
1-60 qt. aft fish box w/optional recirculating livewell			X

Factory Options

GENERAL

	204C	205	206G
Compass	X	X	X
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Windshield wiper (port side)	X	X	X
Outrigger kit 15 feet (gunwale mount)	X	X	X

	204C	205	206G
Outrigger kit 15 feet (hardtop mount)	X	X	X
Fiberglass bow pulpit	X	X	X
Portable head	X	X	X
Head w/deck pump out	X	X	X
Bow lifting ring	X	X	X
Chair gimbal	X	X	X
Aerated livewell	X	X	X
Washdown pump w/hose	X	X	X
Combination washdown/recirculating livewell	X		X
Swim platform w/ladder	X	X	X
YAMAHA/OMC/MERC single binnacle control	X		X
Hydraulic steering	X		
Hydraulic trim tabs	X	X	X
Battery select switch	X	X	X
Gunwale mounted freshwater system w/10 gallon tank	X		X

CANVAS

	204C	205	206G
Folding top & side curtains w/boot	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Mooring cover	X	X	X
Covers for pedestal chairs	X	X	X
Hardtop curtains	X	X	X

22' DUAL CONSOLE


Tournament 22



225G TOURNAMENT

Grady Drive Aft Cockpit

Center Line Length	22'
Beam Amidships	8'
O/B Shaft Length	25"
Transom Width	7'10"
Hull Draft	14"
Maximum H.P.	230 h.p.
Weight	3000 lbs.



Standard Features

COCKPIT & DECK

Stainless steel, through-bolted deck hardware
Heavy-duty gunwale molding
Duratrim maintenance-free trimwork
Bow lifting ring
Stainless steel bow rail
Forward anchor locker w/rope storage
Bow seat port storage compartment
Bow seat starboard ice box
2 Removable bow cushions
Lockable console tackle drawers
Walk-thru windshield
Windshield wiper
Stainless steel steering wheel
Stainless steel horn
Covered instrument panel
Helm footrest
Pedestal chairs w/cushions
Lockable helm station radio box
6 Drink holders
Lockable glove box
Companion grab rail
Cockpit lights

Spring line cleats
2 Fish box cushions
Removable aft seat cushions and backs
Automatic bilge pump
2 Battery storage compartments
93 gallon aluminum gas tank
Hydraulic steering
NMMA Approved
International lighting
Basic foam flotation

FISHING

Non-skid fiberglass liner
Self-bailing cockpit w/4 floor drains
4 Vertical rod storage holders
Horizontal rod racks
4 Flush mounted rod holders
190 qt. fish box or storage compartment behind helm chair w/ob drain
Divided fish boxes behind companion chair, both w/ob drain
1-90 qt. section, 1-45 qt. section
Cockpit toe rails
Rigging area w/cutting board and drink holders
1-60 qt. aft fish box

Factory Options


GENERAL

Compass
Fiberglass bow pulpit
Outrigger kit 15 feet (gunwale mount)
Chair gimbal
Cockpit bolsters
Swim platform w/ladder
55 gallon Auxiliary gas tank
YAMAHA/OMC/MERC binnacle control
Battery select switch
Gunwale mounted freshwater system
Hydraulic trim tabs
Combination washdown/recirculating livewell


CANVAS

Folding top and side curtain w/boot
Drop curtain
Mooring cover
Covers for pedestal chairs
Bow cover

Seafarer 22



Cockpit forward



Standard Features

CABIN

	226	227	228G
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows	X	X	X
Headliner	X	X	X
Rod storage holders	4	4	4
Bunks	2	2	2
Under-bunk storage compartments	3	3	3
Bow compartment rope locker	X	X	X
Lamp	X	X	X
2 Side storage shelves	X	X	X
Storage comp. for marine head	X	X	X
Fabric covered foam bunk cushions	X	X	X
Lockable door w/companionway hatch	X	X	X

COCKPIT & DECK

	226	227	228G
Stainless steel, through-bolted hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrим maintenance-free trimwork	X	X	X
Bow lifting ring	X	X	X
Stainless steel bow rail	X	X	X
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X
Stainless steel steering wheel	X	X	X
Stainless steel horn	X	X	X



226 SEAFARER Outboard Aft Cockpit

Center Line Length	22'
Beam Amidships	8'
O/B Shaft Length	25"
Transom Width	7'10"
Hull Draft	14"
Maximum H.P.	280 h.p.
Weight	2875 lbs.



227 SEAFARER Inboard/Outboard Aft Cockpit

Center Line Length	22'
Beam Amidships	8'
Transom Width	7'10"
Hull Draft	14"
Weight (w/180 h.p.)	3705 lbs.



228G SEAFARER Grady Drive Aft Cockpit

Center Line Length	22'
Beam Amidships	8'
O/B Shaft Length	25"
Transom Width	7'10"
Hull Draft	14"
Maximum H.P.	280 h.p.
Weight	3000 lbs.



Recessed walkway and helm area



Insulated fish box



Rod storage and toe rail



Cabin interior

	226	227	228G
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	6	4
Companion grab rail	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Cockpit side storage shelves	X	X	X
2 Fish box cushions	X	X	X
Removable aft seat cushions & backs	X	X	X
Automatic bilge pumps	2	2	2
Battery storage compartments	2	2	2
93 gallon aluminum gas tank	X	X	X
Mechanical steering	X		
Power steering		X	
Hydraulic steering			X
NMMA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X

FISHING	226	227	228G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders	4	4	4
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X

	226	227	228G
Tackle drawers under both helm and companion chairs	X	X	X
190 qt. fish box or storage comp. behind helm chair w/ob drain	X	X	X
Divided fish boxes behind comp. chair, both w/ob drain			
1-90 qt. section	X		X
1-90 qt. section w/optional recirculating livewell		X	
1-45 qt. section w/optional aerated livewell	X	X	X
Cockpit toe rails	X	X	X
2 Aft cockpit round insulated fish boxes w/opt. livewell	X		
Insulated engine box w/drink holders		X	
Rigging area w/cut. board & drink holders		X	X
Fold-down motor well bulkhead	X		
1-60 qt. aft fish box w/optional recirculating livewell			X

Factory Options

GENERAL	226	227	228G
Hardtop w/radio box	X	X	X
Compass	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Fiberglass bow pulpit	X	X	X
Windshield wiper (port side)	X	X	X


	226	227	228G
Outtrigger kit 15 feet (gunwale mount)	X	X	X
Outtrigger kit 15 feet (hardtop mount)	X	X	X
Portable head	X	X	X
Head w/deck pump out	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Aft cushion seat			X
Aft cushion seat w/back	X		
Aerated livewell	X	X	X
Combination washdown/recirculating livewell	X	X	X
Gunwale mounted fresh water system w/10 gallon tank	X	X	X
Swim platform w/ladder	X	X	X
Auxiliary gas tank—55 gallon	X		X
YAMAHA/OMC/MERC binnacle control	X		X
YAMAHA/OMC/MERC dual bin. control	X		
Hydraulic trim tabs		X	X
Hydraulic steering	X		
Battery select switch	X	X	X
Transom modification (twins)	25"		
Removable aft seat	X		

CANVAS	226	227	228G
Folding top & side curtains w/boot	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Mooring cover	X	X	X
Covers for pedestal chairs	X	X	X
Hardtop curtains	X	X	X

Gulfstream 23



Cockpit forward



Standard Features

	230	231	232G
CABIN			
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows	X	X	X
Headliner	X	X	X
Rod storage holders	2	2	2
Sink w/fresh water system	X	X	X
2 Bunks (upper and lower)	X	X	X
Fabric-covered foam bunk cushions	X	X	X
Under bunk storage compartment	X	X	X
Forward storage compartment	X	X	X
Storage compartment (port side)	X	X	X
Storage compartment under step	X	X	X
Storage compartment for marine head	X	X	X
Lamp	X	X	X
Insulated ice box w/ob drain	X	X	X
Undersink storage compartment	X	X	X
Lockable door w/companionway hatch	X	X	X
Cabin door screens	X	X	X
Mirror	X	X	X
COCKPIT & DECK			
Stainless steel, through-bolted hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrak maintenance-free trimwork	X	X	X
Bow lifting ring	X	X	X



230 GULFSTREAM

Outboard Aft Cockpit

Center Line Length	23'5"
Beam Amidships	9'3"
O/B Shaft Length	25"
Transom Width	8'10"
Hull Draft	17"
Maximum H.P.	350 h.p.
Weight	3900 lbs.



231 GULFSTREAM

Inboard/Outboard Aft Cockpit

Center Line Length	23'5"
Beam Amidships	9'3"
Transom Width	8'10"
Hull Draft	17"
Weight (w/260 h.p.)	5000 lbs.



232G GULFSTREAM

Grady Drive Aft Cockpit

Center Line Length	23'5"
Beam Amidships	9'3"
O/B Shaft Length	25"
Transom Width	8'10"
Hull Draft	17"
Maximum H.P.	350 h.p.
Weight(232G-single)	4025 lbs.
Weight(232G-twin)	4092 lbs.



Helm station



Rounded recirculating livewell (port)



Cabin interior, berth lowered



Cabin interior, berth raised

	230	231	232G
Stainless steel bow rail	X	X	X
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X
Stainless steel steering wheel	X	X	X
Stainless steel horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Covered accessory switch panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	4	2
Companion grab rails	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
2 Fish box cushions	X	X	X
Automatic bilge pumps	2	2	2
Battery storage compartments	2	2	2
148 gallon aluminum gas tank capc.	X	X	X
1-93 gallon tank	X	X	X
1-55 gallon tank	X	X	X
Power steering	X	X	X
Hydraulic steering	X	X	X
NMMA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X

FISHING

	230	231	232G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders	X	X	X
2 Tackle drawers under comp. chair	X	X	X
2 Tackle trays under helm chair	X	X	X
265 qt. insulated fish box behind helm chair	X	X	X
130 qt. recirculating livewell behind companion chair	X	X	X
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X
Cockpit toe rails	X	X	X
1 Removable aft-deck well	X	X	X
2 Insulated aft-deck wells w/ob drain	X	X	X
Fold-down motor well bulkhead	X	X	X
Washdown pump w/hose	X	X	X
5 foot aft-deck fish box	X	X	X

Factory Options

GENERAL


	230	231	232G
Compass	X	X	X
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Windshield wiper (port side)	X	X	X

	230	231	232G
Outrigger kit 15 feet (gunwale mount)	X	X	X
Outrigger kit 15 feet (hardtop mount)	X	X	X
Outriggers 18 ft. (Lee Jr., cabin side mt.)	X	X	X
Folding cabin racks for 6 rods	X	X	X
Portable head	X	X	X
Head w/deck pump out	X	X	X
Fiberglass bow pulpit	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Aft cushion seat	X	X	X
Aft cushion seats w/back	X	X	X
Swim platform w/ladder	X	X	X
Lower berth filler cushions	X	X	X
YAMAHA/OMC/MERC binnacle control	X	X	X
YAMAHA/OMC/MERC dual bin. control	X	X	X
Transom modification (single)	25"		
Grady Drive (twins)			X
183 gallon aluminum gas tank capc.			
93 and 90 gal. tanks (twins only)	X	X	X
Battery select switch	X	X	X
Gunwale mounted fresh water system w/10 gallon tank	X	X	X
CANVAS	230	231	232G
Folding top & side curtains w/boot	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Covers for pedestal chairs	X	X	X
Hardtop curtains	X	X	X

Offshore 24



Cockpit forward



Standard Features

CABIN

	240	241	242G
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows	X	X	X
Headliner	X	X	X
Rod storage holders	4	4	4
Bunks	2	2	2
Under-bunk storage compartments	3	3	3
Bow compartment rope locker	X	X	X
Lamp	X	X	X
2 Side storage shelves	X	X	X
3 Large port storage shelves	X	X	X
Storage compartment for marine head	X	X	X
Fabric-covered foam bunk cushions	X	X	X
Lockable door w/companionway hatch	X	X	X

COCKPIT & DECK

	240	241	242G
Stainless steel, through-bolted hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrak maintenance-free trimwork	X	X	X
Bow lifting ring	X	X	X
Stainless steel bow rail	X	X	X
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X
Stainless steel steering wheel	X	X	X
Stainless steel horn	X	X	X



240 OFFSHORE Outboard Aft Cockpit

Center Line Length	24'1"
Beam Amidships	8'3"
O/B Shaft Length	25"
Transom Width	7'10"
Hull Draft	16"
Maximum H.P.	300 h.p.
Weight	3200 lbs.



241 OFFSHORE

Inboard/Outboard Aft Cockpit	
Center Line Length	24'1"
Beam Amidships	8'3"
Transom Width	7'10"
Hull Draft	16"
Weight (w/260 h.p.)	4300 lbs.



242G OFFSHORE Grady Drive Aft Cockpit

Center Line Length	24'1"
Beam Amidships	8'3"
O/B Shaft Length	25"
Transom Width	7'10"
Hull Draft	16"
Maximum H.P.	300 h.p.
Weight (242G-single)	3325 lbs.
Weight (242G-twin)	3392 lbs.



Helm station



Insulated fish box



Rod storage and toe rail



Cabin interior w/optional rod racks

	240	241	242G
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	6	4
Companion grab rail	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Cockpit side storage shelves	X	X	X
2 Fish box cushions	X	X	X
Removable aft seat cushions & backs		X	X
Automatic bilge pumps	2	2	2
Battery storage compartments	2	2	2
93 gallon aluminum gas tank	X	X	X
Mechanical steering	X		
Power steering		X	
Hydraulic steering			X
NMMA approved	X	X	X
International lighting	X	X	X
Basic flotation	X	X	X
Hydraulic trim tabs	X	X	X
FISHING	240	241	242G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders	4	4	4
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X


	240	241	242G
2 Tackle drawers under both helm and companion chairs	X	X	X
190 qt. fish box or storage comp. behind helm chair w/ob drain	X	X	X
Divided fish boxes behind comp. chair, both w/ob drain			
1-90 qt. section	X		X
1-90 qt. section w/optional recirculating livewell		X	
1-45 qt. section	X	X	X
Cockpit toe rails, port and starboard	X	X	X
Insulated engine box w/drink holders		X	
Rigging area w/cutting board & drink holders		X	X
Fold-down motor well bulkhead	X		
60 qt. aft fish box w/optional recirculating livewell			X
2 Aft cockpit round insulated boxes w/optional recirculating livewells	X		

Factory Options


	240	241	242G
GENERAL			
Compass	X	X	X
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Fiberglass bow pulpit	X	X	X
Windshield wiper (port side)	X	X	X

	240	241	242G
Folding cabin racks for 6 rods	X	X	X
Outrigger kit 15 feet (gunwale mount)	X	X	X
Outrigger kit 15 feet (hardtop mount)	X	X	X
Outriggers 18 ft. (Lee Jr. cabin side mt.)	X	X	X
Portable head	X	X	X
Head w/deck pump out	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Aft cushion seat			X
Aft cushion seat w/back	X		
Aerated livewell	X	X	X
Washdown/recirculating livewell	X	X	X
Gunwale mounted fresh water system w/ 10 gallon tank	X	X	X
Swim platform w/ladder	X	X	X
Auxiliary gas tank—55 gallon	X		X
YAMAHA/OMC/MERC single bin. control	X		X
YAMAHA/OMC/MERC dual bin. control	X		
Hydraulic steering			X
Transom modification (twins)	25"		
Grady Drive (twins)			X
Battery select switch	X	X	X
CANVAS	240	241	242G
Folding top & side curtains w/boot	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Covers for pedestal chairs	X	X	X
Hardtop curtains	X	X	X

Dolphin 25



Cockpit forward



Standard Features

CABIN

	250	251	253G
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows w/screens	X	X	X
Headliner	X	X	X
Rod storage holders	2	2	2
Sink w/10 gallon fresh water system	X	X	X
2 Bunks (upper and lower)	X	X	X
Fabric-covered foam bunk cushions	X	X	X
Under bunk storage compartment	1	1	1
Forward storage compartment	X	X	X
Storage compartment (port side)	X	X	X
Storage compartment under step	X	X	X
Storage compartment for marine head	X	X	X
Lamp	X	X	X
Insulated ice box w/ob drain	X	X	X
Undersink storage compartment	X	X	X
Lockable door w/companionway hatch	X	X	X
Cabin door and fwd. hatch screens	X	X	X
Mirror	X	X	X

COCKPIT & DECK

	250	251	253G
Stainless steel, through-bolted hdw.	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrims maintenance-free trimwork	X	X	X
Bow lifting ring	X	X	X
Stainless steel bow rail	X	X	X



250 DOLPHIN

Outboard Aft Cockpit

Center Line Length	25'4"
Beam Amidships	9'6"
O/B Shaft Length	25"
Transom Width	9'
Hull Draft	19"
Maximum H.P.	400 h.p.
Weight	5125 lbs.



251 DOLPHIN

Inboard/Outboard Aft Cockpit

Center Line Length	25'4"
Beam Amidships	9'6"
Transom Width	9'
Hull Draft	19"
Weight (260 h.p.)	6025 lbs.



253G DOLPHIN

Grady Drive Aft Cockpit

Center Line Length	25'4"
Beam Amidships	9'6"
O/B Shaft Length	25"
Transom Width	9'
Hull Draft	19"
Maximum H.P.	400 h.p.
Weight (253G-twin)	5300 lbs.



Helm station



Aft insulated fish box



Starboard cockpit sink, tackle drawers



Cabin interior, berth raised

	250	251	253G
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X
Stainless steel steering wheel	X	X	X
Stainless steel horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	4	2
Companion grab rails	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Cockpit toe rails	X	X	X
Stbd. fish box cushion	X	X	X
Aft facing seat w/cushion	X	X	X
Automatic bilge pumps	2	2	2
Battery storage compartments	2	2	2
240 gallon aluminum gas tank capc.			
1-150 gallon tank, 1-90 gallon tank	X		X
150 gallon aluminum gas tank capc.		X	
125 gallon diesel tank capc.		X	
Power steering		X	
Hydraulic steering	X		X
Hydraulic trim tabs	X	X	X
NMMA approved	X	X	X
Windlass wiring	X	X	X
International lighting	X	X	X

	250	251	253G
Basic flotation	X	X	X
FISHING	250	251	253G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders		4	
Lockable storage w/2 trays under helm sink	X	X	X
Lockable tackle drawers under companion chair	X	X	X
Dry storage under aft facing seat	X	X	X
38 qt. insulated ice box behind companion chair w/ob drain	X	X	X
192 qt. insulated fish box behind helm chair w/ob drain	X	X	X
104 qt. insulated recirculating livewell/fish box behind comp. chair w/ob drain	X	X	X
Cockpit sink w/ob drain & spray nozzle	X	X	X
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X
2 Insulated aft deck wells w/ob drain	X		
Fold-down motor well bulkhead	X		
Washdown pump w/hose	X	X	X
5 foot aft deck fish box		X	X

Factory Options

GENERAL	250	251	253G
Compass	X	X	X

	250	251	253G
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X
Outrigger kit 15 feet (gunwale mount)	X	X	X
Outrigger kit 15 feet (hardtop mount)	X	X	X
Outrigger kit 18 ft. (Lee Jr., cabin side mount)	X	X	X
Portable head	X	X	X
Head w/deck pump out	X	X	X
Fiberglass bow pulpit	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Swim platform w/ladder	X	X	X
Aft cushion seat		X	X
Aft cushion seat w/back	X		
YAMAHA/OMC/MERC binnacle control	X		X
Dockside power	X	X	X
Battery select switch	X	X	X
Lower berth filler cushions	X	X	X
Folding cabin rod racks for 6 rods	X	X	X
Windshield wiper (port)	X	X	X
CANVAS	250	251	253G
Folding top & side curtains	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Covers for pedestal chairs	X	X	X
Hardtop curtains	X	X	X


25' WALKAROUND CABINS

Sailfish 25

SPORT BRIDGE



Cockpit forward



Standard Features

	255	254	252G
CABIN			
Recessed, non-skid walkway around entire cabin	X	X	X
Forward hatch w/seat cushions	X	X	X
2 Fixed front windows	X	X	X
2 Sliding side windows w/screens	X	X	X
Headliner	X	X	X
Rod storage holders	4	4	4
Underberth storage compartment	3	3	3
Bow compartment rope locker	X	X	X
Galley cabinets, port	X	X	X
2 Sinks w/pressurized water system	X	X	X
32 gallon water tank	X	X	X
Fold-down alcohol stove	X	X	X
Built-in icebox	X	X	X
Table	X	X	X
Head enclosure w/lamp	X	X	X
Lamps in cabin	X	X	X
2 Side storage shelves	X	X	X
Vee berths forward w/fabric-covered cushions	X	X	X
Aft berth w/vinyl covered cushions	X	X	X
Lockable door w/companionway hatch	X	X	X
COCKPIT & DECK			
Stainless steel, through-bolted deck hardware	X	X	X
Heavy-duty gunwale molding	X	X	X
Duratrим maintenance-free trimwork	X	X	X



255 SAILFISH

Outboard Aft Cockpit


Center Line Length	25'4"
Beam Amidships	9'6"
O/B Shaft Length	25"
Transom Width	9'
Hull Draft	19"
Maximum H.P.	400 h.p.
Weight	5125 lbs.



254 SAILFISH

Inboard/Outboard Aft Cockpit

Center Line Length	25'4"
Beam Amidships	9'6"
Transom Width	9'
Hull Draft	19"
Weight (w/260 h.p.)	6025 lbs.



252G SAILFISH

Grady Drive Aft Cockpit

Center Line Length	25'4"
Beam Amidships	9'6"
O/B Shaft Length	25"
Transom Width	9'
Hull Draft	19"
Maximum H.P.	400 h.p.
Weight (252G-twin)	5300 lbs.



Bow anchor locker and walkaround



Insulated livewell/fish box



Head enclosure



Cabin interior

	255	254	252G
Bow lifting ring	X	X	X
Stainless steel bow rail	X	X	X
Forward anchor locker w/rope storage	X	X	X
Ventilated windshield	X	X	X
Windshield wiper	X	X	X
Stainless steel steering wheel	X	X	X
Stainless steel horn	X	X	X
Compass mount pad	X	X	X
Covered instrument panel	X	X	X
Pedestal chairs w/cushions	X	X	X
Helm & companion footrests	X	X	X
Helm & companion side shelves	X	X	X
Drink holders	2	4	2
Companion grab rails	X	X	X
Lockable helm station radio box	X	X	X
Cockpit lights	X	X	X
Spring line cleats	X	X	X
Cockpit toe rails	X	X	X
2 Fish box cushions	X	X	X
Automatic bilge pumps	2	2	2
Battery storage compartments	2	2	2
150 gallon aluminum gas tank		X	
202 gallon aluminum gas tank capc.	X		X
1-150 gallon tank			
1-52 gallon tank			
125 gallon diesel tank capc.		X	
Power steering		X	
Hydraulic steering	X		X
Hydraulic trim tabs	X	X	X
NMMA approved	X	X	X
Windlass wiring	X	X	X

	255	254	252G
International lighting	X	X	X
Basic flotation	X	X	X
FISHING	255	254	252G
Non-skid fiberglass liner	X	X	X
Self-bailing cockpit w/4 floor drains	X	X	X
Vertical rod storage holders		4	
Lockable storage under helm chair & 2 tackle drawers under comp. chair	X	X	X
38 qt. insulated ice box behind companion chair w/ob drain	X	X	X
260 qt. insulated fish box behind helm chair w/ob drain	X	X	X
104 qt. insulated livewell/fish box behind comp. chair w/ob drain	X	X	X
Horizontal rod racks	X	X	X
4 Flush mounted rod holders	X	X	X
2 Insulated aft-deck wells w/ob drain	X		
Fold-down motor well bulkhead	X		
Washdown pump w/hose	X	X	X
5 foot aft-deck fish box		X	X
Battery select switch		X	

Factory Options

	255	254	252G
GENERAL	255	254	252G
Compass	X	X	X
Hardtop w/radio box	X	X	X
Hardtop rod holders	X	X	X
Hardtop spreader lights	X	X	X

	255	254	252G
Windshield wiper (port side)	X	X	X
Outrigger kit 15 feet (gunwale mount)	X	X	X
Outrigger kit 15 feet (hardtop mount)	X	X	X
Outriggers 18 ft. (Lee Jr. cabin side mt.)	X	X	X
Portable head	X	X	X
Head w/deck pump out	X	X	X
Marine head w/holding tank, pump out	X	X	X
Fiberglass bow pulpit	X	X	X
Chair gimbal	X	X	X
Cockpit bolsters	X	X	X
Swim platform w/ladder	X	X	X
Aft cushion seat			X
Aft cushion seat w/back	X		
YAMAHA/OMC/MERC dual binnacle control	X		X
Shower	X	X	X
Hot water heater—110V—requires dockside power	X	X	X
Dockside power	X	X	X
Battery select switch	X		X
Gunwale mounted fresh water system	X	X	X
Folding cabin racks for 6 rods	X	X	X
CANVAS	255	254	252G
Folding top & side curtains w/boot	X	X	X
Drop curtain	X	X	X
Helm station cover	X	X	X
Covers for pedestal chairs	X	X	X
Hardtop curtains	X	X	X

26' WALKAROUND CABIN

Atlantic 26

FLYBRIDGE



Cockpit forward


260 ATLANTIC


Outboard Aft Cockpit

Center Line Length	26'11"
Length Overall (w/pulpit)	28'11"
Beam Amidships	9'3"
O/B Shaft Length	25"
Transom Width	8'5"
Hull Draft	19"
Recommended Maximum H.P.	400 h.p.
Weight	5950 lbs.



Aft cockpit with livewell and transom door





Cabin interior



Helm with aft facing seat



Starboard fish box



Head enclosure



Cabin interior, berth raised



Cabin galley (starboard)

Standard Features

CABIN

Recessed, non-skid walkway around entire cabin
Forward hatch w/seat cushions
2 Fixed front windows
2 Sliding side windows w/screens
Headliner
Bow compartment rope locker
Galley cabinets, starboard
Sink w/pressurized water system
Alcohol stove
Refrigerator
Table
Head enclosure w/lamp
Lamps in cabin
Starboard side storage shelves
Fabric-covered foam bunk cushions
Underbunk storage compartment
Forward storage compartment
Hanging locker
Lockable door
Vee berth forward
Upper bunk

FLYING BRIDGE

Stainless steel flybridge access ladder w/4 integrated vertical rod holders

Stainless steel steering wheel w/tilt
Stainless steel horn
Compass mount pad
Covered instrument panel
Pedestal chairs
Helm & companion side shelves
Drink holders
Lockable helm station radio box
Bridge aft facing seat w/cushion
Spreader light
Storage under bridge aft facing seat

COCKPIT & DECK

Stainless steel, through-bolted deck hardware
Heavy duty gunwale molding
Duratrim maintenance-free trimwork
Stainless steel bow rail
Fiberglass bow pulpit w/anchor davit
Forward anchor locker w/rope storage
Cockpit lights
Spring line cleats
Cockpit toe rails
Fish box cushions
2 Automatic bilge pumps
202 gallon aluminum gas tank capc.
1-150 gallon tank
1-52 gallon tank
Battery isolator
3 Heavy-duty batteries

Battery select switches
30 Gallon water tank
Hydraulic steering
Hydraulic trim tabs
Integrated outboard mounting system w/swim platform and ladder
NMMA approved
Windlass wiring
International lighting
Basic flotation
Factory rigging

FISHING

Non-skid fiberglass liner
Self-bailing cockpit w/4 floor drains
100 qt. portside insulated ice box w/ob drain
215 qt. starboard insulated fish box w/ob drain
40 gal. insulated, oval aft deck box w/30 gal. raw water livewell capacity
Transom door
Aft deck lift out box
Horizontal rod racks
Transducer mounting flats
4 Flush mounted rod holders
Washdown pump w/hose

Factory Options

GENERAL

Outrigger kit 18 ft. (Lee Jr. cabin side mt)
Aft cushion seat
YAMAHA/OMC/MERC dual binnacle control
Folding cabin rod racks for 6 rods
Air conditioning
Shower
Portable head
Head w/deck pump out
Marine head w/holding tank, pump out
Hot water heater
Dockside power
Cockpit bolsters
Gunwale mounted fresh water system
Battery charger system
Stereo Cassette system
Alcohol/electric stove

CANVAS

Folding top & side curtains
Drop curtain
Helm station cover
Covers for pedestal chairs

28' WALKAROUND CABIN

Marlin 28




Cockpit forward

280 MARLIN	
Outboard Aft Cockpit	
Center Line Length	28'
Length Overall (w/pulpit)	32.7'
Beam Amidships	10.7'
O/B Shaft Length	25"
Transom Width	9'6"
Hull Draft	18"
Recommended Maximum H.P.	500 h.p.
Weight	7000 lbs.



Integrated outboard mounting system





Helm station



Aft livewell/fish box



Portside fish box and storage



Starboard tackle station



Enclosed head with shower



Cabin galley and aft berth



Cabin interior

Standard Features

CABIN

Recessed, non-skid walkway around entire cabin
Forward hatch with cushion seats
2 Fixed front windows
2 Sliding side windows w/screens
Headliner
Vee berths forward w/fabric covered cushions, side bolsters
Underberth storage
Aft berth, double sleeper w/fabric covered cushions
Aft berth window w/screen
Aft berth rod storage
Portside galley with sink
41 gallon fresh water system
Portside galley cabinets, storage
Refrigerator
Microwave oven
Alcohol electric stove
Forward, removable table
Enclosed head area w/sink and lamp
Manual head, macerator, holding tank and pump out
Shower
Stereo cassette system
Hot water heater
Cabin reading lamps

Cabin lamps
10 rod racks
2 Side storage shelves
Lockable door w/screen and companionway hatch
Dockside power
Battery charger system
Battery isolator
4 Heavy-duty batteries
Battery select switches
Dynaplate

COCKPIT & DECK

Stainless steel, through-bolted deck hardware
Heavy-duty gunwale molding
Duratrim maintenance-free trimwork
Stainless steel bow rail
Forward anchor locker w/rope storage
Bow pulpit w/anchor davit
Ventilated windshield
Windshield wiper, port & stbd.
Stainless steel steering wheel
Stainless steel horn
Compass mount pad
Covered instrument panel & switch panel
Deluxe helm and companion chairs
Helm and companion footrests
Helm and companion side shelves
Drink holders

Companion grab rails
Lockable helm radio box
Cockpit lights
Spring line cleats
Fish box and tackle station cushions
2 Automatic bilge pumps
Battery storage compartments
300 gal. aluminum gas tank capacity
Hydraulic steering
Hydraulic trim tabs
Integrated outboard mounting system w/swim platform and ladder
NMMA approved
International lighting
Basic flotation
Cockpit bolsters

FISHING

Non-skid fiberglass liner
Self bailing cockpit w/4 floor drains
Lockable storage under helm and companion chairs
275 qt. insulated fish box w/ob drain behind companion chair
Tackle station behind helm chair w/fresh water sink insulated bait box w/ob drain, lockable drawers
Transom door
Aft deck lift out box
4 Flush mounted rod holders

40 gal. insulated, oval aft deck box w/30 gal. raw water livewell capacity
Washdown system and hose w/livewell back-up capability
Horizontal rod racks
Transducer mounting flats
Understep storage
Cockpit toe rails
Fighting chair reinforcement

Factory Options

GENERAL

Hardtop w/radio box
Hardtop rod holders
Hardtop spreader lights
Radar arch
Outriggers 24 ft. (Lee Sr., fold-down)
Outriggers 18 ft. (Lee Jr., cabin side mount)
Aft cushion seat
Air conditioning
Generator

CANVAS

Radar arch top and side curtains w/boot
Drop curtain
Helm station cover
Hardtop front and side curtains

Factory Options

You can customize your boat with factory options designed specifically for your model. Consult the factory options listing for each boat series to determine those available for your boat.

Note: Cover options (except the mooring cover) are made of the finest quality marine vinyl with corrosion resistant fittings. Each cover option is individually custom-fit to the boat, then removed for shipping.



Walkaround series vista top



Tournament 19 aft curtain



Flybridge folding top and side curtains



Hardtop front and side curtains



Tournament Series vista top



Hardtop with radio box



Removeable aft seat



Factory rigged Yamaha outboard engines



Hardtop rod holders, spreader lights



Fiberglass swim platform



Marine head (cabin installation shown)

All prices and specifications are subject to change. Grady-White Boats, Inc. reserves the right to discontinue models or change prices, specifications, materials, equipment, color or design at any time without incurring obligation. Weight and dimensions of all models are approximate and may vary.

Visit your Grady-White Dealer:

Grady-White seaworthy safety is built in.

Automobile-type adjustable seats have integrated hand holds.

Duratrим trimwork needs no oiling, sanding or varnish.

Grab rails are at your fingertips.

Deck hardware is through-bolted 316 stainless steel, heavily backed and secured with locking nuts.

Through-bolted rod holders are chrome over bronze.

PVC tubes for easy, protected rigging.

Rod racks are tough, weather resistant polyethylene.

Hull and liner are joined to deck with water-sealing gasket, stainless steel screws and blind-side stainless fasteners, then sealed with silicone sealant. More stainless screws secure the heavy-duty gunwale molding all around.

Though foam flotation is not required in boats over 20 feet, all Grady-Whites have foam sprayed into the hull, deck, and liner for either level (190) or basic flotation. This foam is for flotation; it also adds strength, deadens sound and provides thermal insulation.

Safety glass windshields are ventilated for comfort.

Foam insulated fish boxes and iceboxes are above the water level in order to drain directly overboard. No Grady-White insulated box drains into the bilge.

Fish boxes, iceboxes and exterior storage compartments have gutter systems to direct the flow of water.

Liner is bonded to hull with fiberglass.

Solid, 100% hand-laid hulls and decks. No other method provides the same degree of uniform laminate structure, strength, and durability.

Stringer systems are encapsulated in fiberglass and resin as they are bonded to the hull. Non-skid innerliners are also securely fiberglassed to the stringer system for a unitized structural grid.

Water which enters the boat is directed overboard by the non-skid, self-bailing cockpits found in all Grady-Whites. Each cockpit liner is designed to eliminate deck water accumulation whether the boat is at rest or underway. All scuppers (four on many models) drain overboard. Inspection ports are heavy-duty watertight caps. As an additional safety precaution, all Grady-Whites also have standard automatic bilge pumps with two pumps on all cabin boats over 20 feet. We know of no other builder that maintains this dedication to self-bailing cockpit integrity.

GRADY-WHITE BOATS P.O. Box 1527, Greenville, NC 27835 (919) 752-2111

Grady-White clothing items are available from your local Grady-White Dealer.



Photography by Jerry Imber