

WE ARE SO PLEASED that you are considering a Grady-White boat! This model year marks the company's 45TH season, and

our passion for boat building grows ever stronger as our boats continue to delight so many satisfied customers.

The seaworthy performance of our boats is legendary. Ask our boat owners why they bought their Grady. You'll hear

the words, "Quality. Reliability.
Performance. Lasting value." By nearly every measure, in multiple national studies conducted in our industry during the past several years, Grady-White Boats has been ranked highest in customer satisfaction for our product category.

How do we achieve such great thirdparty recognitions? We spend a lot of time with our customers, understanding how they use their boats and, most importantly, truly listening to suggestions on how we can make their experiences even better. Our dealers listen. too. They are held to the highest standards of customer satisfaction in the industry. Our management team reads every single owner survey. The entire Grady-White organization is dedicated—we believe to the greatest degree in our industry—to achieving the goal of your complete satisfaction. And the added benefit of all this customer contact is that


Happy Boating!

Eddie Smith, chairman & CEO

along the way we make many great Grady

Sis Canoll Kris Carroll, President

friends! What could be better?





THE GRADY-WHITE DIFFERENCE

Grady-White is committed to building relationships that are as enduring as our boats. When you bring your family or group for a plant tour, you'll enjoy seeing how your boat is built by our craftsmen. When you note the pride and meticulous detailing involved in production, you'll be reassured of the reasons you got the Grady!

Your dealership is really the key to your boating satisfaction. Grady-White lealers have learned to listen closely to ou, and they have the product knowledge of help you select the model, rigging and cessories that are best suited for your nating activities and expectations. They ow that happy owners are the key to be sir success. Our dealer network can be good at anticipating your needs, you'll not they have ESP—and they do! Their cellence is partly based on training in ecution, Sweating the details, and ssion (ESP).

As hard as we work to please you, we re do have a lot of FUN! Grady-White alerships are a big part of The Grady e, sponsoring tournaments and events loyed by the whole family. This past ar we held the first National Owners' ndezvous where people from all over

the country, including the Grady-White management team, gathered for a great get-together. All these occasions give boat owners the opportunity to share boating experiences, and provide us the chance to laugh and play alongside our customers. Ask about Grady-White Owners' Clubs and get-togethers in your area. You'll find your fellow Grady owners to be a great source of camaraderie and of reliable information...not to mention a lot of fun!

AT GRADY-WHITE QUALITY BEGINS WITH THE CUSTOMER... CUSTOMER-IZATON!

The design, detail and dependability of every Grady-White are carefully engineered through a process of Grady owner input

and review that we refer to as customer-ization. We combine superior naval architecture with what we learn from our customers about their boating preferences to create a full 20-model line of superbly engineered offshore sportfishing boats. There's a center con-

sole, dual console or cabin model just right for you and your family's boating style whether that's serious sportfishing, casual fishing or cruising, or family fun.

Whenever and wherever we have the opportunity—at boat shows, at dealer tournaments and other events, on the docks, out on the water, and here at the plant when you visit—we invite your input about what products and product features you like, and where you see room for improvement.

VERSATILE NEW BOAT MODELS FOR 2004!

Versatility is the byword for what's new in model year 2004, and the best example is Grady-White's dual console Tournament series, our next generation designs for a new generation of Grady-White boaters! These are terrific family fun boats, packing our big boats' features into smaller boat packages for the greatest values on the water. All of our dual consoles provide wide open bow seating and access. Joining the popular 22' Tournament 225 introduced for 2003 are the brand new 18' Tournament 185 and 201 Tournament 205. These are also great fishing boats—particularly the 205 and 225-with large and stable bow areas, livewell options, easy flow and sure movement around the boat, and abundant

rod storage. Plus, Grady-White's seaworthiness and ride will convince even the hardcore sportsman that fishing function in our *Tournament* models is as great as that of similar-sized center consoles. The


dry storage capacity exceeds many bigger boats for all the tackle, toys and beach gear the family brings along. The optional ski pylon for the 185 and 205 is a totally new feature available for serious waterskiing and is loads of fun for other water toys, too. The *Tournament* hull designs and weight distribution are built to take advantage of Yamaha HPDI and 4-stroke engine technology for amazing performance. And the 205 and 225 feature lockable head compartments in the port console, making all-day outings a lot more comfortable for the whole family.


Totally redesigned to turn heads is our 2004 Marlin 300 walkaround cabin model. From stem to stern, from the new bow pulpit to the super-sturdy new swim ladder, you'll see impressive differences. At the transom you'll find our signature fold away aft bench seat, a freshwater shower, a 290-quart insulated fish box, and a battlewagon-worthy transom door. New hardware, including latches for box tops, speaks quality right out loud. The helm is detailed with an area for optional flush-mounted electronics, and with a heavy-duty new steering wheel. The new Marlin's cabin is strikingly handsome, inspired by the stylish appointments found on the successful Express 330, including teak and holly flooring plus a deep stainless sink and a Corian® cutting surface in the galley. New fabrics brighten the entire cabin, and an optional entertainment center including a flatscreen TV with DVD player and a stereo/CD with remote system add to live aboard amenities. The new *Marlin* is one nice package!

WE'RE HERE FOR THE LONG-TERM

Our company's private ownership and long-term leadership have allowed our craftsmen to concentrate exclusively on building the best boats. Our limited production philosophy furthers our attention to detail. From our family to yours, we build boats so you can build memories. Get the Grady!

Versatility! Grady-White presents the new *Tournament* series dual console models. Top to bottom: the *Tournament 185*, the *205*, and the *225*.





A LEGACY OF PRODUC INTEGRITY AND LONG LASTING VALUE

Quite simply, there is no other sportfishing boat built like a Grady-W Our boats are products of North Caroli saltwater heritage, and superbly engi neered by a design team with extensiv recreational fishing experience. We overbuild safety and security into our





owners never have to put to the test. Grady-White was one the first manufacture to be Marine Industr

Certified by the National Marine Manufacturers Association and the Marine Retailers Association of Ameri your assurance of the highest quality building standards.

Grady-Built boats use the finest mat als, laboratory and field proven for func and durability. We stress test our lamin to make sure they are strong, reliable a safe over the long haul. Our 316 grade stainless steel hardware contains nicke chromium and molybdenum for super strength and ability to withstand a sal water environment. Chrome-over-broa through-hull fittings are tough and durable, and hoses below the waterlinare double clamped for an extra measu of quality and safety. The underside of fish and ice box lids are resin transfer molded (RTM) to create a smooth surfa on the top and bottom of the lid, and i easy to clean. Polyethylene trim work toe rails are extremely durable and nee very low maintenance.

Our engineers really maximize stor space because our customers are alway



everything on a Grady-White. There is storage under the berths, in deck areas, under seats, at the helm and companion seats, in the consoles—even under the hardtops with our innovative net storage. Our fish boxes are big and wide open, and electronics have plenty of room. Rod holders are everywhere (as are our bigenough-to-hold-the-drink-and-the-coolie drink holders) and tackle drawers and boxes make gear quick to locate and use. We've even fit head compartments into the consoles of every *Tournament* and center console model over 20 feet.

PRODUCTS AND PEOPLE YOU CAN ABSOLUTELY RELY ON

Sound structural integrity is the basis of a tough, long lasting boat that retains top resale value when it is time to move up to a new Grady. Every Grady-White hull is built by a process of hand laid fiberglass that ensures better glass-to-resin ratios and thicker laminates for a stronger boat. All Grady-White boats have self-bailing

cockpits, with all decks and boxes draining directly overboard by gravity—not into a bilge or sump. We through-bolt our 5/16" aluminum braced transom to our never-rot stringers and encapsulate them in resin, then fiberglass them to the hull for exceptional strength.

You will not find a boat brand with greater certified flotation qualities than a Grady-White, period. Each of our boats is absolutely unsinkable. Though not required for boats over 20 feet, each and every Grady-White is closed cell foam filled with more than enough material to keep the boat, its motor, equipment and

specified number of passengers afloat.

The ABYC (American Boating and Yachting Council) has even issued a tag made especially for Grady-White for our boats over 26 feet to signify that these models provide basic flotation for buoyancy in the unlikely event of swamping.

We construct such safety and security into our boats that even a first time boater feels confident aboard a Grady. Throughout every model you'll find through-bolted handholds and superior sure-grip nonskid surfaces. There are safety glass windshields, high interior gunwales, and wide walkarounds. Even all those drink holders are a safety device ensuring fewer spills of slippery liquids.

Our dealers and customer relations associates are as reliable as our boats.






SeaV² chines knock down spray for a drier ride. Notice three distinct waves when the boat is on plane. That's a SeaV² hallmark.

Grady-White's dealer network is structured specifically for the purpose of serving our customers better. We place great emphasis on dealer Customer Satisfaction Index scores as rated by you the customer. There is always a channel of communication open to us by telephone or via the Internet at custserv@gradywhite.com. Our representatives are approachable and knowledgeable, and intent on keeping you on the water and in a Grady.

WE BUILD GREAT BOATS SO YOU CAN BUILD GREAT MEMORIES!

Every one of our hulls is a Grady-White
SeaV² exclusive design by C. Raymond
Hunt Associates, the originators of the
modern deep vee. A SeaV² vee has
a continuously sharper deadrise,
with the effect of cutting through
seas for a much softer ride. The
strakes and chines are designed to
knock down spray and keep it out
of the cockpit, so the ride is drier as well.

knock down spray and keep it out of the cockpit, so the ride is drier as well. The hull has a tremendous tracking ability, even in quartering seas, so the boat moves through the water with more efficiency, providing greater performance. Before you buy, you simply must compare the Grady-White ride to other boats you may be considering. When you compare boats of similar length, in any weather and in any water, you will see that the ride



Grady's exclusive SeaV² hull is like a series of wedges: flatter aft for stability at rest or trolling, and sharper at the bow for sea-cutting power at speed.

on a Grady-White boat is clearly superior.

A Grady-White is a true fishing machine, built by fishermen with a commitment to the best sportsmanship.

Their know-how yields superior function: wide open cockpits, huge insulated fish boxes, livewell systems that keep bait alive, good cockpit depth for sure-footed stand up fishing, and solid fiberglass transom doors so you can lean into a fish. Many of these fishing features double as great amenities for cruising!

These design features along with our superior quality composition make for long-lived and easier to maintain boats. There are many Gradys decades old whose proud owners still enjoy great times on the water. Our long lasting boats really

keep their resale value, too. Given the longevity and durability of such well crafted boats, your long term cost of ownership is actually much less with a Grady-White. That's one reason why we have so many

repeat customers.

Make a Grady-White a part of your future, and a part of your family memories. Our complete selection of models and details about their features are shown in this catalog, and can be viewed by logging on to www.gradywhite.com. There you can find the name of a Grady-White dealer nearest you. Visit them, and start enjoying The Grady Life!



"My HUSBAND LIKES HIS GRADY SO MUCH, he bought the 180 for the girls and me. We love it! We feel safe and secure every time we set out on the ocean." —Gail Zamaitis, Falmouth, MA, Sportsman owner

SPORTSMAN 180

18' CENTER CONSOLE



Beam Amidships: 7'5" Bridge Clearance: 5'7" Center Line Length: 17'10"

Cockpit Depth: 22"

Cockpit Square Footage: 48 sq. ft.

Hull Draft: 14"

Maximum HP: 150

Outboard Shaft Length: 25" Standard Fuel Capacity: 60 gal.

Transom Width: 7'2"

Weight w/o Engine: 1800 lb.

STANDARD FEATURES

Safety

Automatic bilge pump (1250 GPH) Bow rail - low profile 316 grade stainless steel Chrome-over-bronze through-hull fittings Cockpit toe rails Console grab rail Level flotation Nonskid fiberglass liner Self-bailing cockpit w/2 cockpit drains

Cockpit & Deck

100% hand laid hull & deck Casting platform (raised)

Deck hardware - 316 grade stainless steel through-bolted

Drink holders (2)

Fish box - 89-qt. insulated fish box/storage area

w/ob drain

Fuel capacity - 60-gallon tank Heavy-duty gunwale molding

International lighting Rod holders (4)

Rod storage racks - horizontal (4)

Seating - bench seat w/reversible back

Seating - aft seats (2)

Stern eyes

Storage - aft rigging compartments (2)

Storage - forward anchor locker w/rope storage

Console

Accessory outlet - 12V Cellular phone holder Fish box - 45-qt, forward insulated

fish box w/ob drain

Rod storage holders - vertical (4) Seating - forward console seat

Steering - no-feedback mechanical

Steering wheel - 316 grade stainless steel Storage - lockable console storage

Storage - lockable electronics box

Storage net

Windshield - Plexiglas windshield w/handrail

OPTIONAL FEATURES

Battery select switch w/extra battery

Bow lifting ring

Cockpit shower w/10-gallon freshwater tank

High bow rail

Hydraulic trim tabs

Livewell - 11-gallon insulated raw water livewell

Seating - forward platform cushions

Steering - hydraulic (required w/4-stroke engine)


Steering - tilt

Swim platform w/ladder

Washdown - pressurized raw water w/hose

Canvas Options

Bimini top w/boot Console cover





Console with lockable storage and electronics box



Bow casting platform



Bow fish box



Forward console with seating and bow anchor locker



Big hardware. Big cockpit. A big, roomy helm station. A roomy, easy-to-get-to anchor locker, just like its big brothers. Large fish boxes and storage. As an Islamorada, FL, captain tells us, "Your Sportsman 180 is a 'little big boat.' It provides a feeling of confidence from the helm that is so much better than many boats nearly twice its size."





RPOSE BOAT. FISH, SKI, SWIM on the lake, river, sound or inshore...especially good with Grady-White quality in a fun family package...great ride, too. The swim platform and re especially nice for the young ones." —Jay Tyson, Winterville, NC, Grady-White owner

18' DUAL CONSOLE TOURNAMENT 185



50

Length: 25"

apacity: 60 gal.

7'2"

ine: 2250 lb.

ATURES

(1250 GPH)

316 grade stainless steel rrough-hull fittings

'2 cockpit drains

k deck

Deck hardware - 316 grade stainless steel through-bolted

Drink holders (9)

Fuel capacity - 60-gallon tank

Heavy-duty gunwale molding

Ice box - 48-qt. aft insulated ice box w/ob drain

Ice box - 38-qt. starboard bow insulated ice box w/ob drain

International lighting Rod holders (2)

Rod storage racks - horizontal (4)

Seating - aft seats (2) Seating - bow cushions

Seating - helm & companion pedestal chairs

Spring line cleats

Steering - no-feedback mechanical

Steering wheel - 316 grade stainless steel

Storage - forward anchor locker w/rope storage

Storage - lockable console storage

compartments (2) Storage - lockable glove box

Windshield wiper (starboard)

Storage - port bow seat compartment Windshield - walk-through windshield

OPTIONAL FEATURES

Battery select switch Bow lifting ring

Cockpit bolsters

Cockpit shower w/10-gallon freshwater tank

Forward bolsters Hydraulic trim tabs

Livewell - 12-gallon insulated raw water livewell

Rod holders (2)

Seating - port sleeper seat

Ski pylon

Steering - hydraulic (required w/4-stroke engine)

Steering - tilt Stereo/CD system


Sun platform w/cushion Swim platform w/ladder

Washdown - pressurized raw water w/hose

Canvas Options

Aft curtain Bow cover

Vista top & side curtains w/boot





Helm station



Bow seating with optional forward bolsters




Port console storage



Starboard console storage

AN OPTIONAL SKI PYLON (AND MORE!) FOR FAMILY FUN

"We love to fish, and we also enjoy tubing, skiing, picnicking—all kinds of family fun!" Familiar words to us at Grady-White. Fact is, owners want great boating memories plus quality, safety, reliability and performance. The optional ski pylon (which stows nicely in our room-for-all-the-toys compartments) is one example of what makes days on the water so special.





"The most practical design we've seen, so versatile, good for fishing, too. There's seating for up to eight including roomy forward seating. Cleans up quick! And a good surprise...the enclosed head! Every inch a Grady...the best 20-footer around!"—Mary Tyson, Winterville, NC Grady-White owner

TOURNAMENT 205

DUAL CONSOLE



STANDARD FEATURES

Beam Amidships: 8'1" Bridge Clearance: 5'7" Center Line Length: 20'4" Cockpit Depth: 25"

Hull Draft: 14"

Maximum HP: 230

Transom Width: 7'10" Weight w/o Engine: 2810 lb.

Outboard Shaft Length: 25"

Standard Fuel Capacity: 82 gal.

Safety

Automatic bilge pump (1250 GPH)

Basic flotation

Bow rail - low profile 316 grade stainless steel

Cockpit Square Footage: 49 sq. ft.

Chrome-over-bronze through-hull fittings

Cockpit toe rails

Companion grab rail

Nonskid fiberglass liner

Self-bailing cockpit w/2 cockpit drains

Cockpit & Deck

100% hand laid hull & deck

Accessory outlet - 12V

Battery select switch

Cockpit lights

Compass

Deck hardware - 316 grade stainless steel

through-bolted Drink holders (8)

Fish box - 64-qt. aft deck insulated fish box

w/ob drain

Fish box - 83-qt. starboard bow insulated fish box

w/ob drain

Fuel capacity - 82-gallon tank

Head - lockable console head area

w/storage nets

Heavy-duty gunwale molding

Rod holders (4)

Rod storage racks - horizontal (6)

Seating - aft seats (2)

Seating - bow cushions

Seating - helm & companion pedestal chairs

Spring line cleats

Steering - no-feedback mechanical

Steering wheel - 316 grade stainless steel

Stern eyes

Bow lifting ring

Cockpit bolsters

Forward bolsters

Head - portable

Hydraulic trim tabs

Storage - forward anchor locker w/rope storage

Storage - lockable console compartment

Cockpit shower w/10-gallon freshwater tank

Livewell - 16-gallon insulated raw water livewell Seating - deluxe helm & companion chairs

Storage - lockable glove box

Storage - port bow seat compartment

Windshield - walk-through windshield

OPTIONAL FEATURES

Windshield wiper (starboard)

Stereo/CD system Sun platform w/cushion

Swim platform w/ladder

Seating - port sleeper seat

Washdown - pressurized raw water w/hose

Steering - hydraulic (required w/4-stroke engine)

Canvas Options

Aft curtain


Drop curtain

Ski pylon

Steering - tilt

Bow cover

Vista top w/side curtains & boot



A NEW GENERATION OF DUAL CONSOLES

There's a new generation of boaters and a new generation of boats built to make them happy: the new Tournament line from Grady-White. The Tournament 205 joins the 185 and the 225 to bring fun-and-fishing families great choices in open bow models. Very versatile, and built for comfort—the 205 and 225 offer an enclosed head!



Lockable enclosed head area with storage nets



Cockpit forward with optional port sleeper seat



Helm station



Forward seating with insulated fish box





"I took my 208 all the way to the Exumas and had a blast, even in heavy weather. You have a customer for life with me."—Kenneth Moore, Fort Lauderdale, FL, ADVENTURE owner

ADVENTURE 208

20' WALKAROUND CABIN

Beam Amidships: 8'1" Bridge Clearance: 5'9" w/Hardtop: 8'

Center Line Length: 20'4"

Cockpit Depth: 25"

Cockpit Square Footage: 41 sq. ft.

Hull Draft: 14" Maximum HP: 230

Outboard Shaft Length: 25" Standard Fuel Capacity: 82 gal.

Transom Width: 7'10"

Weight w/o engine: 2650 lb.



STANDARD FEATURES

Safety

Automatic bilge pump (1250 GPH) Basic flotation

Bow rail - 316 grade stainless steel Chrome-over-bronze through-hull fittings

Cockpit toe rails Companion grab rail

Fold down motorwell bulkhead

Nonskid fiberglass liner

Nonskid recessed walkaround

Self-bailing cockpit w/4 cockpit drains

Cabin

Berth - forward vee berth

Cabin light

Forward hatch - low profile acrylic hatch

Lockable door w/screen & companionway hatch

CUSTOMER-IZATION

Rod storage holders (4)

Storage - portable head compartment Storage - under berth compartments (3) Windows - opening windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Cockpit lights

Deck harcware - 316 grade stainless steel

Drink holders (6)

Fish box - 103-qt, port insulated fish box

Fuel capacity - 82-gallon tank

Heavy-duty gunwale molding

International lighting

Rod storage racks - horizontal (6)

Seating - port & starboard fish box cushions

Spring line cleats

Steering - no-feedback mechanical

Storage - aft seat lift out boxes (2)

Storage - tackle drawers under companion

chair (2)

through-bolted

w/ob drain

Fish box - 106-qt, starboard insulated fish box

w/ob drain

Footrests (helm & companion)

Rod holders (4)

Seating - aft seats (2)

Seating - helm & companion pedestal chairs

Seating - foredeck cushions

Steering wheel - 316 grade stainless steel

Storage - forward anchor locker w/rope storage

Storage - lockable electronics box

Storage - lockable storage under helm chair

Storage nets Windshield

Windshield wiper (starboard)

OPTIONAL FEATURES

Bow lifting ring

Bow pulpit

Cockpit bolsters

Cockpit shower w/10-gallon freshwater tank Hardtop w/radio box, spreader lights, & side mounted rod holders (4)

Hardtop top mounted rod holders

Head - portable

Head - portable w/deck pump out

Hydraulic trim tabs

Livewell - 25-gallon insulated raw water livewell Steering - hydraulic (required w/4-stroke engine)

Steering - tilt

Swim platform w/ladder


Washdown - pressurized raw water w/hose

Canvas Options

Drop curtain (hardtop or vista top) Hardtop front & side curtains

Helm station cover

Vista top w/side curtains & boot



THE ORIGINAL WALKAROUND CABIN AND EVER-EVOLVING DETAILS.

The direct forebearer of the 208, the Hatteras 204C, pioneered the walkaround cabin style in 1975. The concept was perfect for anglers, day trippers, and those who wanted to extend the boating season. There's 360-degree access, ease at anchoring and docking, and customer inspired details like handholds and grab rails wherever you need them.





Helm station with lockable electronics box



Cockpit forward



Cushioned aft seating



-Scott & Ely Miller, Dousman, WI, Escape owners

ESCAPE 209

20' CENTER CONSOLE

Beam Amidships: 8'1" Bridge Clearance: 5'9" w/T-top: 7'8"

Center Line Length: 20'4"

Cockpit Depth: 25"

Cockpit Square Footage: 51 sq. ft.

Hull Draft: 14" Maximum HP: 230

Outboard Shaft Length: 25" Standard Fuel Capacity: 82 gal.

Transom Width: 7'10"

Weight w/o Engine: 2450 lb.

STANDARD FEATURES

Automatic bilge pump (1250 GPH)

Basic flotation

Bow rail - low profile 316 grade stainless steel Chrome-over-bronze through-hull fittings

Cockpit toe rails

Console grab rail

Fold down motorwell bulkhead

Nonskid fiberglass liner

Self-bailing cockpit w/2 cockpit drains

Cockpit & Deck

100% hand laid hull & deck Casting platform (raised)

Cockpit lights

Deck hardware - 316 grade stainless steel

through-bolted

Fish box - 83-qt. port insulated fish box w/ob drain

Fish box - 120-qt, starboard insulated

fish box w/ob drain

Fuel capacity - 82-gallon tank Heavy-duty gunwale molding

International lighting

Rod holders (4)

Rod storage racks - horizontal (6)

Seating - aft seats (2)

Storage - forward anchor locker w/rope storage Console

Stern eyes

Accessory outlet - 12V (2)

Drink holders (2)

Spring line cleats

Livewell - 28-gallon forward insulated raw water livewell w/ob drain

Storage - aft rigging compartments (2)

Rod storage holders - vertical (6)

Seating - forward console seat w/cushion

Seating - helm & companion pedestal chairs

Steering - no-feedback mechanical

Steering wheel - 316 grade stainless steel

Storage - lockable electronics box

Storage - lockable storage compartments (2) Windshield - Plexiglas windshield w/handrail

OPTIONAL FEATURES

Bow lifting ring Cockpit bolsters

Cockpit shower w/10-gallon freshwater tank

High bow rail

Hydraulic trim tabs

Livewell (lean bar option only) - 23-gallon insulated raw water livewell w/cushion

RADY-WHITE

Seating - bench seat w/reversible back

Seating - forward platform cushions

Seating - lean bar w/backrest, footrest, tackle trays, lockable storage

& rod holders (4)

Steering - hydraulic (required w/4 stroke engine)

Steering - tilt

Swim platform w/ladder

T-top w/radio box, dome light, storage net, spreader light & rod holders (4)


Washdown - pressurized raw water w/hose

Canvas Options

B mini top w/boot

Console cover

T-top front & side curtains



Cushioned aft seats



Cockpit forward with optional T-top and lean bar with tackle and bulk storage



Insulated bow fish boxes with overboard drains



Aft cockpit with fold down motorwell bulkhead

CUSTOMER-IZATION



CUSTOMERS WANT SUPER STRONG HARDWARE

Owners and dealers across the country love the 209 as a great inshore center console. They often dock their boats on lifts or in davits, giving a real workout to hardware. Customers wanted super fittings, so we worked with suppliers to design hardware just for Grady-White customers.



Not only is this the best fishing boat of its size...great for casting, trolling...but it's versatile, too, good for tubing, skiing, and being with my family. With all we do, storage is at a premium and our 222 has room for it all! —George Milliken (and family), Annapolis, MD, FISHERMAN owners

22' CENTER CONSOLE

FISHERMAN 222

Beam Amidships: 8' Bridge Clearance: 6'2"

w/T-top: 8'

Center Line Length: 22'2"

Cockpit Depth: 25"

Cockpit Square Footage: 55 sq. ft.

Hull Draft: 16" Maximum HP: 250

Outboard Shaft Length: 25" Standard Fuel Capacity: 96 gal.

Transom Width: 7'11"

Weight w/o Engine: 3160 lb.



Automatic bilge pump (1700 GPH) Basic flotation

Bow rail - low profile 316 grade stainless steel Chrome-over-bronze through-hull fittings

Cockpit toe rails

Console grab rail

Fold down motorwell bulkhead

Nonskid fiberglass liner

Self-bailing cockpit w/4 cockpit drains

Cockpit & Deck

100% hand laid hull & deck Casting platform (raised)

Cockpit lights

Deck hardware - 316 grade stainless steel through-bolted

Fish box - 55-qt. port & starboard insulated fish boxes w/ob drain

Fish box - 272-qt. center insulated fish box w/ob drain

Fuel capacity - 96-gallon tank

Heavy-duty gunwale molding

Hydraulic trim tabs

International lighting

Rod holders (4)

Rod storage racks - horizontal (6)

Seating - helm & companion pedestal chairs Spring line cleats Stern eyes

Storage - aft deck lift out boxes (2)

Storage - forward anchor locker w/rope storage Washdown - pressurized raw water w/hose

Console

Accessory outlet - 12V (2)

Drink holders (2)

Head - lockable console w/stand up head area & storage

Rod storage holders - vertical (6)

Seating - forward console seat w/cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage - lockable electronics box

Storage - under footrest

Storage nets

Windshield - Plexiglas windshield w/handrail

Bow lifting ring Bow pulpit (includes high profile bow rail) Cockpit bolsters

Cockpit shower w/10-gallon freshwater tank

Head - portable

GRADY-WHITE

Head - portable w/deck pump out

OPTIONAL FEATURES

Head - portable w/in-line macerator

Livewell (lean bar option only) - 23-gallon insulated raw water livewell w/cushion

Outrigger kit - 15-ft. Radial Top Gun T-top mounted Seating - deluxe lean bar w/footrest, backrest,

tackle trays, lockable storage & rod holders (4)


Seating - folding aft jump seats w/cushions (2) Seating - forward platform cushions

Swim platform w/ladder

T-top w/radio box, dome light, storage net, spreader light & rod holders (4)

Canvas Options

Bimini top w/boot Console cover T-top front & side curtains





and storage compartment



Casting platform's insulated bow fish boxes with overboard drains



Aft cockpit fold down motorwell bulkhead aft lift out boxes, standard washdown and optional cockpit bolsters





RECESSED SPRING LINE CLEATS

"Why not recess the spring line cleats?" an owner asked several years back. "I'd have less trouble getting fishing lines and ropes snagged accidentally." We took that suggestion to heart when we introduced our Fisherman 222. This is not only a nice convenience feature for fishermen, but can even be a smart safety feature.



IT ATTRACTS PEOPLE LIKE A MAGNET. Flexible and versatile...for fishing or on family outings. Our first 'big boat' and I was comfortable from day one. The boat feels safe and rides great with one person aboard or a boat full! My wife loves all the drink holders! —Thomas Igler, Severn Park, MD, Tournament 225 owner

22' DUAL CONSOLE

TOURNAMENT 225

Beam Amidships: 8' Bridge Clearance: 5'6" Center Line Length: 22'2" Cockpit Depth: 25"

Cockpit Square Footage: 49 sq. ft.

Hull Draft: 16" Maximum HP: 250

Outboard Shaft Length: 25" Standard Fuel Capacity: 96 gal.

Transom Width: 7'11"

Weight w/o Engine: 3450 lb.



Safety

Automatic bilge pump (1700 GPH) Basic flotation Bow rail - low profile 316 grade stainless steel Chrome-over-bronze through-hull fittings

Cockpit toe rails Companion grab rail Nonskid fiberglass liner

Self-bailing cockpit w/2 cockpit drains

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Battery select switch

Cockpit lights Cockpit shower w/10-gallon freshwater tank

Deck hardware - 316 grade stainless steel through-bolted

Drink holders (12)

Fish box - 52-qt. starboard bow insulated fish box w/ob drain

Fish box - 175-qt. aft insulated fish box

w/ob drain Footrest (helm) Forward bolsters

Fuel capacity - 96-gallon tank Head - lockable console head area

w/storage nets

Head - portable

Heavy-duty gunwale molding

Hydraulic trim tabs International lighting

Rod holders (4)

Rod storage racks - horizontal (6)

Seating - bow cushions

Seating - deluxe helm & companion chairs

w/adjustable pedestal

Seating - fold away aft bench seat

Spring line cleats

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage - 22-gallon insulated aft

storage compartment

Storage - forward anchor locker w/rope storage Storage - forward bow seat compartment

Storage - lockable console storage compartment

Storage - lockable console tackle drawers

Storage - lockable electronics box Storage - port bow seat compartment Windshield - walk-through windshield

Windshield wiper (starboard)

OPTIONAL FEATURES

Bow lifting ring

Cockpit bolsters

Head - portable w/deck pump out

Head - portable w/in-line macerator

Livewell - 22-gallon insulated raw water livewell

GRADY-WHITE

w/light, full column distribution inlet & ob drain

Seating - port sleeper seat

Stereo/CD system

Sun platform w/cushion

Swim platform w/ladder


Swim platform w/ladder (full width)

Washdown - pressurized raw water w/hose

Canvas Options

Aft curtain Drop curtain

Vista top w/side curtains & boot





Cockpit forward with optional port sleeper seat



Lockable enclosed head area with storage nets



Bow area with optional sun platform with cushion



Transom with fold away bench seat, fish box and optional livewell

A SLEEPER SEAT THAT'S COMFORTABLE FOR SITTING AND SNOOZING

We worked hard to develop a sleeper seat that was bigger, more handsome, and in keeping with the lines of the Tournament 225. But the real trick was ensuring our customers would be comfortable whether upright or prone. Seems that boat seats that are cozy for sitting aren't always that way for lying down. With our 225 optional sleeper seat, you'll always find comfort that's a dream.





"SHE'S EASY TO HANDLE, rides smooth as silk even in rough water, and she's stable, roomy and dry."—Dr. William Myers III, Charleston, SC, Seafarer owner

22' WALKAROUND CABIN

SEAFARER 226/228

Beam Amidships: 8' Bridge Clearance: 6'2" w/Hardtop: 8'4"

Center Line Length: 22'2"

Cockpit Depth: 26"

Cockpit Square Footage: 49 sq. ft.

Hull Draft: 16" Maximum HP: 250

Outboard Shaft Length: 25" Standard Fuel Capacity: 92 gal.

Transom Width: 7'11"

Weight w/o Engine

226: 3385 lb. (standard transom)

228: 3510 lb. (Grady Drive transom)

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2500 GPH) Basic flotation

Bow rail - 316 grade stainless steel

Chrome-over-bronze through-hull fittings Cockpit toe rails

Companion grab rail

Fold down motorwell bulkhead (226 only)

Nonskid fiberglass liner

Nonskid recessed walkaround

Self-bailing cockpit w/4 cockpit drains

Cabin

Berth - forward vee berth

Cabin ligh

Forward hatch - low profile acrylic hatch w/screen

Lockable door w/screen & companionway hatch Rod storage holders (4)

Cink

Storage - cabinet

Storage - portable head compartment Storage - under berth compartments (3) Windows - opening windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Bait rigging area w/cutting board & drink holders (228 only)

Cockpit lights Cockpit shower

Deck hardware - 316 grade stainless steel

through-bolted Drink holders (6)

Fish box - 190-qt. starboard insulated

fish box w/ob drain

Fish box - divided port insulated fish box (80-qt. & 45-qt. sections w/ob drain) Fish box - 72-qt. aft fish box (228 only) Footrests (helm & companion) Fuel capacity - 92-gallon tank Heavy-duty gunwale molding

Hydraulic trim tabs

International lighting Rod holders (4)

Rod storage holders - vertical (4) (228 only)

Rod storage racks - horizontal (6)

Seating - aft seats (2) Seating - foredeck cushions

Seating - helm & companion pedestal chairs

Seating - port aft facing seat

Seating - starboard fish box cushion

Spring line cleats Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Stern eyes

Storage - aft lift-out boxes


Storage - forward anchor locker w/rope storage

Storage - lockable helm station radio box Storage - tackle drawers under helm

& companion chairs

Storage nets

Water tank - 10-gallon freshwater Windshield - ventilated windshield Windshield wiper (starboard)



Bow lifting ring Bow pulpit

Cockpit bolsters

Hardtop w/radio box, storage net, spreader lights & side mounted rod holders (4)

Hardtop top mounted rod holders

Head - portable

Head - portable w/deck pump out

Head - portable w/in-line macerator

Livewell - 20-gallon insulated raw water livewell

Seating - deluxe helm & companion chairs

Swim platform w/ladder

Swim platform w/ladder (full width) (228 only) Washdown - pressurized raw water w/hose


Windshield wiper (port)

Canvas Options

Drop curtain (hardtop or vista top) Hardtop front & side curtains

Helm station cover

Vista top w/side curtains & boot





Cabin interior with port side sink; shown without auxiliary berth cushion



Helm station with lockable electronics box



Grady Drive cockpit aft with optional bolsters



Cockpit forward with divided port insulated fish box

CUSTOMERS SAY "KEEP A CLEAR VIEW"

Helmsmen need a clear view to safely operate and navigate their boats. Grady-White's answer: A well located instrument panel and backlit accessory switches that are easy to see even at dawn or dusk. And since instrument clutter is the enemy of good visibility, we offer lockable enclosed electronics boxes that help clear the dash.





"I AM IN LOVE WITH THIS BOAT. It has exceeded all of my expectations. On the bay or all day out in the Gulf, it's not missing anything for fishing. I could tell just by looking at it, more thought went into this boat than others I saw!"—Mark Jones, Houston TX, GULFSTREAM OWNER

GULFSTREAM 232

23' WALKAROUND CABIN

Beam Amidships: 9'3" Bridge Clearance: 6'5" w/Hardtop: 8'8" Center Line Length: 23'5" Cockpit Depth: 27"

Cockpit Square Footage: 56 sq. ft.

Hull Draft: 17" Maximum HP: 400

Outboard Shaft Length

Single: 25" Dual: 25"

Standard Fuel Capacity: 148 gal.

Transom Width: 8'10" Weight w/o Engine 232S: 4025 lb. 232D: 4092 lb.

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2950 GPH) Basic flotation

Bow rail - 316 grade stainless steel

Chrome-over-bronze through-hull fittings Cockpit toe rails

Companion grab rail Nonskid fiberglass liner

Nonskid recessed walkaround

Self-bailing cockpit w/4 cockpit drains

Cabin

Berths - 2 berths (upper & lower)

Cabin lights

Forward hatch - low profile acrylic hatch w/screer

Galley - portside galley w/sink

Ice box - insulated ice box w/ob drain

Lockable door w/screen & companionway hatch

Rod storage holders (2)

Storage - forward compartment

Storage - portable head compartment

Storage - port compartment



Fish box - 265-qt. starboard insulated fish box

Footrests - helm & companion (adjustable)

Fuel capacity (single) - 148 gallons (92-gallon

Fuel capacity (dual) - 146 gallons (90-gallon

Ice box - two 38-qt. aft insulated ice boxes

Livewell - 36-gallon port insulated raw water

Seating - deluxe helm & companion chairs

Steering wheel - 316 grade stainless steel

Seating - molded in aft bench seat w/cushion

Drink holders (6) Factory engine pre-rigging

w/ob drain

tank, 56-gallon tank)

tank, 56-gallon tank)

Hydraulic trim tabs

w/ob drain

Rod holders (4)

Spring line cleats

Steering - hydraulic tilt

International lighting

livewell w/ob drain

Seating - foredeck cushions

Seating - port aft facing seat

Seating - starboard fish box cushion

Rod storage racks - horizontal (6)

Heavy-duty gunwale molding

Storage - forward anchor locker w/rope storage Storage - lockable electronics box

Storage - tackle trays under helm chair (2) Storage - tackle drawers under companion seat (2)

Washdown - pressurized raw water w/hose

Water tank - 10-gallon freshwater Windshield - ventilated windshield

Windshield wipers

OPTIONAL FEATURES

Bow lifting ring Bow pulpit

Cockpit bolsters

Cushions - auxiliary berth cushions Fuel capacity (dual only) - 182 gallons (92-gallon tank, 90-gallon tank)

(not available w/200 HP 4-stroke engines) Hardtop w/radio box, storage net, spreader

lights & side mounted rod holders (4)

Hardtop top mounted rod holders

Head - portable

Head - portable w/deck pump out

Head - portable w/in-line macerator

Outrigger kit - 18-ft. Lee Jr. cabin side mounted

(w/hardtop option only)

Rod storage - folding cabin rack (6)


Stereo/CD system

Swim platform w/ladder (small port side) Swim platform w/ladder (full width) Windshield washer - freshwater (starboard)

Canvas Options

GRADY-WHITE

Hardtop drop curtain Hardtop front & side curtains Helm station cover





Cabin Interior shown without optional auxiliary berth cushions



Helm station with lockable electronics box



Cockpit forward



Aft cockpit with optional cockpit bolsters

CUSTOMERS ASK FOR "HARDTOP ROD STORAGE WHERE I CAN REACH IT!"

Positive input from customers on our side mounted hardtop rod holders (first introduced on our Express 330) prompted us to make these easy-to-access holders a feature on all hardtops. Hardtop side mounted rod holders along with a host of carefully crafted fishing features make the 232 one of the best fishing boat values on the water.





"The ride is incredibly better than other boats. This boat is a better value; I looked at the others and compared. We fish Long Island Sound for striped bass and plan to go offshore for the shark and tuna." - Michael Gosselin, Hampton Bays, L.I., N.Y. ADVANCE owner

ADVANCE 257

25' CENTER CONSOLE



STANDARD FEATURES

Transom Width: 7'10" Weight w/o Engine: 3500 lb.

Beam Amidships: 8'6" Bridge Clearance: 7' w/T-top: 8'5" Center Line Length: 24'9" Cockpit Depth: 27"

Hull Draft: 16" Maximum HP: 350 **Outboard Shaft Length** Single: 30" Dual: 25"

Safety

Automatic bilge pump (1700 GPH)

Basic flotation

Bow rail - low profile 316 grade stainless steel

Cockpit Square Footage: 64 sq. ft.

Standard Fuel Capacity: 151 gal.

Chrome-over-bronze through-hull fittings

Cockpit toe rails

Console grab rail

Nonskid fiberglass liner

Self-bailing cockpit w/4 cockpit drains

Cockpit & Deck

100% hand laid hull & deck

Battery select switch

Casting platform (raised)

Cockpit bolsters

Cockpit lights

Cockpit shower Cutting board

Deck hardware - 316 grade stainless steel

through-bolted

Drink holders (3)

Factory engine pre-rigging

Fish box - 185-qt. aft insulated

fish box w/ob drain

Fish box - 120-qt. divided port insulated fish box w/ob drain

Fish box - 120-qt. starboard insulated

fish box w/ob drain

Fuel capacity - 151-gallon tank

Heavy-duty gunwale molding

Hydraulic trim tabs

Integrated outboard mounting system

w/swim platform & ladder

International lighting

Livewell - 32-gallon aft insulated raw water livewell w/light, full column distribution

inlet & ob drain

Rod holders (4)

Rod storage racks - horizontal (6)

Seating - deluxe lean bar w/footrest, backrest, knife & pliers holders (2), tackle trays,

lockable storage & rod holders (4)

Seating - fold away aft bench seat w/cushion

Spring line cleats

Stern eyes

Storage - forward anchor locker w/rope storage

Storage - forward tackle trays

Transom door

Washdown - pressurized raw water w/hose

Water tank - 20-gallon freshwater

Console

Accessory outlet - 12V (2)

Console ventilator

Drink holders (2)

Head - lockable console w/stand up head area, storage shelves & hanging locker

Seating - molded forward console seat w/cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage - lockable electronics box

Storage - under footrest

Storage nets

Windshield - Plexiglas windshield w/handrail

OPTIONAL FEATURES

Bow lifting ring

Bow pulpit (includes high profile bow rail) Convenience package - forward bolsters

& forward platform cushions Electronics flush mount kit

Head - portable

Head - portable w/deck pump out


Head - portable w/in-line macerator

Outrigger kit - 15-ft. Radial Top Gun T-top mounted Stereo/CD system

T-top w/rod holders, radio box, dome light, storage net & spreader light

Canvas Options

T-top front & side curtains





Lockable head enclosure with storage; shown with optional portable head



Console with lockable electronics box



Lean bar with rod holders, lockable tackle storage and bulk storage

FISH BOX ACROSS THE BACK TRANSFORMS THE "BUSINESS END"

Customers tell us that the stern is where "the rubber meets the road" when it comes to fishing function. With input from past model Advance owners, we have included a fisherman's wish list at the 257 transom. A huge fish box. A positive locking transom door. And a full column water distribution inlet in the livewell. You'll be "king of the dock."





"IT'S PEACE OF MIND FOR THE FAMILY. I often run 10–12 miles off the Mississippi Coast with my two sons and wife, to the barrier islands. This nice, big, safe boat holds everything we need. If weather threatens, the cabin and zip up canvas are wonderful.—Greg Vickers, Hattiesburg, MS, 258 owner

JOURNEY 258

25' WALKAROUND CABIN



Cockpit & Deck 100% hand laid hull & deck

Accessory outlet - 12V (2) Battery select switch Cockpit lights Cockpit shower Cutting board

Deck hardware - 316 grade stainless steel

through-bolted Drink holders (7)

Factory engine pre-rigging

Fish box - 158-qt, starboard insulated fish box w/ob drain

Footrest - helm & companion (adjustable)

Fuel capacity - 127-gallon tank Heavy-duty gunwale molding Hydraulic trim tabs

Ice box - 40-qt. aft insulated ice box w/ob drain Integrated outboard mounting system w/swim

platform & ladder International lighting

Livewell - 34-gallon port insulated

raw water livewell Rod holders (6)

Rod storage racks - horizontal (6)

Seating - deluxe helm & companion chairs

Seating - fold away aft bench seat w/cushion Seating - foredeck cushions

Seating - foredeck cushions
Seating - port livewell cushion

Seating - starboard fish box cushion

Spring line cleats

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage - forward anchor locker w/rope storage

Storage - lockable electronics box

Storage - lockable storage under helm seat Storage - tackle drawer under companion seat Storage - transom mounted knife & pliers holder

Transom door

Washdown - pressurized raw water w/hose Water tank - 10-gallon freshwater Windshield - ventilated windshield Windshield wiper (starboard)

OPTIONAL FEATURES

Auxiliary fuel capacity - 41-gallon tank Bow lifting ring

Bow pulpit

Cockpit bolsters

Hardtop w/radio box, storage net, spreader lights & side mounted rod holders (4)

Hardtop top mounted rod holders Head - marine head w/macerator, 10-gallon

holding tank & pump out Head - portable

Head - portable w/deck pump out


Head - portable w/in-line macerator Rod storage - folding cabin rack (6)

Stereo/CD system

Windshield washer - freshwater (starboard) Windshield wiper (port)

Canvas Options

Drop curtain (hardtop or vista top) Hardtop front & side curtains Helm station cover





Helm station with lockable electronics box



Cabin interior with port side sink; shown without auxiliary berth cushion



158-qt. starboard insulated fish box with overboard drain



Aft cockpit with insulated box, cockpit shower, transom door and optional cockpit bolsters

CUSTOMER-IZATION

Beam Amidships: 8'6" Bridge Clearance: 6'6" w/Hardtop: 8'8"

Center Line Length: 24'9" Cockpit Depth: 27"

Outboard Shaft Length Single: 30" Dual: 25"

Transom Width: 7'10"

Hull Draft: 16" Maximum HP: 350

Cockpit Square Footage: 55 sq. ft.

Standard Fuel Capacity: 127 gal.

Weight w/o Engine: 4043 lb.

STANDARD FEATURES

Bow rail - 316 grade stainless steel

Chrome-over-bronze through-hull fittings

Self-bailing cockpit w/4 cockpit drains

Forward hatch - low profile acrylic hatch

Storage - portable head compartment

Storage - under berth compartments (5)

Windows - opening windows w/screens (2)

Lockable door w/screen & companionway hatch

2 automatic bilge pumps (total 2950 GPH)

Safety

Cabin

Cabin light

w/screen

Storage nets

Basic flotation

Cockpit toe rails

Companion grab rail

Nonskid fiberglass liner Nonskid recessed walkaround

Berth - forward vee berth

Rod storage holders (4)



"More seating for cruising," requests one customer. "Give me more room for fishing," asks another. The impossible task?

Not for Grady-White's design and engineering team. We created the fold away aft bench seat to achieve both comfortable

seating and, with the seat folded up, more cockpit room. Plus, transom rod holders keep rods out of the way and ready to go.



"My wife enjoys the large berth for our three- and five-year old sons' naptimes. I enjoy the security and confidence in taking my family for fishing, swimming and extended day trips."

—Dave Mize, Richmond, VA, Express 265 owner

EXPRESS 265

26' EXPRESS CABIN

Beam Amidships: 9'7" Bridge Clearance: 7' w/Hardtop: 10'1"

Center Line Length: 25'9"

Length Overall (w/pulpit): 28'6"

Cockpit Depth: 26"

Cockpit Square Footage: 58 sq. ft.

Hull Draft: 18" Maximum HP: 500

Outboard Shaft Length: 25" Standard Fuel Capacity: 250 gal.

Transom Width: 8'8"

Weight w/o Engine: 5390 lb.



STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2950 GPH)

Basic flotation

Bow rail - 316 grade stainless steel

Chrome-over-bronze through-hull fittings

Cockpit toe rails Companion grab rail

Nonskid fiberglass liner

Self-bailing cockpit w/4 cockpit drains

Cabin

Berth - forward vee berth

Cabin lights Carpet

Forward hatch - low profile acrylic hatch

w/screen

Galley - port side galley w/sink

Head - enclosed head area w/sink,

shower & Jamp

Head - marine head w/macerator, 10-gallon

holding tank & pump out

Lockable door w/screen & companionway hatch

Refrigerator

Rod storage holders (6)

Storage - galley area

Storage - under berth compartments (3)

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Anchor windlass wiring

Bow pulpit

Cockpit bolsters

Cockpit lights

Deck hardware - 316 grade stainless steel

through-bolted Drink holders (6)

Factory engine pre-rigging

Fish box - 300-qt. insulated center fish box w/ob drain

Fold down motorwell bulkhead

Footrest - helm

Fuel capacity - 250 gallons (130-gallon tank,

120-gallon tank)

Heavy-duty gunwale molding Hydraulic trim tabs

International lighting

Livewell - 40-gallon insulated raw water livewell w/light, full column distribution inlet

& ob drain

Rigging station w/freshwater sink, insulated bait box w/ob drain & lockable drawers

Rod holders (4)

Rod storage racks - horizontal (6)

Seating - foredeck cushions

Seating - helm area surround seats

Seating - port livewell cushion

Seating - starboard tackle station cushion

Seating - vertically & horizontally adjustable deluxe center helm chair

Spring line cleats - flush mount

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Stern eyes

Storage - aft deck lift out boxes (2)

Storage - dry storage below starboard

Storage - forward anchor locker w/rope storage

Storage - lockable electronics box

Storage - tackle drawer below port bench seat Washdown - pressurized raw water w/hose

Windshield - ventilated windshield

Windshield washer - freshwater

Windshield wiper

OPTIONAL FEATURES

Anchor windlass

Bow lifting ring

Convenience package

Battery charger, dockside power w/galvanic isolator, microwave oven & water heater (6-gallon, 120V)

Hardtop w/radio box, storage net, spreader lights & side mounted rod holders (4)

Hardtop top mounted rod holders


Head - marine head w/electric flush (10-gallon)

Outrigger kit - 18-ft. Lee Jr. cabin side mounted (w/hardtop option only)

Stereo/CD system Swim platform w/ladder

Canvas Options

Hardtop drop curtain Hardtop front & side curtains Helm station cover





Helm station with lockable electronics box



Helm area with removable seat backs and vertically and horizontally adjustable helm chair



Cabin interior

Aft cockpit with fold down motorwell bulkhead, aft deck lift out boxes and horizontal rod storage

A TRANSOM STYLE FOR FISH-FIGHTING AROUND THE ENGINES

Born and bred to go long range for the world's toughest game fish, the 265 is chock full of customer inspired details you just won't find on other brands. Anglers from New Jersey to Florida to Texas to the Pacific Coast love the transom, especially with tuna near the boat. The cockpit is huge. Rear-facing seats make bait watching a joy. And big insulated boxes keep the catch fresh.





N

"EVER HAD A TOY AS A KID that all the other kids wanted? That sums it up for me."

-Jeff Brooks, Virginia Beach, VA, ISLANDER owner

ISLANDER 270

27' WALKAROUND CABIN

Beam Amidships: 8'6" Bridge Clearance: 7' w/Hardtop: 9'3"

Center Line Length: 26'11" Length Overall (w/pulpit): 29'4"

Cockpit Depth: 28"

Cockpit Square Footage: 57 sq. ft.

Hull Draft: 17" Maximum HP: 500

Outboard Shaft Length

Single: 30" Dual: 25"

Standard Fuel Capacity: 150 gal.

Transom Width: 7'10"

Weight w/o Engine: 4660 lb.

STANDARD FEATURES

2 automatic bilge pumps (total 2950 GPH) Basic flotation

Bow rail - 316 grade stainless steel

Chrome-over-bronze through-hull fittings Cockpit toe rails

Companion grab rail Nonskid fiberglass liner

Nonskid recessed walkaround

Self-bailing cockpit w/4 cockpit drains

Cabin

Berth - forward vee berth Cabin lights Cabin window curtains Carpet

Forward hatch w/screen Galley - port side galley w/sink

Head - enclosed head area w/sink. shower & lamp

Head - marine head w/macerator, 10-gallon

holding tank & pump out Ice box - 15-qt. insulated ice box w/ob drain Lockable door w/screen & companionway hatch Refrigerator

Rod storage holders (2)

Storage - galley area

Storage - under berth compartments (3)

Storage - under step compartment

Storage nets Stove - butane

Table

Water tank - 32-gallon freshwater

Windows - sliding side windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Anchor windlass wiring Battery select switch Bow pulpit (recessed) Cockpit lights

Cockpit shower (recessed)

Deck hardware - 316 grade stainless steel

through-bolted Drink holders (6)

Factory engine pre-rigging

Fish box - 250-gt, starboard insulated fish box

w/ob drain

Footrest - helm (adjustable) Fuel capacity - 150-gallon tank Heavy-duty gunwale molding

Hydraulic trim tabs

Ice box - 40-qt. aft insulated ice box w/ob drain Integrated outboard mounting system w/swim platform & ladder

International lighting

Livewell - 34-gallon raw water livewell w/light, full column distribution inlet & ob drain

Rod holders (6)

Rod storage racks - horizontal (6)

Seating - fold away aft bench seat w/cushion

Seating - foredeck cushions

Seating - horizontally adjustable deluxe companion chair

Seating - port livewell cushion

Seating - starboard fish box cushions

Seating - vertically & horizontally adjustable deluxe helm chair (starboard)

Spring line cleats

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage - forward anchor locker w/rope storage

Storage - lockable electronics box

Storage - lockable storage behind helm seat Storage - tackle drawers under companion seat (4) Storage - transom mounted knife & pliers holder

Transom door

Washdown - pressurized raw water w/hose

Auxiliary fuel capacity - 50 gallons (duals only)

Convenience package - Battery charger,

microwave oven & water heater

Hardtop top mounted rod holders

Rod storage - folding cabin rack (4)

Seating - companion bench seat

(w/hardtop option only)

dockside power w/galvanic isolator,

Hardtop w/radio box, storage net, spreader

lights & side mounted rod holders (4)

Head - marine head w/electric flush (10-gallon)

Outrigger kit - 18-ft. Lee Jr. cabin side mounted

Windshield - ventilated windshield

OPTIONAL FEATURES

Windshield wipers

Anchor windlass


Bow lifting ring

Cockpit bolsters

(6-gallon, 120V)




Vista top w/side curtains & boot





Drop curtain (hardtop or vista top) Hardtop front & side curtains Helm station cover





Windshield washer - freshwater (starboard)





A TRAILERABLE BOAT HELPS CUSTOMERS WHEN SLIP AVAILABILITY IS AT A PREMIUM.

Stereo/CD system

The Islander 270 incorporates many of the seating and storage suggestions we heard from customers during the remake of our Sailfish 282. This trailerable, 8' 6" beam big boat is a great choice especially if you live where slip or dry dock space is at a premium. The single engine option makes this a special value, too.



Helm station with lockable electronics box



Optional companion bench seat



Cabin interior



Helm station with adjustable deluxe helm and companion chairs



"I AM A HAPPY MAN WITH MY 273, and this is my third new Grady-White."

-Martin Lodovico, Palm Harbor, FL, CHASE owner

CHASE 273

27' CENTER CONSOLE

Beam Amidships: 8'6" Bridge Clearance: 6'9"

w/T-top: 8'3"

Center Line Length: 26'11"

Cockpit Depth: 27"

Cockpit Square Footage: 65 sq. ft.

Hull Draft: 17" Maximum HP: 500 **Outboard Shaft Length**

Single: 30" Dual: 25"

Standard Fuel Capacity: 205 gal.

Transom Width: 7'10" Weight w/o Engine: 3975 lb.

STANDARD FEATURES

Safety

2 automatic bilge pumps (2950 GPH) Basic flotation

Bow rail - low profile 316 grade stainless steel

Chrome-over-bronze through-hull fittings Cockpit toe rails

Nonskid fiberglass liner Self-bailing cockpit w/4 cockpit drains

Cockpit & Deck

100% hand laid hull & deck Anchor windlass wiring Battery select switch Cockpit bolsters

Cockpit lights Cockpit shower

Cutting board Deck hardware - 316 grade stainless steel through-bolted

Drink holder

Factory engine pre-rigging

Fish box - 104-qt. divided port insulated

fish box w/ob drain

Fish box - 104-qt. starboard insulated fish box w/ob drain

Fish box - 185-qt. aft deck insulated fish box w/ob drain Fuel capacity - 205-gallon tank Heavy-duty gunwale molding Hydraulic trim tabs Integrated outboard mounting system w/swim platform & ladder International lighting

Livewell - 32-gallon aft deck insulated raw water livewell w/light, full column distribution inlet

& ob drain

Rod holders (4) Rod storage - lockable horizontal

storage for 6 rods

Seating - deluxe lean bar w/footrest, backrest, tackle trays, lockable storage, 4 rod holders & removable 94-qt. cooler

Seating - fold away aft bench seat w/cushion Spring line cleats

Stern eyes

Storage - forward anchor tocker w/rope storage

Washdown - pressurized raw water w/hose Water tank - 20-gallon freshwater

Console

Accessory outlet - 12V (2) Console ventilator

Drink holders (2) Head - lockable console w/stand up head area, sink, bulk storage & drawers

Seating - molded forward console seat w/cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Storage - electro-mechanically operated electronics enclosure

Windshield - Plexiglas windshield w/handrail

OPTIONAL FEATURES

Anchor windlass

Bow lifting ring

Bow pulpit (includes high profile bow rail)

Casting platform insert

Casting platform insert cushions Convenience package - Forward bolsters & fish box cushions

Head - portable

Head - portable w/deck pump out

Head - portable w/in-line macerator


Head - marine head w/macerator, 10-gallon holding tank & pump out

Head - marine head w/electric flush (10-gallon) Outrigger kit - 15-ft. Radial Top Gun T-top mounted Stereo/CD system

T-top w/radio box, dome light, storage net, spreader light & rod holders (4)



T-top front & side curtains





Bow fish boxes convert to bow seats; optional forward bolsters

(See boat to the left for optional casting platform.)



Console with electro-mechanically operated electronics enclosure



Lockable rod storage



Fold away aft bench seat, livewell, 185-qt. fish box, and



MOVE ALL THE WAY FORWARD AT ONE LEVEL

Ever try to maneuver to the bow with a big fish on? Customers told us they wanted a low center of gravity when moving forward to fight a fish. So we engineered access all the way forward at one level. And when you want a full casting platform, a clever insert fills the bill. There's room underneath for a 5-gallon net bucket and 48-quart cooler, too.



—Daniel Dunlavey, Pompano Beach, FL, SAILFISH owner

SAILFISH 282

Beam Amidships: 9'6"
Bridge Clearance: 7'7"
w/Hardtop: 9'9"
Center Line Length: 28'

Length Overall (w/pulpit): 30'2"

Cockpit Depth: 28"

Cockpit Square Footage: 59 sq. ft.

Hull Draft: 18"

Maximum HP: 600

Outboard Shaft Length: 25"

Standard Fuel Capacity: 220 gal.

Transom Width: 9'

Weight w/o Engines: 5800 lb.



Safety

2 automatic bilge pumps (total 2950 GPH) Basic flotation

Bow rail - 316 grade stainless steel

Chrome-over-bronze through-hull fittings
Cockpit toe rails
Companion grab rail
Nonskid fiberglass liner
Nonskid recessed walkaround
Self-bailing cockpit w/4 cockpit drains

Cabin

Berth - forward vee berth

Berth - aft berth Cabin lights

Cabin window curtains

Carpet

Forward hatch - low profile acrylic hatch w/screen

Galley - port side galley w/sink & insulated ice box w/ob drain

Head - enclosed head area w/sink, shower & lamp Head - marine head w/macerator, 10-gallon

holding tank & pump out

Lockable door w/screen & companionway hatch Microwave oven



Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Anchor windlass wiring Battery charger system

Water tank - 32-gallon freshwater

Windows - opening windows w/screens (2)

Bow pulpit Cockpit bolsters Cockpit lights

Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator

Drink holders (7)

Factory engine pre-rigging

Fish box - 325-qt. starboard insulated fish box w/ob drain

Footrests - helm & companion (adjustable)
Fuel capacity - 220 gallons (150-gallon tank,
70-gallon tank)

Hardtop w/radio box, storage net, spreader lights & side mounted rod holders (4)

Hardtop drop curtain

Hardtop front & side curtains Heavy-duty gunwale molding

Hydraulic trim tabs

International lighting

Ice box - 46-qt. aft deck insulated ice box w/ob drain

Integrated outboard mounting system w/swim platform & ladder

Livewell - 40-gallon insulated raw water livewell w/light, full column distribution inlet & ob drain

Rigging station - aft deck station w/freshwater sink & pull out faucet

Rod holders (4)

Rod storage racks - horizontal (6)

Seating - foredeck cushions

Seating - molded in aft bench seat w/cushion

Seating - port & starboard fish box cushions Seating - vertically & horizontally adjustable

deluxe helm & companion chairs

Spring line cleats

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stern eyes

Storage - aft bench seat lift out tackle tray

Storage - forward anchor locker w/rope storage

Storage - lockable electronics box Storage - lockable storage under

companion seat

Storage - tackle drawers under helm seat (2) Transducer mounting flats

T----

Transom door

Washdown - pressurized raw water w/hose

Windshield - ventilated windshield Windshield washer - freshwater (starboard)

Windshield wipers

OPTIONAL FEATURES

Air conditioning Anchor windlass Bow lifting ring Hardtop top mounted rod holders


Head - marine head w/electric flush (10-gallon) Outrigger kit - 18-ft. Lee Jr. cabin side mounted

(w/hardtop option only)
Rod storage - folding cabin rack (6)

Seating - companion bench seat Stereo/CD system

Canvas Options

Helm station cover






Helm station with lockable electronics box



Cockpit forward with vertically and horizontally adjustable deluxe helm and companion chairs



Cabin interior



325-qt. starboard insulated fish box

A LIVE WELL THAT ACTUALLY KEEPS BAIT ALIVE

Any raw water recirculating livewell can keep a few baits alive for a while in cold water. Anglers want to keep lots of bait alive for a long time even in very warm water. No puny livewell with a puny pump can do the job. We responded with our lighted, insulated raw water livewell with full column water distribution inlet and 1100 GPH pump.





"DESIGNED WITH THE FISHERMAN IN MIND, and for his wife right there beside him. The finest boat we've ever owned, and we've had ten." — Dennis & Helen Owens, Delray Beach, FL, Release owners

RELEASE 283

GRADY-WHITE

28' CENTER CONSOLE

Beam Amidships: 9'6" Bridge Clearance: 7'7"

w/T-top: 8'5"

Center Line Length: 28'

Cockpit Depth: 27"

Cockpit Square Footage: 69 sq. ft.

Hull Draft: 18" Maximum HP: 600

Outboard Shaft Length: 25"

Standard Fuel Capacity: 205 gal.

Transom Width: 9'

Weight w/o Engines: 5520 lb.

STANDARD FEATURES

Safety

2 automatic bilge pumps (total 2950 GPH) Basic flotation

Bow rail - low profile 316 grade stainless steel Chrome-over-bronze through-hull fittings

Cockpit toe rails

Console grab rail

Nonskid fiberglass liner

Self-bailing cockpit w/4 cockpit drains

Cockpit & Deck

100% hand laid hull & deck Anchor windlass wiring

Battery select switch

Cockpit bolsters

Cockpit lights Cutting board

Deck hardware - 316 grade stainless steel

through-bolted

Drink holders (4)

Factory engine pre-rigging

Fish box - 135-qt. port & starboard

insulated fish boxes w/ob drain

Fish box - 265-qt. aft deck insulated fish box

w/removable partition & ob drain

Fuel capacity - 205-gallon tank

Heavy-duty gunwale molding

Hydraulic trim tabs Integrated outboard mounting system

w/swim platform & ladder



Console

Accessory outlet - 12V (2)

Water tank - 20-gallon freshwater

Console ventilator

Drink holders (2)

Head - lockable console w/stand up head area, shower, sink, bulk storage & crawers

Head - marine head w/macerator, 10-gallon

holding tank & pump out

Seating - molded forward console seat w/cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage - electro-mechanically operated electronics enclosure

Storage - under footrest

Windshield - Plexiglas windshield w/handrail

Deluxe Lean Bar

Backrest

Bait rigging locker

Footrest

Knife, pliers & rig holders (2)

Livewell - 45-gallon insulated raw water livewell w/light, full column distribution inlet & ob drain

Rod holders (4)

Sink w/pull out freshwater faucet

Storage - lockable tackle drawer

Storage - lockable tackle locker w/tackle trays

Storage - port net storage area

OPTIONAL FEATURES

Anchor windlass

Bow lifting ring

Bow pulpit (includes high profile bow rail)

Casting platform insert

Casting platform insert cushions

Convenience package #1

Battery charger & dockside power

w/galvanic isolator

Convenience package #2

Forward bolsters & forward

fish box cushions


Head - marine head w/electric flush (10-gallon) Outrigger kit - 15 ft. Radial Top Gun T-top mounted

Stereo/CD system

T-top w/radio box, dome light, storage net, spreader light & rod holders (4)

Canvas Options

T-top front & side curtains





sink and storage



Helm console with electro-mechanically operated lockable electronics enclosure



Deluxe lean bar rigging station with livewell,

CUSTOMER-IZATION



EXPANDABLE BOX ACCOMMODATES 50-POUND-PLUS FISH AND CONSERVES ICE.

Some days you catch 'em and some days you really catch 'em! A clever transom fish box design on the RELEASE 283 employs a removable poly divider to accommodate fish as big as 50-80 pounds, and saves ice and room when the catch is a little smaller. A handy removable container in the divided space is great for baits or as a catch-all on cruising days.



"WE CAN'T TELL YOU HOW PLEASED our fishing charter clients and we have been with the performance and quality of our Marlin 300." — Captains Jill and Troy Sapp, Odessa, FL, Marlin owners

30' WALKAROUND CABIN MARLIN 300

Beam Amidships: 10'7" Bridge Clearance: 8'3" w/Hardtop: 9'9"

Center Line Length: 30'6" Length Overall (w/pulpit): 32'7"

Cockpit Depth: 29"

Cockpit Square Footage: 74 sq. ft.

Hull Draft: 19"

Maximum HP: 600

Outboard Shaft Length: 25"

Standard Fuel Capacity: 306 gal.

Transom Width: 9'6"

Weight w/o Engines: 7500 lb.

STANDARD FEATURES

2 automatic bilge pumps (total 2950 GPH) Basic flotation

Bow rail - 316 grade stainless steel Chrome-over-bronze through-hull fittings

Cockpit toe rails Companion grab rail

Nonskid fiberglass liner Nonskid recessed walkaround

Self-bailing cockpit w/4 cockpit drains

Cabin

Berth - aft double berth Berth - forward vee berth

Cabin lights Cabin window curtains

Carpet

Cutting board - Corian® Forward hatch - low profile acrylic hatch

w/screen & shade

Galley - port side galley w/sink Head - enclosed head area w/sink,

shower & lamp

Head - VacuFlush® marine head (10-gallon) Lockable door w/screen & companionway hatch

CUSTOMER-IZATION

Microwave oven

Mirror

Refrigerator

Rod storage racks (6) Rod storage - aft berth Stereo/CD system

Storage - galley cabinet & counter Storage - under berth compartments

Storage nets

Stove - electric glass top Teak & holly floor

Teak table

Water heater - 6-gallon, 120V Water tank - 39-gallon freshwater Window - aft berth window w/screen Windows - opening windows w/screens (2)

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2) Anchor windlass wiring Battery select switch Batteries (4) Battery charger system

Bow pulpit w/roller Cockpit bolsters

Cockpit lights

Cockpit freshwater shower (recessed)

Deck hardware - 316 grade stainless steel through-bolted

Dockside power w/galvanic isolator

Drink holders (10)

Dynaplate

Factory engine pre-rigging Fighting chair reinforcement

Fish box - 290-qt. aft insulated fish box

w/ob drain Footrests - helm & companion (adjustable)

Freshwater level indicator

Fuel capacity - 306 gallons (150-gallon tank, 156-gallon tank)

Hardtop w/radio box, storage net, spreader lights & side mounted rod holders (4)

Hardtop drop curtain

Hardtop front & side curtains

Heavy-duty gunwale molding Hydraulic trim tabs

Integrated outboard mounting system w/swim platform & ladder

International lighting

Livewell - 32-gallon insulated raw water livewell w/light, full column distribution inlet & ob drain w/1100 GPH pump

Rigging station behind helm chair w/freshwater sink, insulated bait box w/ob drain & lockable drawers

Rod holders (4)

Rod storage racks - horizontal (6)

Seating - fold away aft bench seat w/cushion

Seating - foredeck cushions

Seating - port fish box cushion

Seating - starboard tackle station cushion

Seating - vertically & horizontally adjustable deluxe helm & companion chairs

Spring line cleats

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel Stern eves

Storage - aft deck lift out box

Storage - forward anchor locker w/rope storage

Storage - lockable electronics box

Storage - lockable storage under helm & companion seats

Storage - under step compartment

Transducer mounting flats

Transom door

Washdown - pressurized raw water w/hose

Windshield - ventilated windshield

Windshield washer - freshwater (starboard)

Windshield wipers

OPTIONAL FEATURES

Air conditioning Anchor windlass Bow thruster Flatscreen TV w/DVD player Flush mount electronics kit

Generator - specify diesel or gas Hardtop top mounted rod holders


Outrigger kit - 19-ft. Lee Jr. cabin side mounted

Outrigger kit - 24-ft. Lee Pro Series (lay out)

Rod storage - folding cabin rack (4) Seating - companion bench seat

Canvas Options

Helm station cover





Cabin interior



Cabin interior with optional flatscreen TV and DVD player



Hardtop lockable electronics boxes and net storage



Fold away bench seat, transom door, fish box and lift out box

A SUPERIOR RIDE, STABILITY AND HANDLING-THE SEA V2 HULL

Prior to 1988's introduction of the SeaV² hull on the Marlin 300, traveling through rough water at good speed in a small fiberglass boat could be a slam-fest. Customers told us in no uncertain terms they wanted a superior ride. C. Raymond Hunt Associates and Grady-White collaborated to produce the continuously variable SeaV2 hull. The industry's best ride now belongs to Grady-White in every size category.



"FOR US, IT'S THE PERFECT BOAT. We go bluewater fishing, 25-40+ miles offshore, and this is a great ride, just right. The layout complements our fishing and we feel it's the safest boat on the water. Cooper, our lab retriever, pouts for days if he's left at the dock!"—Rick and Jackie Owens. Ft. Lauderdale, FL, BIMINI owners

BIMINI 306

30' CENTER CONSOLE

Beam Amidships: 10'7" Bridge Clearance: 7'3"

w/T-Top: 8'9"

Center Line Length: 30'6" Length Overall (w/pulpit): 32'7"

Cockpit Depth: 27"

Cockpit Square Footage: 75 sq. ft.

Hull Draft: 19" Maximum HP: 600

Outboard Shaft Length: 25" Standard Fuel Capacity: 306 gal.

Transom Width: 9'6"

Weight w/o Engine: 6500 lb.



2 automatic bilge pumps (total 2950 GPH) Basic flotation

Bow rail - low profile 316 grade stainless steel Chrome-over-bronze through-hull fittings

Cockpit toe rails Console grab rail

Nonskid fiberglass liner

Self-bailing cockpit w/4 cockpit drains

Cockpit & Deck

100% hand laid hull & deck Anchor windlass wiring Battery select switch Casting platform (raised)

Cockpit bolsters

Cockpit shower (recessed)

Cutting board

Cockpit lights

Deck hardware - 316 grade stainless steel through-bolted

Drink holders (2)

Factory engine pre-rigging

Fish box - 64-qt. port & starboard

insulated fish boxes w/ob drain

Fish box - 352-qt, center insulated fish box w/ob drain

Fuel capacity - 306 gallons (150-gallon tank, 156-gallon tank)

Heavy-duty gunwale molding

Hydraulic trim tabs

Integrated outboard mounting system w/swim platform & ladder

International lighting

Livewell - 41-gallon aft deck insulated raw water livewell w/light, full column distribution inlet & ob drain

Rigging station - lean bar station w/two 21-qt. insulated bait boxes & freshwater sink w/pull out faucet

Rod holders (4)

Rod storage - lockable horizontal storage for

Seating - deluxe lean bar w/footrest, backrest, tackle trays, lockable storage & rod holders (6)

Spring line cleats

Stern eves

Storage - forward anchor locker w/rope storage

Storage nets

Transducer mounting flats

Transom door

Washdown - pressurized raw water w/hose Water tank - 32-gallon freshwater

Console

Accessory outlet - 12V (2) Compass

Console ventilator Drink holders (4)

Head - lockable console w/stand up head area, shower, sink, storage compartments, bulk storage & hanging locker

Head - marine head w/macerator, 10-gallon holding tank & pump out

Seating - molded forward console seat w/cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage - electro-mechanically operated electronics enclosure

Storage - lockable acrylic console door

Storage - under footrest

Windshield - Plexiglas windshield w/handrail

OPTIONAL FEATURES

Anchor windlass

Bow pulpit (includes high profile bow rail) Convenience package #1 - Battery charger & dockside power w/galvanic isolator


Convenience package #2 - Casting platform cushions, forward bolsters

& fold away aft bench seat w/cushion Head - marine head w/electric flush (10-gallon) Outrigger kit - 15-ft. Radial Top Gun T-Top mounted Stereo/CD system

T-top w/radio box, dome light, storage net & spreader lights

Canvas Options

T-top front & side curtains





Lockable head enclosure with sink, shower and storage



41-gallon raw water aft deck livewell



Deluxe lean bar w/footrest, backrest, tackle trays, lockable storage & rod holders

SHORT, TALL, BIG OR SMALL-THESE ELECTRONICS CAN BE READ BY ALL.

Fishermen come in all sizes. And even in low light conditions—morning and evening when fishing is best—fishermen must be able to read the electronics to be safe and successful. The Bimini 306 electro-mechanical electronics enclosure adjusts both to varying viewing conditions and to the helmsman's height at the push of a button.





Express 330

Beam Amidships: 11'7"

Bridge Clearance w/Hardtop: 9'10" Center Line Length w/o pulpit: 33'6" Length overall (w/pulpit): 35'10"

Cockpit Depth: 29"

Cockpit Square Footage: 80 sq. ft.

Hull Draft: 21" Maximum HP: 600

Outboard Shaft Length: 25" Standard Fuel Capacity: 350 gal.

Transom Width: 10'6"

Weight w/o Engines: 10,000 lb. (includes all standard features)



Safety

2 automatic bilge pumps (total 2950 GPH) Basic flotation

Bow rail - 316 grade stainless steel

Chrome-over-bronze through-hull fittings Cockpit toe rails

Companion grab rail Nonskid fiberglass liner

Self-bailing cockpit w/4 cockpit drains

Cabin

Cabin lights

Accessory outlet - 12V Air conditioning

Berth - aft double berth

Berth - forward vee berth

Flatscreen TV w/DVD player

Forward hatch - two low profile acrylic hatches

Forward hatch curtains

Galley - port side galley w/sink

Head - enclosed ventilated head area w/sink, shower & lamps

Head - storage cabinet

Head - VacuFlush® marine head (10-gallon)

Lockable door w/screen & companionway hatch

Microwave oven

Mirrors

Refrigerator

Rod storage racks

Stereo/CD system

Storage - galley cabinets

Storage - under berth compartments

Storage nets

Stove - electric glass top

Teak & holly floor

Teak table

Water heater - 6-gallon, 120V Water tank - 50-gallon freshwater

Cockpit & Deck

100% hand laid hull & deck Accessory outlet - 12V (2)

Anchor windlass

Batteries (4)

Battery charger system

Battery select switch

Bow pulpit w/roller

Cockpit bolsters

Cockpit lights

Cockpit shower (2)

Compass

Deck hardware - 316 grade stainless steel

through-bolted

Dockside power w/galvanic isolator

Drink holders (7)

Dynaplate

Factory engine pre-rigging

Fighting chair reinforcement

Fish box - 270-qt, aft deck insulated fish box

w/ob drain

Footrest - helm (adjustable)

Footrest - aft facing seats

Fuel capacity - 350 gallons (150-gallon tank,

200-gallon tank)

Generator (gas)

Hardtop w/radio box, storage net, spreader lights, rod holders (6) & canvas

GRADY-WHITE

Heavy-duty gunwale molding

Hydraulic trim tabs

Integrated outboard mounting system w/swim

platform & ladder

International lighting

Livewell - 45-gallon starboard insulated raw water livewell w/light, full column distribution inlet & ob drain

Rigging station w/freshwater sink & pull out faucet

Rod holders - gunwale (4)

Rod storage racks - horizontal (4)

Seating - fold away aft bench seat w/cushion

Seating - helm area surround seat

w/removable backrests

Seating - vertically & horizontally adjustable

deluxe helm chair Spring line cleats

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Stern eyes

Storage - aft deck lift out box

Storage - electro-mechanically operated

electronics enclosure

Storage - forward anchor locker w/rope storage Storage - under helm area surround seating

Storage nets

Transom door

Washdown - pressurized raw water w/hose


Windshield - ventilated windshield Windshield washer - freshwater Windshield wiper

OPTIONAL FEATURES

Bow thruster

Generator (diesel)

Outrigger kit - 19-ft. Lee Jr. cabin side mounted Outrigger kit - 24-ft. Lee Pro Series (lay out)





Cabin interior with teak and holly floor



Helm area surround seating with removable backrests



Helm station with electro-mechanically operated electronics enclosure



Elatecraon TV with DVD player





THE BIGGEST (AND BEST) BOAT CREATED FOR TODAY'S MODERN OUTBOARD POWER.

The input process that resulted in our Express 330 was, at the time, the most intensive customer-ization effort we'd undertaken. The result? Boating Magazine's 2001 Boat of the Year. "The range, fuel economy, comfort, and fishing and cruising abilities of any serious inboard sportfish of comparable length...has also the speed, interior volume, running angle and ease of use of an outboard."



Hardtop with net storage, electronics enclosure and rod holders



Port helm seating area features a folding seat and insulated ice box



Cabin interior featuring galley and entertainment center with flatscreen TV and DVD



Starboard helm seating features a folding seat



Port side tackle station and sink



Detail of cabin flooring



Head enclosure with Corian® countertops and extensible shower faucet



270-qt. aft deck insulated fish box; fold away aft bench seat with cushion



Cabin interior showing access to roomy aft berth

33' EXPRESS CABIN

Express 330

"After researching the Market for the Largest, most seaworthy outboard powered boat... the Express 330 was our choice, especially after it passed my 6'4" head clearance test." —Klaus Priebe, Barbados, Express 330 owner

The *Express 330* was created as the flagship of the Grady-White fleet, with exceptional and unprecedented input from customers. From its debut in model year 2001, when it was named *Boating Magazine*'s Boat of the Year, the 330 has been making waves.

Klaus and Mary Priebe live in Barbados, where routinely the



winds run 25 MPH and seas five to ten feet. "After researching the market for the largest, most seaworthy outboard powered boat, Grady-White topped the list. At a Fort Lauderdale Boat Show we confirmed that an *Express 330* was our choice, especially after it passed my 6'4" head clearance test," wrote Klaus Priebe.

Their boat was shipped by freighter to St. Lucia, which is 100 miles across the open Atlantic to Barbados. The Priebes set for home at 6 p. m., averaging 15 MPH in the true-to-form brisk wind and seas. "I said to my wife, thank heavens it's pitch dark because if we had been able to see the waves they'd have scared us," recounts Priebe. "But in that entire six-hour run we felt safe, the boat performed perfectly, and the ride of the boat felt as if on shock absorbers. What a hull!"

In Barbados, the Priebes always have family and friends aboard. "We haven't had a problem since launching. The kids' only complaint is about Dad's choice of music!"





A Hardtop front and side curtains for models 20' and up (drop curtain is available)



▲ Hardtop with lockable radio boxes, spreader lights, side rod holders and overhead storage net (for models 22' and up)



▲ Bow thruster (300, 330)



▲ Bow lifting ring



▲ 208 Hardtop with lockable radio box, spreader lights and rod holders



▲ Jump seat (222)




 Tournament series sleeper sear with storage

Factory options add to the enjoyment of your Grady Life.




A Raw water washdown w/coil hose



▲ Large swim platform



 Freshwater cockpit shower (location varies by model)



▲ Small swim platform



▲ 273 Bow casting platform insert with removable cushions



▲ Bow pulpit shown with anchor windlass option



▲ Stereo w/helm mounted keypad



Dockside power (part of a convenience package



Companion bench seat (300 shown)



▲ Cabin rod racks



A Raw water livewell (lean bar option) (209, 222)



Outrigger kit, cabin side mounted (300, 330)



◆ Outrigger kit, cabin side mounted (232, 265, 270, 282)



Deluxe helm chair



▲ Forward bolsters (185, 205)




▲ Trim tabs



▲ Outrigger kit, Radial Top Gun T-top Mounted

FACTORY RIG YOUR CHOICE OF YAMAHA OUTBOARD Grady-White can provide factory pre-rigging so engine controls, wiring and instrumentation are installed while your boat is built. Grady-Built quality ensures that your engine installation delivers optimum performance. We stand behind our work: pre-rigging is covered under Grady-White's factory warranty.





▲ Center console Bimini top (180, 209, 222)



Tournament series vista top



▲ Portable head



▲ Head with holding tank

GRADY-BUILT

ENGINEERED FOR QUALITY, RELIABILITY, SAFETY AND VALUE

Anchor locker with rope storage Safety glass windshields Grab rails are at your fingertips at the helm, in the cockpit, walkaround area and when you climb back onboard after a swim. Solid 100% hand laid hulls and decks provide uniform laminate structure, strength and durability. Through-bolted upright rod holders are chrome-over-bronze. Stainless steel screws and blindside fasteners join the hull and liners to the deck with polyethylene gaskets sealed not only with silicone but with a powerful bonding adhesive developed for the aerospace industry. Liner is bonded to the stringer system and hull with fiberglass. All Grady-Whites have foam sprayed into the hull for level (models 180, 185) or basic flotation, even though not required in boats over 20 feet, This foam also adds strength, thermal insulation and deadens sounds. There is no boat brand with better flotation properties. No-rot stringer system is encapsulated in resin and fiberglassed to the hull. Protected rigging with factory installed PVC tubing Through-bolted 316 stainless steel hardware is secured with locking nuts. Yamaha engine pre-rigging is installed at the factory and custom fitted to your boat. BOAT SMART FROM THE START; take a boating safety course and get a free vessel safety check

Double through bolting on threshold of cabin

Adjustable seats have integrated hand holds.

Storage is engineered for functionality. We aim to ensure that Grady-Whites have the most storage of any boat in their category.

Insulated fish boxes and ice boxes are above the waterline and drain overboard, never into the bilge. Gutter systems are built into all exterior storage spaces.

Nonskid self-bailing cockpit directs water overboard whether at rest or underway. All scuppers drain overboard. Inspection ports are watertight. All Grady-Whites have automatic bilge pumps, with two pumps on most models over 20 feet. Our dedication to self-bailing cockpit integrity is unparalleled.

Toe rails secure your feet when you lean over the side.

Weather resistant polyethylene rod racks

Solid fiberglass transom door is not just for big fish, but adds easy access and safety too. Solid, 316 stainless transom door hardware is highlighted by a destroyer-sized latch with a positive locking mechanism for added safety.

Swim ladder is designed in every detail for ease of boarding and is super strong 316 stainless steel for safety.

5/16" aluminum transom brace is bonded to the top of outboard transoms, which reinforces transom strength and distributes motor torque. On integrated bracket models, the brace is through bolted to the longitudinal stringer system.

National Marine Manufacturers Association



for your boat. For more information contact: United States Coast Guard Auxiliary, 1.800.368.5647,

www.cgaux.org, or United States Power Squadrons, 1.888.for,usps, www.usps.org.