


CENTER CONSOLES



WALKAROUND CABINS



# GRADY-WHITE 2013

EXPRESS CABINS



DUAL CONSOLES





# Thank you...

...for considering a new Grady-White boat for your family! We sincerely appreciate your interest. We hope this publication introduces both our products and the unique "Grady Life" experience. But a printed catalog only scratches the surface. We have so many other rich resources of information. Our popular website includes the latest specifications, performance reports, video galleries, virtual tours, customer tips, wonderful customer photo galleries, Grady-White Clubs information, dealer locators and much, much more. Opt in for the great resources found in our publications, *Anchorline* and *Docklines*, too! See and share the experience of owners and enthusiasts on our *Facebook* page and *@GradyLife* on *Twitter*. Download our iPhone app at iTunes. As always, the best resources for information are our tops-in-the-business Grady-White dealers and other Grady customers. We urge you to talk with them!

Together, the entire Grady-White team focuses on providing exceptional enjoyment and terrific value as part of our larger goal of delivering the ultimate boating experience. It's very satisfying work, creating great new products and refining our well-proven winners, knowing that Grady-White boats will bring many lifelong memories to our customers. We come to work excited to achieve what we are striving to accomplish, and leave very satisfied at the end of the week knowing we've met the mark. That is why we invest in exciting new products such as our show-stopping, unlike-any-other *Freedom 335* as well as the spacious *Freedom 285* dual consoles, and incrementally improve

every one of our 27 models from the 18-foot center console *Fisherman 180* to the exquisite 36-foot *Express 360* cabin boat and the downright awesome *Canyon 366* center console. There is an incredible variety of superbly engineered Grady-Whites. Without a doubt there is one that's absolutely a perfect match for you.

One of the most rewarding results of Grady-White's one-to-one, long-term relationship with dealers and customers is the advent and growth of our Grady-White Clubs. We love them and so will you! Some of our Clubs began spontaneously from dealer and owner interest, some blossomed from strong leadership, and all grew from offering individuals confidence to embark with a group on excursions and special events that are just pure fun! We are amazed by the number of creative opportunities our Clubs offer. Grady-White dealers strongly support the growth of existing Grady-White Clubs and creation of new ones. Learn about our Clubs in your area and follow their activities on our website. Joining a Grady-White Club makes a fantastic boating experience even better!

For model year 2013, we continue to emphasize our innovative *Freedom Series* – eight versatile dual console models that bring a new level of "freedom" to the range of activities you can enjoy on big water. Our *Freedom Series*, like all Grady-Whites, are great riding, saltwater tough, safe and sure, and filled with features that allow you to enjoy so many activities well. Rest assured, we have not forgotten our legendary saltwater fishing heritage. Every Grady-White is a superb fishing boat. If big water fishing or cruising is your passion, there is no better choice than a Grady-White. You'll be in the best riding boat on the water. In short, you'll be exceedingly happy with your new Grady-White!

Grady-White eagerly looks to the future. We know that for quality, safety, reliability, value and the ultimate in boating satisfaction, a Grady-White will always be in a class all its own. Visit your local dealer! Happy boating!

Chairman, CEO

President



# The Grady Life connects family and friends and makes long-term memories like no other recreational activity.

**The Grady Life experience** offers you, your family and friends the ultimate in boat ownership. Grady-White boating is all about making memories. Whether your crew is very young or teenaged, young adult or a cross-generation of parents and grandparents, no activity can match the variety and meet the needs of different age groups than boating on a Grady-White. With boats this incomparably reliable and versatile, everyone can “do their own thing” yet be together. Swimming, diving, all kinds of fishing, exploring, raft-ups, lunch or dinner cruises, camp-outs, wakeboarding and water skiing or just “sunnin’ and funnin’—these activities just scratch the surface of what Grady owners enjoy. No other outdoor recreation compares in diversity and fellowship with the Grady Life. You will feel confident and free to enjoy many adventures, and reap enormous rewards. Our great dealers make your experience as carefree as possible!

Grady customers enjoy higher satisfaction primarily because of the company and dealers’ commitment to providing the ultimate boating experience. The values, principles and systems with which we’ve operated for over 50 years, and the resulting relationships, help assure decades-long owner loyalty.

Grady-White and Grady-White dealers aim for customer satisfaction that exceeds all expectation. Read or watch our customer testimonials online. Visit [gradywhite.com](http://gradywhite.com) often and view the Grady Life photos, or take a peek at our growing collection of fun and useful videos. Our customers love to share stories about their great Grady moments, and how well their boats perform! These reflections are not the only benchmarks of owner enjoyment. Every third-party

“We travel together to the Bahamas, do raft-ups, and gather for dining at restaurants. Right now we have three fishing tournaments including one for the ladies. We gather on sand bars, and enjoy picnicking and being together. Our Club is a very social and very rewarding experience.”

—CAROLINE AND JIM FALLON  
GULFSTREAM GRADY GROUP MEMBERS

measure ever conducted in our industry for our category has ranked Grady-White Boats at the highest levels.

There are many annual Grady-White dealer events including tournaments, cruises and fishing schools. The fabulous Grady Fest that took place for the third year in 2012 is a fantastic celebration of the boating lifestyle. Grady-White owners share camaraderie and much, much more throughout the year. There’s a tremendous online resource center found at our website that includes interesting customer tips about destinations, travel, cooking aboard, fishing, and customizing and maintaining your boat. The employees and associates of our privately held company—often with relationships that span many decades—actively keep in touch with you to hear about your great Grady days, and delight in sharing stories about your good times on and in the water!



Explore [www.gradywhite.com](http://www.gradywhite.com)! Better yet, visit us and see the very best in boat building.

All the details are here on every model, and so is a sampling of the fun! We’ve created [gradywhite.com](http://gradywhite.com) not only for you to learn about our boats but also we’ve put in many features to help give visitors a taste of the “Grady Life.” Quite simply, it’s a lifestyle without comparison in boating!



*gradywhite.com • Grady Life photos • specifications • videos • performance reports • virtual tours • clubs • dealers • publications • much more!*

**You are invited to tour our factory and meet our team of craftsmen!** There is no substitute for a visit to our factory. You will see one of the most up-to-date boat factories of its kind in the world, meet our craftsmen face to face, and learn much more about what makes a Grady-White and the Grady Life so special.

*Visit our website to download driving directions to the factory. If you are flying, come to PGV in Greenville, NC. Call us ahead of time and we'll pick you up!*



## Grady-White: Historic highlights of a customer- and quality-focused company

**1959**

Glen Grady, Don White begin building small, tough, high quality wooden “works of art” for coastal boating that perform even in rough seas.

**1968**

Eddie Smith purchases Grady-White and completes the changeover to fiberglass production.

**1972**

Ground breaks for what remains today one of the most modern boat manufacturing facilities in the world.

**1975**

Grady-White introduces the *Hatteras 204-C Overnighter*, the company’s first walkaround model.



# Grady-Built: The finest materials for built-in value and security

**A Grady-White is no ordinary craft.** Our 316 grade stainless steel hardware is superior to 304 grade because of the nickel and chromium in the alloy, plus molybdenum. Cast parts are passivated in acid to remove casting impurities, then buffed,



*Our patented fold away aft bench seat is a result of our process of seeking customer advice on the kinds of material and detail that work best. Hardware and fixtures are placed right where you need them.*

then passivated and buffed again. We test sample batches in our “instant ocean” salt bath. The result is hardware that’s strong and durable even after years in a saltwater environment.

Whether we utilize a traditional glass laminate or a new composite or core material depends on the application. No matter which material we select, Grady-White’s extensive in-house and on-the-water tests ensure long lasting value. Cabins are handsome, with eye-pleasing fabrics. We test all appliances including microwaves, refrigerators, satellite radios, TVs, MP3 stereo output devices and DVD players. Fixtures are the best available.

Resin transfer molded (RTM) parts such as fish box lids, hardtops and bow pulpits are solid and durable. RTM is especially preferable for fish box lids because the smooth underside surface is easier to clean than the rough glass painted surfaces found on competitors’ products.



*The helm area is ergonomically designed and comfortable for ease of function and safety. The horn is the red button so you can find it quickly. The windshield is engineered to enhance your field of vision and sight lines. Always safety first on a Grady-White!*

Gunwale mounted rod holders are impervious to UV rays, and extra durable. Rod racks are sturdy and easily accessible. Super strong, durable polyethylene trim work and toe rails are tough, low maintenance and their good looks last. Grab rails, handholds, handles, swim ladders and transom door latches are battleship-tough as are cleats and bow and stern eyes. Stainless steel drink holders are easy to clean. Durable materials give years of trouble-free use and that means a lower cost of ownership.

## 1982

Grady-White’s *Sailfish 25* ushers in the era of smaller outboard-powered offshore sportfishing boats.

## 1989

The *Marlin 28* introduces the SeaV<sup>2</sup>® hull, designed by C. Raymond Hunt Associates, delivering a soft, dry, true-tracking ride plus stability at lower speed.

## 1993

Kris Carroll, a Grady-White veteran, is named as Grady-White’s new president.

## 2001

In the first J.D. Power and Associates study of the marine industry, Grady-White ranks “Highest in Customer Satisfaction with Center Console Boats.”

Customers tell us they like different seating choices, and no other brand offers as many options as Grady-White. Whether you opt for available flip-up bolsters (pictured at left), Deluxe seating (see options pages) or choose our standard seating, everyone will be very comfortable aboard your new Grady-White!



# Grady-Built: Built by craftsmen and superbly engineered through customer input

**The people** who design and engineer Grady-Whites are avid boaters themselves. Through ongoing contact with our boat owners, we create customer-driven designs that are constantly refined and thoroughly tested along the North Carolina coast to ensure superb performance in the toughest conditions.



*Our latest plant expansion further improved the most productive, efficient and completely integrated boat building facility in the world today. This functionality assures the highest product quality and longest lasting value for our customers.*

Our production professionals are real craftsmen. Hand laid fiberglass provides an unmatched laminate structure. Only 100% hand lay-up assures a uniform thickness for strength and structural stiffness. Grady-White uses this tried and true method, fitting patterned pieces of fiberglass to deliver consistent laminate thickness on every boat. The resin for every part is metered and measured so each has an optimal glass-to-resin ratio. Stringer systems are precision cut by computerized router and then glassed in while the hull is still in the mold so your SeaV<sup>2</sup> hull retains the correct shape. Our proven stringer grid system is consistently strong, light, phenomenally durable, and has a limited lifetime warranty. Closed cell foam sprayed in between the stringers adds strength and augments flotation.

Super strong transoms are not only solidly Grady-Built of the strongest materials, but also reinforced with an angled aluminum brace to provide sure support for today's four-stroke engines. This bracing supports the top motor hole mounts, distributing torque throughout the transom.

At the helm threshold of our cabin models, decks are joined to liners with double through bolting. Aft of the seat boxes, another through-bolted and fiberglassed system forms a "box grid" to secure the deck and liner together, giving Grady-Whites support not found in other boats. All these factors add up to many years of enjoyment!



*Skilled craftsmen apply hand laid fiberglass with precisely the right thickness and resin ratios. Top quality components assembled with skill result in quality, reliability and performance over the long haul.*

## 2002

*Express 330 named Boating Magazine "Boat of the Year."*  
Grady-White ranks "Highest in Customer Satisfaction With Coastal Fishing Boats Two Years In A Row."

## 2003

Plant expansion provides customers with even greater quality and value. Grady-White ranks "Highest in Customer Satisfaction With Coastal Fishing Boats Three Years In A Row."

## 2005

*Express 360 introduced, setting new benchmark for boating.* Grady-White ranks "Highest in Customer Satisfaction With Coastal Fishing Boats Four Times in A Row."

## 2007

*Express 305 introduced. Canyon 336 debuts, incorporates cabin comfort in a center console.* Grady-White ranks "Highest in Customer Satisfaction With Coastal Fishing Boats (17-28 feet) Six Times in A Row."



Look carefully at a Grady-White running. You can actually see three wakes coming off the hull. This is a reflection of the smooth, dry trademark Grady-White SeaV<sup>2</sup>® ride.

# Grady-Built: Our exclusive SeaV<sup>2</sup>® hull design is the ultimate in offshore performance.



## There is no ride like Grady-White's.


Often imitated but never equaled, our exclusive SeaV<sup>2</sup> hull offers the industry's best combination of dryness, seakeeping performance and speed. Grady-White factory rigs four-stroke engines exclusively so the SeaV<sup>2</sup> hull and fuel tank position are especially well balanced for optimum performance of these new power sources. Unlike other brands, a SeaV<sup>2</sup> hull design has no two places on the keel where the deadrise is the same. The vee continuously sharpens from the

transom to the bow stem. A SeaV<sup>2</sup> hull design with 20 degrees of deadrise at the transom will have around 30 degrees amidships—more than even the most radical older deep vee designs. The deeper vee forward means a softer ride at sea. Less vee at the transom coupled with wide chines provide stability at rest and when trolling.


A SeaV<sup>2</sup> hull tracks as if the boat is on rails. The series of wedges that form a SeaV<sup>2</sup> hull have tremendous righting force providing incredible tracking in quartering seas and especially in following seas. There are no rounded shapes to behave like a ball in the water that has no upright position.

Strakes and chines knock the spray down cold. Check the spray coming off a SeaV<sup>2</sup> hull. You can actually see three bow wakes in smooth water. Those are the individual deflectors working. This is the reason SeaV<sup>2</sup> hulls are drier running than boats with rounded sections that blow spray past the strakes and chines and into the cockpit.


Grady-White delivers a deep vee ride with modified vee efficiency. Unlike other deep vee hulls, SeaV<sup>2</sup> hulls provide a soft ride without fuel efficiency loss. A SeaV<sup>2</sup> hull slices through seas effortlessly with a sharp point of entry, and the varying deadrise builds buoyancy that lifts the boat as it proceeds through waves. The result: better performance.



Like a series of sea-cutting wedges



Strakes and chines knock down spray



Tracks in quartering seas

## 2009

Grady-White celebrates 50th anniversary. Ranks "Highest in Customer Satisfaction With Coastal Fishing Boats (17-30 feet) Eight Times in a Row."

## 2010

*Fisherman 230* and *Canyon 366* debut; center consoles 28'-36' become *Canyon Series*. 2010 NMMA CSI (9th in a row) continues unbroken string of every industry award for customer satisfaction.

## 2011-2012

*Freedom Series* featuring the new 28-foot *Freedom 285* gives customers the industry's largest selection of fish-and-cruise dual consoles. Grady center consoles 18'-25' now comprise *Fisherman Series*.

## 2013

Grady-White's stunning 33' *Freedom 335* is the next generation dual console, a roomy, elegant cruiser and stylish big water fishboat that's a leap ahead of the industry in boating versatility with many never-before-seen features.

"Our 180 really suits our family of four, now plus Mauser our German Shepherd buddy, who loves his Grady rides on Puget Sound!" —Scott and Kristi Urquhart, Edmonds, WA

# Fisherman 180

18' Center Console



Bow fish box




Cushioned aft seat



Forward console seating;  
bow anchor locker



Shown with optional features



- Beam Amidships: 7'5" (2.26 m)
- Bridge Clearance: 5'7" (1.70 m)
- Center Line Length: 17'10" (5.44 m)
- Hull Draft: 15" (0.38 m)
- Maximum HP: 150 (112 kW)
- Weight w/o Engine: 2150 lb. (975 kg)

For detailed specs see page 44.

[gradywhite.com/180](http://gradywhite.com/180)

# Freedom 192

## 19' Dual Console

*"I fell in love with Grady's at an early age. I am military and now live close enough to the water to spend family time on our 192. Thanks for posting pictures of my boy and little girl on your website!" —Nathanael Karrs, Caledonia, MS*



Shown with optional features



Aft seating showing battery access



Helm station with flush mount electronics area




Cockpit forward with optional port sleeper



Portside swim platform with ladder

- Beam Amidships: 8' (2.44 m)
- Bridge Clearance: 4'9" (1.45 m)
- Center Line Length: 19'2" (5.84 m)
- Hull Draft: 14" (.36 m)
- Maximum HP: 150 (112 kW)
- Weight w/o Engine: 2475 lb. (1123 kg)



"I absolutely love my boat. It's versatile, great for fishing out on the open water of the Georgian Bay here in Ontario and great for pike fishing in shallow water, too. Great for the family—we pack a picnic, go tubing out on the lake, then anchor and take a swim and relax." —John Welsh, Pointe au Baril, Ontario

# Freedom 205

20' Dual Console



Forward seating with insulated box




Lockable enclosed head area with storage nets and optional portable head



Cockpit forward with optional port sleeper seat



Shown with optional features



- Beam Amidships: 8'1" (2.46 m)
- Bridge Clearance: 5'7" (1.70 m)
- Center Line Length: 20'4" (6.20 m)
- Hull Draft: 15" (0.38 m)
- Maximum HP: 250 (187 kW)
- Weight w/o Engine: 2810 lb. (1275 kg)

For detailed specs see page 44.

[gradywhite.com/205](http://gradywhite.com/205)

# Adventure 208

## 20' Walkaround Cabin

*"My 208 is a very secure platform with dry areas for the sonar gear and electronics I use in my dives. I like the cabin for camping, and the open deck has plenty of room. I have never had a problem with any of my four Gradys. My wife, sons and my dog love our boat!"—Paul Brown, San Diego, CA*



Shown with optional features




Cockpit forward with optional cockpit bolsters



Cushioned aft seating

Beam Amidships: 8'1" (2.46 m)  
 Bridge Clearance: 5'9" (1.75 m)  
 w/Hardtop: 8' (2.44 m)  
 Center Line Length: 20'4" (6.20 m)  
 Hull Draft: 15" (0.38 m)  
 Maximum HP: 250 (187 kW)  
 Weight w/o Engine: 2900 lb. (1315 kg)



Cabin interior shown without auxiliary berth cushions; optional portable head

"My six-year-old son caught his first albacore on our 209. Needless to say he was very excited."

—James Mott, San Anselmo, CA

# Fisherman 209

20' Center Console



Forward port, starboard insulated boxes with cushions; optional forward bolsters




Helm with optional T-top and deluxe lean bar with flip-up bolster



Shown with optional features



Console head area/storage compartment with dome light; optional portable head



- Beam Amidships: 8'1" (2.46 m)
- Bridge Clearance: 6'4" (1.95 m)
- w/T-top: 7'9" (2.36 m)
- Center Line Length: 20'4" (6.20 m)
- Hull Draft: 15" (0.38 m)
- Maximum HP: 250 (187 kW)
- Weight w/o Engine: 2600 lb. (1179 kg)

For detailed specs see page 45.

[gradywhite.com/209](http://gradywhite.com/209)

# Freedom 225

22' Dual Console

*"I have all the confidence in the world in my boat, my dealer and Grady-White! We'll load the grandkids and take a ride to Blackbeard Island for a great day at the coast. My 225 has kept me safe in seven-foot waves and yet it's also great exploring the backwaters here in South Georgia."* —Mike Fly, Southerland Bluff, GA



Shown with optional features




Cockpit with optional port sleeper seat and Deluxe II helm chair



Helm station with flush mount electronics area

- Beam Amidships: 8' (2.44 m)
- Bridge Clearance: 5'6" (1.68 m)
- Center Line Length: 22'2" (6.76 m)
- Hull Draft: 16" (0.41 m)
- Maximum HP: 300 (224 kW)
- Weight w/o Engine: 3450 lb. (1565 kg)



Lockable enclosed head area and portable head

"Our family has great fishing trips on Lake Erie on our Seafarer 228. My wife and son have big smiles and a good catch!"—Joe DaSilva, Ann Arbor, MI

# Seafarer 226/228

22' Walkaround Cabin



Cabin access forward between helm and companion seats



Optional hardtop




Grady Drive aft cockpit with optional bolsters



Shown with optional features



Cabin interior shown with standard auxiliary berth cushions (sink not shown)



- Beam Amidships: 8' (2.44 m)
- Bridge Clearance: 6'2" (1.88 m)  
w/Hardtop: 8'4" (2.54 m)
- Center Line Length: 22'2" (6.76 m)
- Hull Draft: 16" (0.41 m)
- Maximum HP: 300 (224 kW)
- Weight w/o Engine:
  - 226 (standard transom): 3385 lb. (1535 kg)
  - 228 (Grady Drive transom): 3510 lb. (1592 kg)

For detailed specs see page 46.

[gradywhite.com/226](http://gradywhite.com/226)

# Fisherman 230

23' Center Console

"I can fly fish at the bow without snagging my line, and the deep cockpit is very safe. We like to cruise to restaurants with other couples, and there's plenty of seating." —Rodger and Betty Hess, New York City/Jupiter, FL



Shown with optional features





Helm with flush mount electronics area



101-qt. (96 l) port and starboard forward insulated fish boxes with ob drain. Access to bow at deck level. Console forward seating with removable 72-qt. (68 l) cooler.

- Beam Amidships: 8'6" (2.59 m)
- Bridge Clearance: 6'8" (1.88 m)  
w/T-top: 8'5" (2.57 m)
- Center Line Length: 22'8" (6.9 m)
- Hull Draft: 20" (.51 m)
- Maximum HP: 300 (224 kW)
- Weight w/o Engine: 4002 lb. (1815 kg)



Stand up head area and storage with optional portable head

"Our children enjoyed us taking their younger cousin on his first Grady excursion to see the bonfires and fireworks for July 4th! Our family of five loves cruising the south shores of Boston on our Gulfstream 232. This is our third Grady-White." —Paul Barry, Scituate, MA

# Gulfstream 232

23' Walkaround Cabin



Head area in lockable cabin, with fold down cover; optional electric marine head shown




Helm area with optional Deluxe II helm and companion chairs



Shown with optional features



Cabin interior shown without optional auxiliary berth cushions



- Beam Amidships: 9'3" (2.82 m)
- Bridge Clearance: 6'5" (1.96 m)  
w/Hardtop: 8'8" (2.64 m)
- Center Line Length: 23'5" (7.14 m)
- Hull Draft: 20" (0.51 m)
- Maximum HP: 400 (298 kW)
- Weight w/o Engine:
  - 232S: 4538 lb. (2058 kg)
  - 232D: 4605 lb. (2089 kg)

For detailed specs see pages 46-47.

[gradywhite.com/232](http://gradywhite.com/232)

# Freedom 255

## 25' Dual Console

*"The 255 is the ultimate in versatility. We've pulled back the Bimini top for cocktail cruises, and battened down the hatches chasing rockfish 60 miles through a snowstorm. This boat is fast, economical and very comfortable (with a surprisingly spacious head area). We are really enjoying our first Grady!"* — Jimmy and Cindy Nash, Virginia Beach, VA



Shown with optional features




Deluxe bow seating with table (doubles as cockpit area table)



Lockable enclosed head with storage nets and portable head

- Beam Amidships: 8'6" (2.59 m)
- Bridge Clearance: 5'7" (1.70 m)  
w/Hardtop: 7'8" (2.34 m)
- Center Line Length: 24'9" (7.55 m)
- Hull Draft: 20" (0.51 m)
- Maximum HP: 350 (261 kW)
- Weight w/o Engine: 4459 lb. (2023 kg)



Optional electric grill

"I love that our 257 allows us to fish off the beach at Cape Cod for stripers and blues, and go into deepwater for bluefin tuna. We like whale watching, too."—John Plansky, Lexington, MA

# Fisherman 257

25' Center Console



Bow seating with insulated storage




Deluxe lean bar with rod holders, tackle trays and lockable storage



Shown with optional features



Lockable stand up console head enclosure with storage shelves and hanging locker; shown with optional portable head



- Beam Amidships: 8'6" (2.59 m)
- Bridge Clearance: 7' (2.13 m)
- w/Hardtop: 8'6" (2.59 m)
- Center Line Length: 24'9" (7.55 m)
- Hull Draft: 20" (0.51 m)
- Maximum HP: 350 (261 kW)
- Weight w/o Engine: 4300 lb. (1951 kg)

For detailed specs see page 47.

[gradywhite.com/257](http://gradywhite.com/257)

# Journey 258

25' Walkaround Cabin

*"My 258 is fantastic for tuna fishing in the Otranto Channel, where weather conditions can change quickly. I have confidence in the safety and seaworthiness of my boat."* —Federico Errico, Bari, Italy



Shown with optional features




Aft cockpit with insulated box, cockpit shower and folding aft bench seat



Cockpit forward showing transom door and integrated swim platform with ladder

Beam Amidships: 8'6" (2.59 m)  
 Bridge Clearance: 6'6" (1.98 m)  
 w/Hardtop: 8'8" (2.64 m)  
 Center Line Length: 24'9" (7.55 m)  
 Hull Draft: 20" (0.51 m)  
 Maximum HP: 350 (261 kW)  
 Weight w/o Engine: 4320 lb. (1960 kg)



Cabin interior shown with auxiliary berth cushions

*"My Grady-White 271 is the only center console I've owned or been aboard that doesn't 'porpoise' and pound. Even with my temperamental back, the 271 rides comfortably in almost any sea I've encountered from Newport to Block Island and around home in Mystic, CT. It's a handsome boat, a great package and great quality!"*

—Anthony "Skip" Torracco, Mystic, CT

# Canyon 271

27' Center Console



Patented fold away aft bench seat




Lockable console with stand up head area, bulk storage and marine head with macerator, 10-gallon (37.9 l) holding tank and pump out



389-qt. (428 l) insulated box with removable divider, under bow cushioned lounge seat



Shown with optional features



- Beam Amidships: 9'6" (2.89 m)
- Bridge Clearance: 6'11" (2.11 m)
- w/T-top: 8'2" (2.49 m)
- Center Line Length: 26'10" (8.18 m)
- Hull Draft: 23" (0.58 m)
- Maximum HP: 600 (448 kW)
- Weight w/o Engines: 5790 lb. (2,626 kg)

For detailed specs see page 48.

[gradywhite.com/271](http://gradywhite.com/271)

# Freedom 275

## 27' Dual Console

*"I've been boating all my life, and the 275 is the greatest boat I've ever owned. The layout is absolutely perfect for someone who enjoys pleasure cruising, fishing and taking the kids tubing and skiing. The stability and responsiveness are amazing."*—Melvin Cline, Chesapeake Beach, MD



Shown with optional features




Cockpit with optional port electric extendable lounge seating



Deluxe cushioned bow seating with table (doubles as cockpit area table)

- Beam Amidships: 8'6" (2.59 m)
- Bridge Clearance: 6'4" (1.93 m)  
w/Hardtop: 8'6" (2.59 m)
- Center Line Length: 26'11" (8.20 m)
- Hull Draft: 20" (0.51 m)
- Maximum HP: 500 (373 kW)
- Weight w/o Engines : 4972 (2255 kg)



Head area with extended storage, shown with optional electric marine head

"The 283 is my sixth Grady-White. I wanted a fast boat to reach the Keys but not something too big. The 283 is a perfect combination of a long range boat for the open water and one that my wife and I can take out every day for cruising. I looked at two other makes, but Grady had the best handling, level of quality and solid engineering." —Reese Kauffman, Sanibel, FL

# Canyon 283

28' Center Console



Bow insulated fish boxes with removable optional casting platform insert




Helm console with electromechanically operated lockable electronics enclosure



Shown with optional features



Lockable console with sink, storage and fold down cover over marine head with macerator, 10-gallon (37.9 l) holding tank and pump out



- Beam Amidships: 9'6" (2.90 m)
- Bridge Clearance: 7'7" (2.31 m)  
w/T-top: 9' (2.74 m)
- Center Line Length: 28' (8.53 m)
- Hull Draft: 20" (0.51 m)
- Maximum HP: 600 (448 kW) w/V6 engines only
- Weight w/o Engines: 5864 lb. (2660 kg)

For detailed specs see page 49.

[gradywhite.com/283](http://gradywhite.com/283)

# Freedom 285

## 28' Dual Console

*"In a nutshell, the beauty of my Freedom 285 is that it serves equally as a superb fishing boat and a great family cruising boat, offering much more protection and family comfort than other styles. What's more, it handles water—even big, rough water—beautifully, like no other boat its size!"*—Dave Cassaro, Orient Point, LI, NY



Shown with optional features




Helm area featuring extra-wide seat with flip-up bolster



Deluxe cushioned bow seating with optional cushioned sun platform insert

- Beam Amidships: 9' 6" (2.89 m)
- Bridge Clearance: 6' 4" (1.95 m)  
w/Hardtop: 8' (2.44 m)
- Center Line Length: 28' (8.53 m)
- Hull Draft: 20" (.51 m)
- Maximum HP: 600 (448 kW)
- Weight w/o Engines: 5980 lb. (2713 kg)



Port console head area with net storage; shown with optional marine head

"We've always wanted to cruise farther west to places like the Gulf Islands, and now with the 290 we can. Our girls love the cabin, and the first day we were out Melanie caught a 22-pound chinook salmon—her biggest ever."—Dr. Kurt and Melanie Tsuyuki, Surrey, British Columbia

# Chesapeake 290

29' Walkaround Cabin



Optional Deluxe III helm chair with flip-up bolster




Easy access for optional generator



Shown with optional features



Cabin interior with galley, cherry table, vee berth and teak and holly sole



- Beam Amidships: 9'11" (3.02 m)
- Bridge Clearance w/Hardtop: 9'9" (2.97 m)
- Center Line Length: 28'6" (8.69 m)
- Length Overall (w/pulpit): 29'9" (9.07 m)
- Hull Draft: 24" (0.6 m)
- Maximum HP: 600 hp (448 kW)
- Weight w/o Engines: 7650 lb. (3470 kg)

For detailed specs see page 50.

[gradywhite.com/290](http://gradywhite.com/290)

# Marlin 300

30' Walkaround Cabin

*"Our family has owned several Marlin 300 models, logging hundreds of happy hours. When my first son was born, we named him Grady!"* — Keith Frantz, Hickman, CA



Shown with optional features




Cockpit forward showing helm area and seating



Aft double berth with storage nets

- Beam Amidships: 10'7" (3.23 m)
- Bridge Clearance w/Hardtop: 9'9" (2.97 m)
- Center Line Length: 30'6" (9.30 m)
- Length Overall (w/pulpit): 32'7" (9.93 m)
- Hull Draft: 23" (0.58 m)
- Maximum HP: 700 (522 kW)
- Weight w/o Engines: 8221 lb. (3729 kg)



Cabin interior featuring galley, cherry dinette table, teak and holly sole, vee berth and enclosed head

# Marlin 300



Shown with optional features

# Express 305

30' Express Cabin

*"My husband and I love fishing aboard our Express 305, Reel Mambo. We are able to chase those stripers and blues around the Long Island Sound with great ease and speed, and sleep comfortably aboard in the evening. Look for me out there—I am the lady with the pink fishing rod bending in the ocean! This is our second Grady, and just like our fish we want one bigger each season."*

—Janet Franco, Chappaqua, NY



Shown with optional features




Lockable head enclosure with shower and bulk storage



Easy access for optional generator

- Beam Amidships: 10'7" (3.23 m)
- Bridge Clearance w/Hardtop: 9'9" (2.97 m)
- Center Line Length: 30'6" (9.30 m)
- Length Overall (w/pulpit): 32'7" (9.93 m)
- Hull Draft: 23" (0.58 m)
- Maximum HP: 700 (522 kW)
- Weight w/o Engines: 8850 lb. (4014 kg)



Cabin interior featuring galley, cherry dinette table and teak and holly sole

# Express 305



Shown with optional features

# Canyon 306

30' Center Console

*"We love to fish for king mackerel and the 306 is really a great offshore boat. But take the rods off, and it's really family ready, full of creature comforts. With the spacious console and comfortable seats and bow cushions, my wife and three-year-old enjoy great afternoon and evening picnics."*—Brandon Mallard, Georgetown, SC



Shown with optional features




Anchor locker with windlass



Command seating helm area with two Deluxe II adjustable sliding chairs, rigging station with freshwater sink, pullout faucet and insulated livewell

- Beam Amidships: 10'7" (3.23 m)
- Bridge Clearance: 7'3" (2.21 m)  
w/T-top: 9'4" (2.84 m)
- Center Line Length: 30'6" (9.30 m)
- Hull Draft: 21" (0.53 m)
- Maximum HP: 700 (522 kW)
- Weight w/o Engines: 6950 lb. (3152 kg)



Lockable console with sink, storage and fold down cover over marine head with macerator, 10-gallon (37.9 l) holding tank and pump out

# Canyon 306



Shown with optional features

# Freedom 307

30' Dual Console

*"My brother, our sons and I had a double blue marlin day off the north side of St. Lucia aboard my 307. One was just over 300 pounds. This is a great boat for family day cruising as well as fishing. This is my third Grady, and I would never consider another make."* — John Rittenhouse, London, England/Gros Islet, St. Lucia




Cockpit forward area with electric extendable lounge seating. The standard wet bar includes a sink and fiberglass storage bin under the Corian® top.



Deluxe cushioned bow seating with table (doubles as a cockpit area table)

- Beam Amidships: 10'7" (3.23 m)
- Bridge Clearance: 6'11" (2.11 m)  
w/Hardtop: 8'10" (2.69 m)
- Center Line Length: 30'6" (9.30 m)
- Hull Draft: 22" (0.56 m)
- Maximum HP: 700 (522 kW)
- Weight w/o Engines: 7850 lb. (3561 kg)



Console stand up head with bulk storage; fold down head cover creates 5-foot berth

# Freedom 307



Shown with optional features

# Express 330

33' Express Cabin

*"We were looking for a boat that would be perfect for completing America's Great Loop, and fell in love with the Express 330."*—Chris Branch and Russ Otterbine, Boyne City, MI/Oldsmar, FL



Shown with optional features



Starboard helm surround seating (middle cushion area folds down)



Port side tackle station and sink




Helm console with electromechanically operated lockable electronics enclosure



254-quart aft deck insulated fish box

- Beam Amidships: 11'7" (3.53 m)
- Bridge Clearance w/Hardtop: 9'10" (3.00 m)
- Center Line Length: 33'6" (10.21 m)
- Length Overall (w/pulpit): 35'10" (10.92 m)
- Hull Draft: 25" (0.64 m)
- Maximum HP: 700 (522 kW)
- Weight w/o Engines: 10,840 lb. (4917 kg)





Head enclosure with extensible shower faucet



Cabin interior showing aft double berth



# Express 330

Shown with optional features



Cabin interior with cherry table and teak and holly sole



Cabin interior featuring galley with refrigerator and microwave and flat screen 19" LCD TV w/DVD player and audio visual inputs

# Freedom 335

33' Dual Console

*"We LOVE the boat! Wonder about a boat built to do it all? The brawny 335 performs, rides and fishes better than any 'competitor,' no comparison. It's perfect for socializing, fishing and cruising. We're excited about our new Cape Lookout Grady Club and the raft-ups, fishing trips and get-togethers we'll enjoy! This is a design and engineering home run."*

— Carl and Ann Severinghaus, Raleigh, NC



Shown with optional features




Starboard console head cabinetry, storage and sink area



Port console with sliding bunk extended

- Beam Amidships: 11'7" (3.53 m)
- Bridge Clearance w/Hardtop: 9'8" (2.95 m)
- Center Line Length: 33'6" (10.21 m)
- Hull Draft: 26" (0.66 m)
- Maximum HP: 700 (533 kW)
- Weight w/o Engines: 11,900 lb. (5398 kg)



Port console with sliding bunk, bench seat, mirror, closet and optional flatscreen with DVD

# Freedom 335



Shown with optional features



Deluxe helm seating with flip-up bolster showing wet bar with sink, refrigerator, storage and optional grill



Wraparound companion bench seat with stowable table



Electronically adjustable sliding cockpit seat; seat back converts to table



Bow seating area with stowable table

# Canyon 336

33' Center Console

*"I've had five boats including large inboards, and the Canyon 336 is by far the best combination of hull, power and accommodations I have ever experienced. It's perfect whether I am scuba diving, or fishing with my friends, or just enjoying the day on the water with my wife and family. The anchoring system is superb."* — Norm Chambers, Gloucester, MA



Shown with optional features



Center helm lean bar with three deluxe sliding seats with flip-up bolsters and footrest; electromechanically operated lockable electronics enclosure




Bow casting area with optional removable platform insert and cushions



Console forward berth

- Beam Amidships: 11'7" (3.53 m)
- Bridge Clearance: 8' (2.44 m)  
w/T-top: 9'2" (2.79 m)
- Center Line Length: 33'6" (10.21 m)
- Hull Draft: 25" (0.64 m)
- Maximum HP: 700 (522 kW)
- Weight w/o Engines: 9200 lb. (4173 kg)



Lockable console interior with stand up head, shower, sink, rod storage, bulk storage and electrical access

# Canyon 336



Shown with optional features

# Express 360

36' Express Cabin

*"Our family of five spent a month in the Bahamas on our Express 360, and everyone was totally comfortable. We covered over 1500 miles at average cruising speeds of 25-31 mph."*—Scott and Anja Brane, Clearwater, FL



Shown with optional features




Starboard lounge seating includes innovative hideaway folding table, chart/storage area and deluxe cushioning.



Cockpit forward showing 96-sq. ft. cockpit, helm station with deluxe chair, and port and starboard lounge seating

- Beam Amidships: 13'2" (4.01 m)
- Bridge Clearance w/Hardtop: 10'6" (3.20 m)
- Center Line Length: 36'7" (11.15 m)
- Length Overall (w/pulpit): 39'3" (11.96 m)
- Hull Draft: 29" (0.74 m)
- Maximum HP: 1050 (783 kW)
- Freshwater Capacity: 65 gal. (246 l)
- Weight w/o Engines: 14,919 lb. (6767 kg)

- Forward vee berth w/storage
- Freezer/ice maker and refrigerated drawers
- Galley area w/microwave, electric stove, stainless sink, Corian® countertops
- Dinette w/seating for four
- Enclosed ventilated head w/shower



- 96-sq. ft. cockpit
- 370-gal. fuel capacity
- 55-qt. port side refrigerator/freezer cooler
- Fold away aft bench seat
- 291-qt. aft deck refrigerator/freezer fish box



Aft berth includes 56" x 84" sleeping area with privacy curtain, teak foot well, cherry hanging locker with cedar lining, bulk storage and six rod holders.

# Express 360



Shown with optional features



Main cabin includes teak and holly sole, seating for four at cherry dinette table, variable accent lighting, 16,000 BTU air conditioning with zone cooling, expansive forward berth with storage and privacy curtain, and cherry enclosed storage areas.

Head area includes sink with Corian® counter surface, shower area with curtain, teak grate over shower drain, full length mirror, VacuFlush® head and lighted vanity mirror.

# Canyon 366

36' Center Console

*"When cold winter weather grips much of the country, take comfort with the warm thought that I am fishing my Canyon 366 off the Marquesas Keys." — Mark Dobler, The Woodlands, TX*



Shown with optional features




Optional 1300 watt grill (replaces lean bar sink)



Console forward berth shown with electrically adjustable bolster (raised)

- Beam Amidships: 13'2" (4.01 m)
- Bridge Clearance w/T-top: 9' (2.74 m)
- Center Line Length: 36'7" (11.15 m)
- Hull Draft: 29" (0.74 m)
- Maximum HP: 1050 (783 kW)
- Freshwater Capacity: 54 gal. (204.4 l)
- Weight w/o Engines: 12,850 lb. (5829 kg)



Console interior with VacuFlush® head, sink, refrigerator, berth with electrically adjustable bolster (lowered), and bulk storage. Shown with optional microwave.

# Canyon 366



Shown with optional features

# Factory options add to more Grady Life fun!




▲ Hardtop front and side curtains for models 20' and up (330 shown). Drop curtain is available. Frame style and canvas vary per model.



▲ Ivory canvas option for 225 soft top arch, hardtops, T-tops (255, 275, 283, 285, 306, 307; standard on 290, 300, 305, 330, 335, 360, 366)

With more requests for colored hulls, and taking into account the individual personalities of today's customers, Grady-White now offers three colors of hull paint and a very sharp-looking gelcoat color as factory options in addition to our classic Grady-White cream-colored hull.



▲ Sand (gelcoat)

▲ Sea Glass (paint)

▲ Vista Blue (paint)

▲ Harbor Blue (paint)

\*Ink colors shown are approximate. See your dealer for actual color samples.



▲ Cabin model hardtop with lockable radio box(es), spreader light(s), side rod holders and overhead storage net (optional models 22'-25', standard 29'-36')



▲ Freedom Series hardtop (255, 275, 285, 307; standard on 335)



▲ Walkaround series vista top and side curtains (208, 226/228, 232, 258)



▲ Swim platform and ladder



▲ Fisherman series Bimini top (180, 209, 230)



▲ Bow thruster (290, 300, 305, 306, 307, 330, 335, 336; standard on 360, 366)



▲ Freedom series vista top and side curtains (192, 205, 208, 225, 255, 275, 307)



▲ Bow pulpit shown with anchor windlass option



▲ Cabin rod racks (holds 4)



▲ Raw water livewell (209 lean bar option)

Individualize your new Grady-White to best suit the water activities that your family enjoys with quality factory options that complement your boating lifestyle. Not all options shown here. For more information on factory options available per model, ask your dealer or visit [www.gradywhite.com](http://www.gradywhite.com).



▲ Platinum helm chair



▲ Deluxe I helm or companion chair



▲ Deluxe II helm or companion chair



▲ Deluxe III helm or companion chair with flip-up bolster



▲ Companion bench seat (300 shown)



▲ Companion bench seat (208, 226)



▲ Ski pylon (180, 192, 205, 225, 230, 255, 275, 285, 307, 335); placement varies



▲ Freedom Series wet bar with electronically-operated helm seat w/flip-up bolster, fire extinguisher holder, sink, storage drawer & trash compartment (255, 275, 285)



▲ Electric grill (255, 275, 285, 307); see product pages for additional grill option photos



▲ 366 motorized bow table. Manual bow and/or cockpit tables are available options (205, 225, 255, 257, 283, 306, 366; standard on 275, 285, 307, 335). Tables vary per model.



▲ Freedom series sleeper seat with storage (192, 205, 225, 255, 275; standard on 285)



▲ Optional deluxe lean bar w/backrest and flip-up bolster (209, 230; standard on 257)



▲ Bow casting platform insert with cushions (209, 230, 257, 283, 306, 336, 366); sun platform insert with cushions (205, 225, 255, 275, 285, 307, 335)



## Fisherman 180

18' Center Console

**Beam Amidships: 7'5" (2.26 m)**

**Bridge Clearance: 5'7" (1.70 m)**

**Center Line Length: 17'10" (5.44 m)**

**Cockpit Area: 48 sq. ft. (4.5 m<sup>2</sup>)**

**Cockpit Depth: 22" (0.56 m)**

**Hull Draft: 15" (0.38 m)**

**Maximum HP: 150 (112 kW)**

**Outboard Shaft Length: 25" (0.64 m)**

**Standard Fuel Capacity: 60 gal. (227 l)**

**Transom Width: 7'2" (2.18 m)**

**Weight w/o Engine: 2150 lb. (975 kg)**

### STANDARD FEATURES

#### Safety

Automatic bilge pump (1100 GPH)(4164 LPH)  
Bow rail - low profile 316 grade stainless steel  
Cockpit toe rails  
Console grab rail  
Fire extinguisher holder  
Level flotation  
Nonskid fiberglass liner  
Self-bailing cockpit w/cockpit drains (2)  
Stainless steel through-hull fittings

#### Cockpit & Deck

100% hand laid hull & deck  
Casting platform (raised)  
Cleats  
Deck hardware - 316 grade stainless steel through-bolted  
Drink holders - stainless steel (2)  
Factory engine pre-rigging  
Fish box - 89-qt. (84.2 l) insulated fish box/storage area w/ob drain  
Fuel capacity - 60-gallon (227 l) tank  
International lighting  
Rod holders (4)  
Rod storage racks - horizontal (4)  
Rubrail - high density PVC w/stainless steel insert  
Seating - aft seats (2)  
Seating - bench seat w/reversible back  
Stern eyes - heavy-duty 316 stainless steel  
Storage - aft rigging compartments (2)  
Storage - forward anchor locker w/rode storage

#### Console

Accessory outlet - 12V  
Compass  
Drink holders - stainless steel (2)  
Footrest  
Ice box - 45-qt. (42.6 l) forward insulated ice box w/ob drain  
Rod storage holders - vertical (4)  
Seating - forward console seat

Steering - no-feedback mechanical  
Steering wheel - 316 grade stainless steel  
Storage - lockable console storage  
Windshield - acrylic windshield w/handrail

### OPTIONAL FEATURES

Battery select switch w/extra battery  
Bow lifting ring  
CE certification package  
Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)  
High bow rail  
Hydraulic trim tabs w/indicator & retracto  
Livewell - 11-gallon (41.6 l) insulated raw water livewell  
Painted hull  
Seating - forward platform cushions  
Ski pylon  
Steering - hydraulic  
Steering - hydraulic tilt  
Swim platform w/ladder  
Washdown - pressurized raw water w/hose

### CANVAS OPTIONS

(Available in ivory or navy)  
Bimini top w/boot



## Freedom 192

19' Dual Console

**Beam Amidship: 8' (2.44 m)**

**Bridge Clearance: 4'9" (1.45 m)**

**Center Line Length: 19'2" (5.84 m)**

**Cockpit Area: 37 sq. ft. (3.4 m<sup>2</sup>)**

**Cockpit Depth: 25" (.64 m)**

**Hull Draft: 14" (.36 m)**

**Maximum HP: 150 (112 kW)**

**Outboard Shaft Length: 25" (.64 m)**

**Standard Fuel Capacity: 60 gal. (227 l)**

**Transom Width: 7'8" (2.34 m)**

**Weight w/o Engine: 2475 lb. (1123 kg)**

### STANDARD FEATURES

#### Safety

Automatic bilge pump (1100 GPH)(4164 LPH)  
Bow rail - low profile 316 grade stainless steel  
Cockpit toe rails  
Companion grab rail  
Level flotation  
Nonskid fiberglass liner  
Self-bailing cockpit w/cockpit drains (2)  
Stainless steel through-hull fittings

#### Cockpit & Deck

100% hand laid hull & deck

Accessory outlet - 12V (2)  
Cleats  
Deck hardware - 316 grade stainless steel  
Drink holders - stainless steel (6)  
Factory engine pre-rigging  
Forward bolsters  
Fuel capacity - 60-gallon (227.1 l) tank  
Ice box - 44-qt. (41.6 l) starboard bow insulated ice box w/ob drain  
Integrated outboard mounting system w/swim platform & ladder  
International lighting  
Rod holders (4)  
Rod storage racks - horizontal (4)  
Rubrail - high density PVC w/stainless steel insert  
Seating - aft seats (2)  
Seating - helm & companion pedestal chairs  
Seating - port & starboard bow box cushions  
Steering - no-feedback mechanical  
Steering wheel - 316 grade stainless steel  
Stern eyes - heavy-duty 316 stainless steel  
Storage - forward anchor locker w/rode storage  
Storage - lockable console storage compartment  
Storage - lockable glove box  
Storage - port bow seating storage compartment  
Windshield - walk-through tempered glass windshield  
Windshield wiper (starboard)

### OPTIONAL FEATURES

Battery select switch w/extra battery  
Bow lifting ring  
CE certification package  
Cockpit freshwater shower (recessed)  
Hydraulic steering  
Livewell - 13-gallon (50.2 l) insulated raw water livewell w/cushion  
Painted hull  
Seating - Deluxe I helm chair (starboard)  
Seating - Deluxe I helm & companion chairs  
Seating - port sleeper seat w/storage  
Seating - starboard sleeper seat w/storage  
Sirius satellite radio system  
Ski pylon  
Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready; speakers - bow (2) & helm (2)  
Washdown - pressurized raw water w/hose  
Water tank - 10-gallon (37.9 l) freshwater

### CANVAS OPTIONS

(Available in ivory or navy)  
Aft curtain  
Bow cover w/zipper  
Sleeper seat cover  
Tonneau cover  
Vista top w/boot  
Vista top front & side curtains



## Freedom 205

20' Dual Console

**Beam Amidships: 8'1" (2.46 m)**

**Bridge Clearance: 5'7" (1.70 m)**

**Center Line Length: 20'4" (6.20 m)**

**Cockpit Area: 47 sq. ft. (4.4 m<sup>2</sup>)**

**Cockpit Depth: 25" (0.64 m)**

**Hull Draft: 15" (0.38 m)**

**Maximum HP: 250 (187 kW)**

**Outboard Shaft Length: 25" (0.64 m)**

**Standard Fuel Capacity: 82 gal. (310 l)**

**Transom Width: 7'10" (2.39 m)**

**Weight w/o Engine: 2810 lb. (1275 kg)**

### STANDARD FEATURES

#### Safety

Automatic bilge pump (1100 GPH)(4164 LPH)  
Basic flotation  
Bow rail - low profile 316 grade stainless steel  
Cockpit toe rails  
Companion grab rail  
Fire extinguisher holder  
Nonskid fiberglass liner  
Self-bailing cockpit w/cockpit drains (2)  
Stainless steel through-hull fittings

#### Cockpit & Deck

100% hand laid hull & deck  
Accessory outlet - 12V  
Battery select switch w/extra battery  
Cleats  
Cockpit lights - LED lighting  
Compass  
Deck hardware - 316 grade stainless steel through-bolted  
Drink holders - stainless steel (8)  
Factory engine pre-rigging  
Fish/ice box - 64-qt. (60.6 l) aft deck insulated box w/ob drain  
Fish/ice box - 83-qt. (78.5 l) starboard bow insulated box w/ob drain  
Fuel capacity - 82-gallon (310.4 l) tank  
Head - lockable console head area w/dome light, storage nets & teak and holly sole  
International lighting  
Rod holders (4)  
Rod storage racks - horizontal (6)  
Rubrail - high density PVC w/stainless steel insert  
Seating - aft seats (2)  
Seating - helm & companion pedestal chairs  
Seating - port & starboard bow box cushions  
Steering - no-feedback mechanical  
Steering wheel - 316 grade stainless steel  
Stern eyes - heavy-duty 316 stainless steel  
Storage - forward anchor locker w/rode storage  
Storage - lockable console compartment w/service light  
Storage - port bow seat compartment  
Windshield - walk-through tempered glass windshield  
Windshield wiper (starboard)

### OPTIONAL FEATURES

Bow lifting ring  
CE certification package  
Cockpit bolsters  
Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)  
Forward bolsters  
Head - portable  
Hydraulic trim tabs w/indicator & retracto  
Livewell - 16-gallon (60.6 l) insulated raw water livewell  
Painted hull  
Seating - Deluxe I helm chair  
Seating - Deluxe I helm & companion chairs  
Seating - port sleeper seat w/storage drawer  
Sirius satellite radio system  
Ski pylon  
Steering - hydraulic (required w/F200 & F250 engines)  
Steering - hydraulic tilt  
Stereo system w/MP3/auxiliary audio connections & flip-down storage - satellite ready; speakers - bow (2) & helm (2)  
Sun platform insert w/cushion  
Swim platform w/ladder  
Table (bow)  
Washdown - pressurized raw water w/hose

### CANVAS OPTIONS

(Available in ivory or navy)  
Aft curtain  
Bow cover w/zipper  
Drop curtain  
Sleeper seat cover  
Tonneau cover  
Vista top w/front & side curtains



## Adventure 208

20' Walkaround Cabin

**Beam Amidships: 8'1" (2.46 m)**

**Bridge Clearance: 5'9" (1.75 m)**

**w/Hardtop: 8' (2.44 m)**

**Center Line Length: 20'4" (6.20 m)**

**Cockpit Area: 41 sq. ft. (3.8 m<sup>2</sup>)**

**Cockpit Depth: 25" (0.64 m)**

**Hull Draft: 15" (0.38 m)**

**Maximum HP: 250 (187 kW)**

**Outboard Shaft Length: 25" (0.64 m)**

**Standard Fuel Capacity: 82 gal. (310 l)**

**Transom Width: 7'10" (2.39 m)**

**Weight w/o Engine: 2900 lb. (1315 kg)**

### STANDARD FEATURES

#### Safety

Automatic bilge pump (1100 GPH)(4164 LPH)  
Basic flotation

Visit [www.gradywhite.com](http://www.gradywhite.com) for the very latest specifications, performance reports, magazine reviews, virtual tours, additional photos and more detailed information on every Grady-White model.

Bow rail - 316 grade stainless steel  
 Cockpit toe rails  
 Companion grab rail  
 Fold down motorwell bulkhead  
 Nonskid fiberglass liner  
 Nonskid recessed walkaround  
 Self-bailing cockpit w/cockpit drains (4)  
 Stainless steel through-hull fittings

#### Cockpit & Deck

100% hand laid hull & deck  
 Accessory outlet - 12V (2)  
 Battery select switch w/extra battery  
 Cleats  
 Cockpit lights - LED lighting  
 Compass  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders - stainless steel (6)  
 Factory engine pre-rigging  
 Fish box - 103-qt. (97.5 l) port insulated fish box w/ob drain  
 Fish box - 106-qt. (100.3 l) starboard insulated fish box w/ob drain  
 Footrests (helm & companion)  
 Fuel capacity - 82-gallon (310.4 l) tank  
 International lighting  
 Rod holders (4)  
 Rod storage racks - horizontal (6)  
 Rubrail - high density PVC w/stainless steel insert  
 Seating - aft seats (2)  
 Seating - helm & companion pedestal chairs  
 Seating - port & starboard fish box cushions  
 Steering - no-feedback mechanical  
 Steering wheel - 316 grade stainless steel  
 Stern eyes - heavy-duty 316 stainless steel  
 Storage - aft seat lift out boxes (2)  
 Storage - forward anchor locker w/rode storage  
 Storage - lockable electronics box  
 Storage - lockable storage under helm chair  
 Storage - tackle drawers under companion chair (2)  
 Storage nets  
 Windshield - tempered glass  
 Windshield wiper (starboard)

#### Cabin

Berth - forward vee berth  
 Forward hatch - low profile acrylic hatch w/screen  
 Lighting - cabin dome light  
 Lighting - reading light  
 Lockable door w/screen & companionway hatch  
 Rod storage holders (4)  
 Storage - portable head compartment  
 Storage - under berth compartments (3)  
 Windows - opening windows w/screens (2)

#### OPTIONAL FEATURES

Bow lifting ring  
 Bow pulpit  
 CE certification package  
 Cockpit bolsters  
 Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)  
 Hardtop top-mounted rod holders (requires hardtop option)  
 Hardtop w/radio box, spreader lights & side mounted rod holders (4)  
 Head - portable  
 Head - portable w/deck pump out  
 Hydraulic trim tabs w/indicator & retracto  
 Livewell - 25-gallon (94.6 l) insulated raw water livewell  
 Painted hull

Seating - companion bench seat  
 Seating - foredeck cushions  
 Steering - hydraulic (required w/F200 & F250 engines)  
 Steering - hydraulic tilt  
 Swim platform w/ladder  
 Washdown - pressurized raw water w/hose

#### CANVAS OPTIONS

(Available in navy)  
 Drop curtain (hardtop or vista top)  
 Hardtop front & side curtains  
 Vista top w/front & side curtains



## Fisherman 209

### 20' Center Console

**Beam Amidships: 8'1" (2.46 m)**

**Bridge Clearance: 6'4" (1.95 m)**  
**w/T-top: 7'9" (2.36 m)**

**Center Line Length: 20'4" (6.20 m)**

**Cockpit Area: 58 sq. ft. (5.4 m<sup>2</sup>)**

**Cockpit Depth: 25" (0.64 m)**

**Hull Draft: 15" (0.38 m)**

**Maximum HP: 250 (187 kW)**

**Outboard Shaft Length: 25" (0.64 m)**

**Standard Fuel Capacity: 82 gal. (310 l)**

**Transom Width: 7'10" (2.39 m)**

**Weight w/o Engine: 2600 lb. (1179 kg)**

#### STANDARD FEATURES

##### Safety

Automatic bilge pump (1100 GPH) (4164 LPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Cockpit toe rails  
 Console grab rail  
 Fold down motorwell bulkhead  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/cockpit drains (2)  
 Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
 Battery select switch w/extra battery  
 Cleats  
 Cockpit lights - LED lighting  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders - stainless steel (6)

Factory engine pre-rigging  
 Fish box - 88-qt. (83.28 l) port insulated fish box w/ob drain  
 Fish box - 88-qt. (83.28 l) starboard insulated fish box w/ob drain  
 Fuel capacity - 82-gallon (310.4 l) tank  
 International lighting  
 Rod holders (4)  
 Rod storage racks - horizontal (6)  
 Rubrail - high density PVC w/stainless steel insert  
 Seating - aft seats (2)  
 Seating - helm & companion pedestal chairs  
 Stern eyes - heavy-duty 316 stainless steel  
 Storage - aft rigging compartments (2)  
 Storage - forward anchor locker w/rode storage

#### Console

Accessory outlet - 12V (2)  
 Compass  
 Drink holders - stainless steel (2)  
 Head-lockable compartment w/head area & dome light  
 Rod storage holders - vertical (6)  
 Seating - removable cooler seat forward  
 Steering - no-feedback mechanical  
 Steering wheel - 316 grade stainless steel  
 Windshield - scratch resistant acrylic windshield w/handrail

#### OPTIONAL FEATURES

Bow lifting ring  
 Casting platform insert w/cushion  
 CE certification package  
 Cockpit bolsters  
 Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)  
 Forward bolsters  
 Head - portable  
 Head - portable w/deck pump-out  
 Head - portable w/in-line macerator  
 High bow rail  
 Hydraulic trim tabs w/indicator & retracto  
 Livewell (lean bar option only) - 23-gallon (87.1 l) insulated raw water livewell w/cushion  
 Painted hull  
 Painted lean bar rod holders (requires lean bar option)  
 Painted T-top frame (requires T-top option)  
 Seating - Deluxe lean bar w/backrest, flip-up bolster, fire extinguisher holder, footrest, tackle trays, lockable storage & rod holders (4)  
 Seating - port & starboard fish box cushions  
 Sirius satellite radio system  
 Steering - hydraulic (required w/F200 & F250 engines)  
 Steering - hydraulic tilt  
 Stereo w/MP3/auxiliary audio connections & fold down storage - satellite ready; speakers - bow (2), helm (2)  
 Swim platform w/ladder  
 T-top w/radio box, dome light, storage net, spreader light, rod holders (4) & radar flat  
 Washdown - pressurized raw water w/hose

#### CANVAS OPTIONS

Bimini top w/boot (ivory or navy)  
 T-top front, side & wing curtains (ivory)



## Freedom 225

### 22' Dual Console

**Beam Amidships: 8' (2.44 m)**

**Bridge Clearance: 5'6" (1.68 m)**

**Center Line Length: 22'2" (6.76 m)**

**Cockpit Area: 49 sq. ft. (4.6 m<sup>2</sup>)**

**Cockpit Depth: 25" (0.64 m)**

**Hull Draft: 16" (0.41 m)**

**Maximum HP: 300 (224 kW)**

**Outboard Shaft Length: 25" (0.64 m)**

**Standard Fuel Capacity: 96 gal. (363 l)**

**Transom Width: 7'11" (2.41 m)**

**Weight w/o Engine: 3450 lb. (1565 kg)**

#### STANDARD FEATURES

##### Safety

Automatic bilge pump (1500 GPH) (5678 LPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Cockpit toe rails  
 Companion grab rail  
 Fire extinguisher holder  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/cockpit drains (2)  
 Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
 Accessory outlet - 12V (2)  
 Battery select switch w/extra battery  
 Cleats  
 Cockpit freshwater shower (recessed)  
 Cockpit lights - LED lighting  
 Compass  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders - stainless steel (12)  
 Factory engine pre-rigging  
 Fish/ice box - 175-qt. (165.6 l) aft insulated box w/ob drain  
 Fish/ice box - 52-qt. (49.2 l) starboard bow insulated box w/ob drain  
 Footrest (helm)  
 Forward bolsters  
 Fuel capacity - 96-gallon (363.4 l) tank  
 Head - lockable console area w/dome light, portable head, storage nets & teak and holly sole  
 Hydraulic trim tabs w/indicator & retracto  
 International lighting  
 Rod holders (4)  
 Rod storage racks - horizontal (6)  
 Rubrail - high density PVC w/stainless steel insert  
 Seating - Deluxe I helm & companion chairs  
 Seating - fold away aft bench seat w/cushion  
 Seating - port & starboard bow box cushions

Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stern eyes - heavy-duty 316 stainless steel  
 Storage - 22-gallon (83.3 l) insulated aft storage compartment  
 Storage - forward anchor locker w/rode storage  
 Storage - forward bow seat compartment  
 Storage - lockable console storage compartment w/service light  
 Storage - lockable console tackle drawers  
 Storage - port bow seat compartment  
 Swim platform - full transom width w/ladder  
 Water tank - 10-gallon (37.9 l) freshwater  
 Windshield - walk-through tempered glass windshield  
 Windshield wiper (starboard)

#### OPTIONAL FEATURES

Bow lifting ring  
 CE certification package  
 Cockpit bolsters  
 Head - portable w/deck pump out  
 Head - portable w/in-line macerator  
 Livewell - 22-gallon (83.3 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)  
 Painted hull  
 Seating - Deluxe II horizontally and vertically adjustable helm chair  
 Seating - Deluxe II horizontally and vertically adjustable helm & companion chairs  
 Seating - port sleeper seat w/storage drawer  
 Sirius satellite radio system  
 Ski pylon  
 Soft top arch  
 Stereo w/MP3/auxiliary audio connections & fold down storage - satellite ready; speakers - bow (2) & helm (2)  
 Sun platform insert w/cushion  
 Table (bow)  
 Washdown - pressurized raw water w/hose

#### CANVAS OPTIONS

(Available in ivory or navy)  
 Bow cover w/zipper  
 Sleeper seat cover  
 Soft top front & side curtains (ivory only)  
 Tonneau cover  
 Vista top aft curtain  
 Vista top drop curtain  
 Vista top w/front & side curtains



## Seafarer 226/228

22' Walkaround Cabin

Beam Amidships: 8' (2.44 m)

Bridge Clearance: 6'2" (1.88 m)

w/Hardtop: 8'4" (2.54 m)

Center Line Length: 22'2" (6.76 m)

Cockpit Area: 49 sq. ft. (4.6 m<sup>2</sup>)

Cockpit Depth: 26" (0.66 m)

Hull Draft: 16" (0.41 m)

Maximum HP: 300 (224 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 125 gal. (473 l)

Transom Width: 7'11" (2.41 m)

Weight w/o Engine:

226 (standard transom): 3385 lb. (1535 kg)

228 (Grady Drive transom): 3510 lb. (1592 kg)

### STANDARD FEATURES

#### Safety

2 automatic bilge pumps (total 2200 GPH) (8328 LPH)

Basic flotation

Bow rail - 316 grade stainless steel

Cockpit toe rails

Companion grab rail

Fold down motorwell bulkhead (226 only)

Nonskid fiberglass liner

Nonskid recessed walkaround

Self-bailing cockpit w/cockpit drains (4)

Stainless steel through-hull fittings

#### Cockpit & Deck

100% hand laid hull & deck

Accessory outlet - 12V (2)

Bait rigging area w/cutting board & drink holders

(228 only)

Battery select switch w/extra battery

Cleats

Cockpit freshwater shower (recessed)

Cockpit lights - LED lighting

Compass

Deck hardware - 316 grade stainless steel

through-bolted

Drink holders - stainless steel (6)

Factory engine pre-rigging

Fish box - 190-qt. (179.8 l) starboard insulated

fish box w/ob drain

Fish box - 72-qt. (68.1 l) aft insulated fish box w/ob drain

(228 only)

Fish box - divided port insulated fish box (80-qt. &

45-qt. sections w/ob drain) (75.7 l & 42.6 l)

Footrests (helm & companion)

Fuel capacity - 125-gallon tank (473.2 l)

Hydraulic trim tabs w/indicator & retractor

International lighting

Rod holders (4)

Rod storage holders - vertical (4) (228 only)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - aft seats (2)

Seating - helm & companion pedestal chairs

Seating - port & starboard fish box cushions

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Stern eyes - heavy-duty 316 stainless steel

Storage - aft lift out boxes

Storage - forward anchor locker w/rode storage

Storage - lockable helm station radio box

Storage - tackle drawers under helm &

companion chairs

Storage nets

Swim platform - full transom width w/ladder

(228 only)

Water tank - 10-gallon (37.9 l) freshwater

Windshield - ventilated tempered glass windshield

Windshield wiper (starboard)

#### Cabin

Berth - forward vee berth

Forward hatch - low profile acrylic hatch w/screen

Lighting - dome light

Lockable door w/screen & companionway hatch

Rod storage holders (4)

Sink

Storage - cabinet

Storage - portable head compartment

Storage - under berth compartments (3)

Windows - opening windows w/screens (2)

### OPTIONAL FEATURES

Bow lifting ring

Bow pulpit

CE certification package

Cockpit bolsters

Hardtop top-mounted rod holders (requires hardtop option)

Hardtop w/radio box, storage net, spreader lights &

side mounted rod holders (4)

Head - portable

Head - portable w/deck pump out

Head - portable w/in-line macerator

Livewell - 20-gallon (75.7 l) aft insulated raw water

livewell (228)

Livewell - 20-gallon (75.7 l) port insulated

raw water livewell (226)

Painted hull

Seating - companion bench seat

Seating - Deluxe I helm chair

Seating - Deluxe I helm & companion chairs

Seating - foredeck cushions

Swim platform w/ladder (226 only)

Washdown - pressurized raw water w/hose

Windshield wiper (port)

### CANVAS OPTIONS

(Available in navy)

Drop curtain (hardtop or vista top)

Hardtop front & side curtains

Vista top w/front & side curtains



## Fisherman 230

23' Center Console

Beam Amidships: 8'6" (2.59 m)

Bridge Clearance: 6'8" (1.88 m)

w/T-top: 8'5" (2.57 m)

Center Line Length: 22'8" (6.9 m)

Cockpit Area: 58 sq. ft. (17.68 m<sup>2</sup>)

Cockpit Depth: 25" (0.64 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 300 (224 kW)

Outboard Shaft Length: 25" (0.64 m)

Standard Fuel Capacity: 120 gal. (454 l)

Transom Width: 8'4" (2.54 m)

Weight w/o Engine: 4002 lb. (1815 kg)

### STANDARD FEATURES

#### Safety

Automatic bilge pump (1500 GPH) (5678 LPH)

Basic flotation

Bow rail - low profile 316 grade stainless steel

Cockpit toe rails

Console grab rail

Fire extinguisher holder

Nonskid fiberglass liner

Self-bailing cockpit w/cockpit drains (2)

Stainless steel through-hull fittings

#### Cockpit & Deck

100% hand laid hull & deck

Battery select switch w/extra battery

Cleats - flush mount (pop up)

Cockpit lights - LED lighting

Cutting board

Deck hardware - 316 grade stainless steel

through-bolted

Drink holders - stainless steel (4)

Factory engine pre-rigging

Fish box - 101-qt. (96 l) port forward insulated

fish box w/ob drain

Fish box - 101-qt. (96 l) starboard forward

insulated fish box w/ob drain

Flush mount electronics kit

Fuel capacity - 120-gallon (454 l) tank

Hydraulic trim tabs w/indicator & retractor

International lighting

Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - helm & companion pedestal chairs

Stern eyes - heavy-duty 316 stainless steel

Storage - 3-drawer lockable storage

Storage - 20-qt. (19 l) port aft lift out box

with lure tray

Storage - 140-qt. (132 l) starboard aft box

Storage - forward anchor locker w/rode storage

Washdown - pressurized raw water w/hose

#### Console

Accessory outlet - 12V (2)

Compass

Drink holders - stainless steel (2)

Head - lockable console w/stand up head area

& dome light

Seating - 72-qt. (68 l) removable cooler

seat forward

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Storage nets

Windshield - scratch resistant acrylic windshield

w/handrail

### OPTIONAL FEATURES

Anchor windlass

Bow lifting ring

Castling platform insert w/cushion

CE certification package

Cockpit bolsters

Cockpit freshwater shower (recessed) - 10-gallon (37.9 l)

Cooler upgrade - forward console

Forward bolsters

Head - portable

Head - portable w/deck pump out

Head - portable w/in-line macerator

Livewell - 35-gallon (132 l) insulated raw water

aft livewell w/light, full column distribution

inlet & ob drain (1100 GPH pump) (4164 LPH)

Outtrigger kit - 15-ft. (4.6 m) radial T-top mounted

(requires T-top option)

Painted hull

Painted lean bar rod holders (requires lean bar option)

Painted T-top frame (requires T-top option)

Seating - deluxe lean bar w/backrest, flip-up

bolster, knife & pliers holder (1), tackle trays,

lockable storage & rod holders (4)

Seating - fold away aft bench seat w/cushion

Seating - port and starboard fish box cushions

Sirius satellite radio system

Ski pylon

Stereo system w/MP3/auxiliary audio connections &

fold down storage - satellite ready; speakers -

bow (2) & helm (2)

Swim platform w/ladder

T-top w/radio box, dome light, storage net,

spreader light, rod holders (4), radar flat &

outtrigger plates

### CANVAS OPTIONS

Bimini top w/boot (ivory or navy)

T-top front, side & wing curtains (ivory)



## Gulfstream 232

23' Walkaround Cabin

Beam Amidships: 9'3" (2.82 m)

Bridge Clearance: 6'5" (1.96 m)

w/Hardtop: 8'8" (2.64 m)

Center Line Length: 23'5" (7.14 m)

Cockpit Area: 56 sq. ft. (5.2 m<sup>2</sup>)

Cockpit Depth: 27" (0.69 m)

Hull Draft: 20" (0.51 m)

Maximum HP: 400 (298 kW)

Outboard Shaft Length:

Single: 30" (0.76 m)

Dual: 25" (0.64 m)

Standard Fuel Capacity: 150 gal. (568 l)

Transom Width: 8'10" (2.69 m)

Weight w/o Engine:

232S: 4538 lb. (2058 kg)

232D: 4605 lb. (2089 kg)

### STANDARD FEATURES

#### Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)

Basic flotation

Bow rail - 316 grade stainless steel

Cockpit toe rails

Companion grab rail

Nonskid fiberglass liner

Nonskid recessed walkaround

Self-bailing cockpit w/cockpit drains (4)

Stainless steel through-hull fittings

#### Cockpit & Deck

100% hand laid hull & deck

Accessory outlet - 12V (2)

Battery select switch(es) w/extra battery

Cleats

Cockpit freshwater shower (recessed)

Cockpit lights - LED lighting

Compass

Cutting board

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (9)

Factory engine pre-rigging

Fish box - 265-qt. (250.8 l) starboard insulated

fish box w/ob drain

Fish box - 297-qt. (281.1 l) aft insulated fish box w/ob drain

Flush mount electronics kit

Footrests - helm & companion (adjustable)

Fuel capacity - 150-gallon (567.8 l)

Rod holders (4)  
 Rod storage racks - horizontal (6)  
 Rubrail - high density PVC w/stainless steel insert  
 Seating - Deluxe I helm & companion chairs  
 Seating - fold away aft bench seat w/cushion  
 Seating - port livewell cushion  
 Seating - starboard fish box cushion  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stern eyes - heavy-duty 316 stainless steel  
 Storage - forward anchor locker w/rode storage  
 Storage - tackle drawers under companion seat (2)  
 Storage - tackle trays under helm chair (2)  
 Swim platform - full transom width w/ladder  
 Washdown - pressurized raw water w/hose  
 Water tank - 12-gallon (45.4 l) freshwater  
 Windshield - ventilated tempered glass windshield  
 Windshield wipers

#### Cabin

Berths - 2 berths (upper & lower)  
 Forward hatch - low profile acrylic hatch w/screen  
 Galley - portside galley w/sink  
 Ice box - insulated ice box w/ob drain  
 Lighting - dome light  
 Lockable door w/screen & companionway hatch  
 Rod storage holders (2)  
 Storage - aft compartment  
 Storage - portable head compartment  
 Storage - under berth compartment  
 Storage - under sink compartment  
 Storage nets  
 Stove - butane  
 Windows - opening windows w/screens (2)

#### OPTIONAL FEATURES

Air conditioner - 3500 BTU in cabin  
 Anchor windlass (requires bow pulpit option)  
 Bow lifting ring  
 Bow pulpit  
 CE certification package  
 Cockpit bolsters  
 Cushions - auxiliary berth cushions  
 Hardtop top-mounted rod holders (requires hardtop option)  
 Hardtop w/radio box, storage net, spreader lights, side mounted rod holders (4) & outrigger plates  
 Head - marine head w/electric flush & 10-gallon (37.9 l) holding tank  
 Head - marine head w/macerator, 10-gallon (37.9 l) holding tank & pump out  
 Head - portable  
 Head - portable w/deck pump out  
 Head - portable w/in-line macerator  
 Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (hardtop option only)  
 Painted hull  
 Rod storage - folding cabin rack (4)  
 Seating - Deluxe II horizontally adjustable helm & companion chairs  
 Seating - foredeck cushions  
 Sirius satellite radio system  
 Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready; speakers - cabin (2), cockpit (2) & helm (2)  
 Storage - lockable electronics box  
 Windshield washer - freshwater (starboard)

#### CANVAS OPTIONS

(Available in navy)  
 Hardtop drop curtain  
 Hardtop front & side curtains



## Freedom 255

### 25' Dual Console

**Beam Amidships: 8'6" (2.59 m)**

**Bridge Clearance: 5'7" (1.70 m)**  
**w/Hardtop: 7'8" (2.34 m)**

**Center Line Length: 24'9" (7.55 m)**

**Cockpit Area: 60 sq. ft. (5.6 m<sup>2</sup>)**

**Cockpit Depth: 27" (.69 m)**

**Hull Draft: 20" (.51 m)**

**Maximum HP: 350 (261 kW)**

**Outboard Shaft Length**

**Single: 30" (.76 m)**

**Dual: 25" (.64 m)**

**Standard Fuel Capacity: 153 gal. (579 l)**

**Transom Width: 7'10" (2.39 m)**

**Weight w/o Engine: 4459 lb. (2023 kg)**

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (2600 GPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Cockpit toe rails  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/cockpit drains (4)  
 Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
 Accessory outlet - 12V (2)  
 Anchor windlass wiring  
 Battery select switch(es) w/extra battery  
 Cleats  
 Cockpit bolsters  
 Cockpit freshwater shower (recessed)  
 Cockpit lights - LED lighting  
 Companion grab rail  
 Compass  
 Cutting board  
 Deck hardware - 316 grade stainless steel through-bolts  
 Drink holders - stainless steel (9)  
 Factory engine pre-rigging  
 Fish/ice box - 165-qt. (156.1 l) starboard insulated box w/ob drain  
 Footrest - helm  
 Forward bolsters  
 Fuel capacity - 153-gallon (579 l) tank  
 Head - lockable console w/dome light, bulk storage, portable head & teak and holly sole  
 Hydraulic trim tabs w/indicator & retractor  
 Integrated outboard mounting system w/swim platform & ladder  
 International lighting  
 Rod holders (6)  
 Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert  
 Seating - Deluxe I helm & companion chairs  
 Seating - fold away aft bench seat w/cushion  
 Seating - port & starboard bow box cushions  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stern eyes - heavy-duty 316 stainless steel  
 Storage - 80-qt. (75.7 l) port bow storage box  
 Storage - 104-qt. (98.4 l) port aft box  
 Storage - forward anchor locker w/rode storage  
 Storage - starboard lockable storage area  
 Transom door - fiberglass  
 Water tank - 20-gallon (75.7 l) freshwater  
 Windshield - walk-through tempered glass windshield  
 Windshield wiper (starboard)

#### OPTIONAL FEATURES

Anchor windlass  
 Bow lifting ring  
 CE certification package  
 Grill - 1300W w/power inverter (requires wet bar option) (replaces sink)  
 Hardtop top mounted rod holders (requires hardtop option)  
 Hardtop w/spreader lights, storage net & outrigger plates  
 Head - marine head w/electric flush, 10-gallon (37.9 l)  
 Head - marine head w/macerator, 10-gallon (37.9 l) holding tank & pump out  
 Head - portable w/deck pump out  
 Head - portable w/in-line macerator  
 International AC electrical conversion - 220V (50Hz)  
 Livewell - 26-gallon (98.4 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)  
 Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (requires hardtop option)  
 Painted hardtop frame (requires hardtop option)  
 Painted hardtop rod holders (requires rod holder option)  
 Painted hull  
 Seating - Deluxe II horizontally and vertically adjustable helm chair (starboard)  
 Seating - Deluxe II horizontally and vertically adjustable helm & companion chairs  
 Seating - Deluxe III helm chair w/flip-up bolster (starboard)  
 Seating - sleeper seat w/storage drawer (port)  
 Sirius satellite radio system  
 Ski pylon  
 Stereo w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready; speakers - aft (2), bow (2) & helm or hardtop (2)  
 Sun platform insert w/cushion  
 Table (bow) (doubles as cockpit table)  
 Washdown - pressurized raw water w/hose  
 Wet bar w/electronically-operated helm lounge seat, fire extinguisher holder, sink, storage drawer & trash compartment

#### CANVAS OPTIONS

(Available in ivory or navy)  
 Aft curtain (hardtop or vista top)  
 Bow cover w/zipper  
 Drop curtain (hardtop or vista top)  
 Hardtop front & side curtains  
 Sleeper seat cover  
 Tonneau cover  
 Vista top w/front & side curtains  
 Wet bar cover



## Fisherman 257

### 25' Center Console

**Beam Amidships: 8'6" (2.59 m)**

**Bridge Clearance: 7' (2.13 m)**  
**w/T-top: 8'6" (2.59 m)**

**Center Line Length: 24'9" (7.55 m)**

**Cockpit Area: 64 sq. ft. (5.9 m<sup>2</sup>)**

**Cockpit Depth: 27" (0.69 m)**

**Hull Draft: 20" (0.51 m)**

**Maximum HP: 350 (261 kW)**

**Outboard Shaft Length:**

**Single: 30" (0.76 m)**

**Dual: 25" (0.64 m)**

**Standard Fuel Capacity: 153 gal. (579 l)**

**Transom Width: 7'10" (2.39 m)**

**Weight w/o Engine: 4300 lb. (1951 kg)**

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (2600 GPH) (9842 LPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Cockpit toe rails  
 Console grab rail  
 Fire extinguisher holder  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/cockpit drains (4)  
 Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
 Battery select switch(es) w/extra battery  
 Cleats  
 Cockpit bolsters  
 Cockpit freshwater shower (recessed)  
 Cockpit lights - LED lighting  
 Compass  
 Cutting board  
 Deck hardware - 316 grade stainless steel through-bolts  
 Drink holders - stainless steel (3)  
 Factory engine pre-rigging  
 Fish box - 120-qt. (113.6 l) forward divided port insulated fish box w/ob drain  
 Fish box - 120-qt. (113.6 l) forward starboard insulated fish box w/ob drain  
 Fish box - 185-qt. (175.1 l) aft insulated fish box w/ob drain  
 Forward bolsters  
 Fuel capacity - 153-gallon (579 l) tank  
 Hydraulic trim tabs w/indicator & retractor  
 Integrated outboard mounting system w/swim platform & ladder

International lighting  
 Livewell - 32-gallon (121.1 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rod holders (4)  
 Rod storage racks - horizontal (6)  
 Rubrail - high density PVC w/stainless steel insert  
 Seating - deluxe lean bar w/footrest, backrest, flip-up bolster, knife & pliers holders, tackle trays, lockable storage & rod holders (4)  
 Seating - fold away aft bench seat w/cushion  
 Seating - port & starboard fish box cushions  
 Stern eyes - heavy-duty 316 stainless steel  
 Storage - forward anchor locker w/rode storage  
 Transom door - fiberglass  
 Washdown - pressurized raw water w/hose  
 Water tank - 20-gallon (75.7 l) freshwater

#### Console

Accessory outlet - 12V (2)  
 Console ventilator  
 Drink holders - stainless steel (2)  
 Casting platform console w/stand up head area, dome light, storage shelves & hanging locker  
 Seating - molded forward console seat w/cushion  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Storage - under footrest  
 Storage nets  
 Windshield - scratch resistant acrylic windshield w/handrail

#### OPTIONAL FEATURES

Anchor windlass w/bow roller  
 Anchor windlass w/bow pulpit  
 Bow lifting ring  
 Bow pulpit (includes high profile bow rail)  
 Casting platform insert w/cushions  
 CE certification package  
 Head - portable  
 Head - portable w/deck pump out  
 Head - portable w/in-line macerator  
 Outrigger kit - 15-ft. (4.6 m) radial T-top mounted (requires T-top option)  
 Painted hull  
 Painted lean bar rod holders  
 Painted T-top frame (requires T-top option)  
 Sirius satellite radio system  
 Stereo system w/MP3/auxiliary audio connections & fold down storage - satellite ready; speakers - console forward (2) & helm (2)  
 T-top w/radio box, radar flat, dome light, storage net, spreader light, rod holders (4) & outrigger plates  
 Table (bow)

#### CANVAS OPTIONS

(Available in ivory)  
 T-top front, side & wing curtains

## Journey 258

### 25' Walkaround Cabin

**Beam Amidships:** 8'6" (2.59 m)  
**Bridge Clearance:** 6'6" (1.98 m)  
**w/Hardtop:** 8'8" (2.64 m)  
**Center Line Length:** 24'9" (7.55 m)  
**Cockpit Area:** 55 sq. ft. (5.1 m<sup>2</sup>)  
**Cockpit Depth:** 27" (0.69 m)  
**Hull Draft:** 20" (0.51 m)  
**Maximum HP:** 350 (261 kW)  
**Outboard Shaft Length:**  
**Single:** 30" (0.76 m)  
**Dual:** 25" (0.64 m)  
**Standard Fuel Capacity:** 127 gal. (481 l)  
**Transom Width:** 7'10" (2.39 m)  
**Weight w/o Engine:** 4320 lb. (1960 kg)

#### STANDARD FEATURES

**Safety**  
 2 automatic bilge pumps (total 2600 GPH)(9842 LPH)  
 Basic flotation  
 Bow rail - 316 grade stainless steel  
 Cockpit toe rails  
 Companion grab rail  
 Nonskid fiberglass liner  
 Nonskid recessed walkaround  
 Self-bailing cockpit w/cockpit drains (4)  
 Stainless steel through-hull fittings

#### Cockpit & Deck

100% hand laid hull & deck  
 Accessory outlet - 12V (2)  
 Battery select switches w/extra battery  
 Cleats  
 Cockpit freshwater shower (recessed)  
 Cockpit lights - LED lighting  
 Compass  
 Cutting board  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders - stainless steel (6)  
 Factory engine pre-rigging  
 Fish box - 158-qt. (149.5 l) starboard insulated fish box w/ob drain  
 Footrest - helm & companion (adjustable)  
 Fuel capacity - 127-gallon (480.7 l) tank  
 Hydraulic trim tabs w/indicator & retracto  
 Ice box - 40-qt. (37.9 l) aft insulated ice box w/ob drain  
 Integrated outboard mounting system w/swim platform & ladder  
 International lighting  
 Livewell - 34-gallon (128.7 l) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)  
 Rod holders (6)

Rod storage racks - horizontal (6)  
 Rubrail - high density PVC w/stainless steel insert  
 Seating - Deluxe I helm & companion chairs  
 Seating - fold away aft bench seat w/cushion  
 Seating - port livewell cushion  
 Seating - starboard fish box cushion  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stern eyes - heavy-duty 316 stainless steel  
 Storage - forward anchor locker w/rode storage  
 Storage - lockable electronics box  
 Storage - lockable storage under helm seat  
 Storage - tackle drawer under companion seat  
 Storage - transom mounted knife & pliers holder  
 Transom door - fiberglass  
 Washdown - pressurized raw water w/hose  
 Water tank - 10-gallon (37.9 l) freshwater  
 Windshield - ventilated tempered glass windshield  
 Windshield wiper (starboard)

#### Cabin

Berth - forward vee berth  
 Carpet  
 Forward hatch - low profile acrylic hatch w/screen  
 Lighting - cabin dome light  
 Lighting - reading light  
 Lockable door w/screen & companionway hatch  
 Rod storage holders (4)  
 Sink  
 Storage - portable head compartment  
 Storage - under berth compartments (5)  
 Storage nets  
 Windows - opening windows w/screens (2)

#### OPTIONAL FEATURES

Air conditioner - 3500 BTU in cabin  
 Anchor windlass (requires bow pulpit option)  
 Auxiliary fuel capacity - 41-gallon (155.2 l) tank  
 Bow lifting ring  
 Bow pulpit  
 CE certification package  
 Cockpit bolsters  
 Hardtop top-mounted rod holders (requires hardtop option)  
 Hardtop w/radio box, storage net, spreader lights, side mounted rod holders (4) & outrigger plates  
 Head - marine head w/macerator, 10-gallon (37.9 l) holding tank & pump out  
 Head - portable  
 Head - portable w/deck pump out  
 Head - portable w/in-line macerator  
 Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (requires hardtop option)  
 Painted hull  
 Rod storage - folding cabin rack (4)  
 Seating - Deluxe II horizontally adjustable helm & companion chairs  
 Seating - foredeck cushions  
 Sirius satellite radio system  
 Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready; speakers - aft (2), cabin (2) & helm (2)  
 Windshield washer - freshwater (starboard)  
 Windshield wiper (port)

#### CANVAS OPTIONS

(Available in navy)  
 Drop curtain (hardtop or vista top)  
 Hardtop front & side curtains  
 Vista top w/front & side curtains



## Canyon 271

### 27' Center Console

**Beam Amidships:** 9'6" (2.89 m)  
**Bridge Clearance:** 6'11" (2.11 m)  
**w/T-top:** 8'2" (2.49 m)  
**Center Line Length:** 26'10" (8.18 m)  
**Cockpit Area:** 65 sq. ft. (6.04 m<sup>2</sup>)  
**Cockpit Depth:** 27" (0.69 m)  
**Hull Draft:** 23" (0.58 m)  
**Maximum HP:** 600 (448 kW)  
**Outboard Shaft Length:** 25" (.63 m)  
**Standard Fuel Capacity:** 202 gal. (765 l)  
**Transom Width:** 8'9" (2.67 m)  
**Weight w/o Engines:** 5790 lb. (2626 kg)

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (2600 GPH)(9842 LPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Cockpit toe rails  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/4 cockpit drains  
 Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
 Anchor windlass  
 Battery select switch  
 Cleats - flush mount (pop up)  
 Cockpit bolsters  
 Cockpit freshwater shower (recessed)  
 Cockpit lights - LED cockpit lighting under gunwales & forward seating area  
 Companion grab rail  
 Cutting board  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders - stainless steel (8)  
 Fish box - 198-qt. (218 l) aft insulated fish box w/ob drain  
 Fish box - 389-qt. (428 l) bow insulated fish box w/ob drain  
 Forward bolsters  
 Fuel capacity - 202-gallon (765 l) tank  
 Hydraulic trim tabs w/indicator & retracto  
 Integrated outboard mounting system w/swim platform & ladder  
 International lighting  
 Rod holders (6)  
 Rod storage - lockable horizontal storage for 6 rods  
 Rubrail - high density PVC w/stainless steel insert  
 Stern eyes - heavy-duty 316 stainless steel  
 Storage - forward anchor locker w/rode storage  
 Transom door - fiberglass  
 Washdown - pressurized raw water w/hose  
 Water tank - 18-gallon (37.9 l) freshwater

#### Console

Accessory outlet - 12V (2)  
 Compass  
 Console ventilator  
 Drink holders - stainless steel (2)  
 Factory engine pre-rigging  
 Flush mount electronics area  
 Head - lockable console w/stand up head area, bulk storage & marine head w/macerator, 10-gallon (37.9 l) holding tank & pump out  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Window - tinted frameless acrylic  
 Windshield - scratch resistant acrylic windshield w/handrail  
 Windshield washer  
 Windshield wiper

#### Deluxe Lean Bar

Backrest  
 Flip-up bolster  
 Footrest  
 Knife, pliers & rig holders (2)  
 Livewell - 42-gallon (159 l) insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)  
 Rigging station - freshwater sink w/pullout faucet & bait locker  
 Rod holders (4)  
 Storage - lockable tackle drawer  
 Storage - lockable tackle locker w/tackle trays  
 Storage - port net storage area

#### OPTIONAL FEATURES

Bow thruster  
 CE certification package  
 Head - marine head w/electric flush (10-gallon)(37.9 l)  
 Lighting - underwater LED (2)  
 Livewell - 32-gallon (121 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump)(4164 LPH)  
 Outrigger kit - 15-ft. (4.6 m) radial T-top mounted (requires T-top option)  
 Painted hull  
 Painted lean bar rod holders  
 Painted T-top frame (requires T-top option)  
 Sirius satellite radio system  
 Steering - power assist (standard w/TF300 pkg)  
 Stereo w/MP3/auxiliary audio connections/amplifier-satellite ready; speakers - console forward (2) & cockpit (2)  
 T-top (fiberglass) w/storage net, spreader lights, rod holders (4), radar flat & outrigger plates  
 T-top speakers (2) (requires stereo & T-top options)

#### CANVAS OPTIONS

(Available in ivory)  
 T-top front, side & wing curtains



## Freedom 275

### 27' Dual Console

**Beam Amidships:** 8'6" (2.59 m)  
**Bridge Clearance:** 6'4" (1.93 m)  
**w/Hardtop:** 8'6" (2.59 m)  
**Center Line Length:** 26'11" (8.20 m)  
**Cockpit Area:** 60 sq. ft. (5.6 m<sup>2</sup>)  
**Cockpit Depth:** 27" (0.69 m)  
**Hull Draft:** 20" (0.51 m)  
**Maximum HP:** 500 (373 kW)  
**Outboard Shaft Length:**  
**Single:** 30" (0.76 m)  
**Dual:** 25" (0.64 m)  
**Standard Fuel Capacity:** 200 gal. (757 l)  
**Transom Width:** 7'10" (2.39 m)  
**Weight w/o Engines:** 4972 lb. (2255 kg)

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (2600 GPH) (9842 LPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Cockpit toe rails  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/cockpit drains (4)  
 Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
 Accessory outlet - 12V (2)  
 Anchor windlass wiring  
 Battery select switch(s) w/extra battery  
 Cleats - flush mount (pop up)  
 Cockpit bolsters  
 Cockpit freshwater shower (recessed)  
 Cockpit lights - LED lighting  
 Companion grab rail  
 Compass  
 Cutting board  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders - stainless steel (11)  
 Factory engine pre-rigging  
 Fish/ice box - 185-qt. (175.1 l) aft insulated box w/ob drain  
 Fish/ice box - 88-qt. (83.3 l) starboard insulated box w/ob drain  
 Footrest - helm  
 Forward bolsters  
 Fuel capacity - 200-gallon (757.1 l) tank  
 Head - lockable console w/bulk storage, portable head & teak and holly sole  
 Hydraulic trim tabs w/indicator & retracto  
 Integrated outboard mounting system w/swim platform & ladder  
 International lighting  
 Rod holders (4)  
 Rod storage racks - horizontal (3)

Rubrail - high density PVC w/stainless steel insert  
 Seating - Deluxe I helm & companion chairs  
 Seating - fold away aft bench seat w/cushion  
 Seating - port & starboard bow box cushions  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stereo system w/MP3/auxiliary audio  
   connections/amplifier & fold down storage -  
   satellite ready; speakers - aft (2), bow (2) & helm (2)  
 Stern eyes - heavy-duty 316 stainless steel  
 Storage - 128-quart (121.1 l) aft insulated box  
 Storage - forward anchor locker w/rode storage  
 Storage - port bow box  
 Storage - starboard console storage drawer  
 Storage - starboard lockable storage w/service light  
 Table (bow) (doubles in cockpit area)  
 Transom door - fiberglass  
 Washdown - pressurized raw water w/hose  
 Water tank - 20-gallon (75.7 l) freshwater  
 Windshield - walk-through tempered glass windshield  
 Windshield washer - freshwater  
 Windshield wiper (starboard)

#### OPTIONAL FEATURES

Anchor windlass w/bow roller  
 Bow lifting ring  
 CE certification package  
 Grill - 1300W w/power inverter (requires wet bar option)  
   (replaces sink)  
 Hardtop w/radio box, storage net, speakers  
   (2 in lieu of helm), spreader lights & outrigger plates  
 Hardtop top-mounted rod holders  
 Head - marine head w/electric flush (10-gallon) (37.9 l)  
 Head - marine head w/macerator, 10-gallon (37.9 l)  
   holding tank & pump out  
 Head - portable w/deck pump out  
 Head - portable w/in-line macerator  
 International AC electrical conversion 220V (50Hz)  
 Livewell - 32-gallon (121.1 l) aft insulated raw  
   water livewell w/light, full column distribution  
   inlet & ob drain (1100 GPH pump) (4164 LPH)  
 Outrigger kit - 15-ft. (4.6 m) radial hardtop  
   mounted (requires hardtop option)  
 Painted hardtop frame (requires hardtop option)  
 Painted hardtop rod holders (requires rod holder option)  
 Painted hull  
 Seating - Deluxe II horizontally and vertically adjustable  
   helm chair (starboard)  
 Seating - Deluxe II horizontally and vertically adjustable  
   helm & companion chairs  
 Seating - Deluxe III helm chair w/flip-up bolster (starboard)  
 Seating - electric extendable port lounge seat  
 Seating - side mount cockpit bench seat  
   (available port & starboard)  
 Sirius satellite radio system  
 Ski pylon  
 Sun platform insert w/cushion  
 Wet bar w/electronically-operated helm seat  
   w/flip-up bolster, fire extinguisher holder, sink,  
   storage drawer & trash compartment

#### CANVAS OPTIONS

(Available in ivory or navy)  
 Aft curtain (hardtop or vista top)  
 Bow cover w/zipper  
 Drop curtain (hardtop or vista top)  
 Hardtop front & side curtains  
 Lounge seat cover  
 Tonneau cover  
 Vista top w/front & side curtains  
 Wet bar cover



## Canyon 283

### 28' Center Console

**Beam Amidships: 9'6" (2.90 m)**

**Bridge Clearance: 7'7" (2.31 m)**

**w/T-top: 9' (2.74 m)**

**Center Line Length: 28' (8.53 m)**

**Cockpit Area: 69 sq. ft. (6.4 m<sup>2</sup>)**

**Cockpit Depth: 27" (0.69 m)**

**Hull Draft: 20" (0.51 m)**

**Maximum HP: 600 (448 kW)**

**w/V6 engines only**

**Outboard Shaft Length: 25" (0.64 m)**

**Standard Fuel Capacity: 205 gal. (776 l)**

**Transom Width: 9' (2.74 m)**

**Weight w/o Engines: 5864 lb. (2660 kg)**

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Cockpit toe rails  
 Console grab rail  
 Fire extinguisher holder  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/cockpit drains (4)  
 Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
 Anchor windlass wiring  
 Battery select switches w/extra battery  
 Cleats  
 Cockpit bolsters  
 Cockpit lights - LED lighting  
 Cutting board  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders - stainless steel (7)  
 Factory engine pre-rigging  
 Fish box - 265-qt. (250.8 l) aft insulated fish box  
   w/ob drain & removable partition  
 Fish box - 135-qt. (127.8 l) port & starboard forward insulated  
   fish boxes w/ob drain  
 Forward bolsters  
 Fuel capacity - 205-gallon (776 l) tank  
 Hydraulic trim tabs w/indicator & retractor  
 Integrated outboard mounting system w/swim  
   platform & ladder  
 International lighting  
 Rod holders (4)  
 Rod storage racks - lockable horizontal (6)  
   (up to 9')(2.7 m)

Rubrail - high density PVC w/stainless steel insert  
 Seating - fold away aft bench seat w/cushion  
 Seating - port & starboard fish box cushions

Stern eyes - heavy-duty 316 stainless steel  
 Storage - aft deck lift out box  
   (also fits in forward port fish box)  
 Storage - forward anchor locker w/rode storage  
 Transducer mounting flats  
 Transom door - fiberglass  
 Washdown - pressurized raw water w/hose  
 Water tank - 20-gallon (75.7 l) freshwater

#### Console

Accessory outlet - 12V (2)  
 Compass  
 Console ventilator  
 Drink holders - stainless steel (2)  
 Head - lockable console w/stand up head area,  
   bulk storage & drawers, dome light, shower, sink,  
   marine head w/macerator (10-gallon)  
   (37.9 l) & pump out  
 Seating - molded forward console seat w/cushion  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Storage - electromechanically operated electronics enclosure  
 Storage - under footrest  
 Windshield - tempered glass windshield  
 Windshield washer - freshwater  
 Windshield wiper

#### Deluxe Lean Bar

Backrest  
 Bait rigging locker  
 Footrest  
 Knife, pliers & rig holders (2)  
 Livewell - 45-gallon (170.3 l) insulated raw water livewell  
   w/light, full column distribution inlet & ob drain  
   (1100 GPH pump) (4164 LPH)  
 Rod holders (4)  
 Sink w/pullout freshwater faucet  
 Storage - lockable tackle drawer  
 Storage - lockable tackle locker w/tackle trays  
 Storage - port net storage

#### OPTIONAL FEATURES

Anchor windlass w/bow pulpit  
 Anchor windlass w/bow roller  
 Bow lifting ring  
 Bow pulpit (includes high profile bow rail)  
 Casting platform insert w/cushions  
 CE certification package  
 Convenience package - battery charger & dockside power  
 Head - marine head w/electric flush (10-gallon) (37.9 l)  
 Outrigger kit - 15-ft. (4.6 m) radial T-top mounted  
   (requires T-top option)  
 Painted hull  
 Painted lean bar rod holders  
 Painted T-top frame (requires T-top option)  
 Sirius satellite radio system  
 Steering - power assist (standard w/TF300 package)  
 Stereo system w/MP3/auxiliary audio connections/amplifier  
   & fold down storage - satellite ready; speakers -  
   console forward (2) & helm (2)  
 T-top (fiberglass) w/radio box, dome light, storage net,  
   spreader light, rod holders (4) & outrigger plates  
 T-top speakers (2) (requires stereo and T-top options)  
 Table (bow)

#### CANVAS OPTIONS

(Available in ivory or navy)  
 T-top front, side & wing curtains



## Freedom 285

### 28' Dual Console

**Beam Amidships: 9'6" (2.89 m)**

**Bridge Clearance: 6'4" (1.95 m)**

**w/Hardtop: 8' (2.44 m)**

**Center Line Length: 28' (8.53 m)**

**Cockpit Area: 65 sq. ft. (6.04 m<sup>2</sup>)**

**Cockpit Depth: 27" (.69 m)**

**Hull Draft: 20" (.51 m)**

**Maximum HP: 600 (448 kW)**

**Outboard Shaft Length: 25" (.64 m)**

**Standard Fuel Capacity: 218 gal. (825 l)**

**Transom Width: 9' (2.74 m)**

**Weight w/o Engines: 5980 lb. (2713 kg)**

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (2600 GPH) (9842 LPH)  
 Basic flotation  
 Bow rail - low profile 316 grade stainless steel  
 Cockpit toe rails  
 Nonskid fiberglass liner  
 Self-bailing cockpit w/cockpit drains (4)  
 Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
 Accessory outlet - 12V (2)  
 Anchor windlass w/bow roller  
 Battery select switches w/extra battery  
 Cleats - flush mount (pop up)  
 Cockpit bolsters  
 Cockpit freshwater shower (recessed)  
 Cockpit lights - LED lighting  
 Companion grab rail  
 Compass  
 Cutting board  
 Deck hardware - 316 grade stainless steel through-bolted  
 Drink holders (12)  
 Factory engine pre-rigging  
 Fish/ice box - 185-qt. (175.1 l) aft insulated box w/ob drain  
 Fish/ice box - 135-qt. (128 l) starboard forward insulated box  
   w/ob drain  
 Footrest - helm  
 Forward bolsters  
 Fuel capacity - 218-gallon (825.22 l) tank  
 Head - lockable console w/bulk storage, portable head &  
   teak and holly sole  
 Hydraulic trim tabs w/indicator & retractor  
 Integrated outboard mounting system  
   w/swim platform & ladder  
 International lighting  
 Rod holders (4)  
 Rod storage racks - horizontal (3)  
 Rubrail - high density PVC w/stainless steel insert

Seating - Deluxe I helm chair  
 Seating - electric extendable port lounge seat  
 Seating - fold away aft bench seat w/cushion  
 Seating - port & starboard bow box cushions  
 Steering - hydraulic tilt  
 Steering wheel - 316 grade stainless steel  
 Stereo system w/MP3/auxiliary audio connections/amplifier  
   & fold down storage - satellite ready;  
   speakers - aft (2), bow (2) & helm (2)  
 Stern eyes - heavy-duty 316 stainless steel  
 Storage - forward anchor locker w/rode storage  
 Storage - port bow box  
 Storage - starboard console storage drawer  
 Storage - starboard lockable console w/service light  
 Table (bow) (doubles in cockpit area)  
 Transom door - fiberglass  
 Washdown - pressurized raw water w/hose  
 Water tank - 20-gallon (75.7 l) freshwater  
 Windshield - walk-through tempered glass windshield  
 Windshield wiper (starboard)

#### OPTIONAL FEATURES

CE certification package  
 Grill - 1300W w/power inverter (requires wet bar option)  
   (replaces sink)  
 Hardtop w/radio box, storage nets, speakers (2 in lieu of helm),  
   spreader lights & outrigger plates  
 Hardtop top-mounted rod holders (requires hardtop option)  
 Head - marine head w/electric flush, 10-gallon (37.9 l)  
 Head - marine head w/macerator,  
   10-gallon (37.9 l) holding tank & pump out  
 Head - portable w/deck pump out  
 Head - portable w/in-line macerator  
 International AC electrical conversion 220V (50Hz)  
 Livewell - 32-gallon (121.1 l) aft insulated raw water livewell  
   w/light, full column distribution inlet & ob drain  
   (1100 GPH pump) (4164 LPH)  
 Outrigger kit - 15-foot (4.6 m) radial hardtop mounted  
   (requires hardtop option)  
 Painted hardtop frame (requires hardtop option)  
 Painted hardtop rod holders (requires rod holder option)  
 Painted hull  
 Seating - Deluxe II horizontally and vertically adjustable  
   helm chair (starboard)  
 Seating - Deluxe II horizontally and vertically adjustable  
   helm & companion chairs  
 Seating - Deluxe III helm chair w/flip-up bolster (starboard)  
 Seating - side mount cockpit bench seat  
   (available port & starboard)  
 Sirius satellite radio system  
 Ski pylon  
 Steering - power assist (standard w/TF300 pkg)  
 Sun platform insert w/cushion  
 Wet bar w/electronically operated helm seat  
   w/flip-up bolster, sink, drink holders (2),  
   fire extinguisher holder, storage drawer &  
   trash compartment

#### CANVAS OPTIONS

(Available in ivory or navy)  
 Bow cover w/zipper  
 Hardtop aft curtain  
 Hardtop drop curtain  
 Hardtop front & side curtains  
 Lounge seat cover  
 Tonneau cover  
 Wet bar cover



## Chesapeake 290

### 29' Walkaround Cabin

**Beam Amidships: 9'11" (3.02 m)**

**Bridge Clearance w/Hardtop: 9'9" (2.97 m)**

**Center Line Length: 28'6" (8.69 m)**

**Cockpit Area: 56 sq. ft. (5.2 m<sup>2</sup>)**

**Cockpit Depth: 28" (0.71 m)**

**Hull Draft: 24" (0.6 m)**

**Length Overall (w/bow roller): 29'9" (9.07 m)**

**Maximum HP: 600 hp (448 kW)**

**Outboard Shaft Length: 25" (0.64 m)**

**Standard Fuel Capacity: 206 gal. (780 l)**

**Transom Width: 9'1" (2.76 m)**

**Weight w/o Engines: 7650 lb. (3470 kg)**

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)  
Basic flotation  
Bow rail - 316 grade stainless steel  
Cockpit toe rails  
Companion grab rail  
Nonskid fiberglass liner  
Nonskid recessed walkaround  
Self-bailing cockpit w/cockpit drains (6)  
Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
Accessory outlet - 12V (2)  
Anchor windlass wiring  
Battery charger system  
Battery select switches w/extra battery  
Cleats  
Cockpit bolsters  
Cockpit lights - LED lighting  
Cockpit shower - freshwater (recessed)  
Compass  
Cutting board  
Deck hardware - 316 grade stainless steel through-bolted  
Dockside power w/galvanic isolator  
Drink holders - stainless steel (11)  
Factory engine pre-rigging  
Fish box - 132-qt. (124.9 l) starboard insulated fish box w/ob drain  
Fish box - 265-qt. (250.8 l) aft insulated fish box w/ob drain  
Footrests - helm & companion (adjustable)  
Fuel capacity - 206-gallon (779.8 l) tank  
Hardtop w/radio box, storage nets, spreader lights, rod holders (4), outrigger plates & drop, front and side curtains (navy or ivory)  
Hydraulic trim tabs w/indicator & retractor  
Integrated outboard mounting system w/swim platform & ladder

##### International lighting

Livewell - 35-gallon (132.5 l) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)  
Rod holders (4)  
Rod storage racks - horizontal (6)  
Rubrail - high density PVC w/stainless steel insert  
Seating - Deluxe II horizontally adjustable helm & companion chairs  
Seating - fold away aft bench seat w/cushion  
Seating - port livewell cushion  
Seating - starboard fish box cushion  
Steering - hydraulic tilt  
Steering wheel - 316 grade stainless steel  
Stern eyes - heavy-duty 316 stainless steel  
Storage - aft box  
Storage - forward anchor locker w/rode storage  
Storage - lockable storage under helm seat  
Storage - tackle drawers under companion seat (2)  
Transducer mounting flats  
Transom door - fiberglass  
Washdown - pressurized raw water w/hose  
Windshield - ventilated tempered glass windshield  
Windshield washer - freshwater (starboard)  
Windshield wipers

##### Cabin

Accessory outlet - 12V  
Berth - aft double berth  
Berth - forward vee berth  
Forward hatch - low profile acrylic hatch w/screen  
Galley - port side galley w/sink & Corian® countertop  
Head - enclosed head area w/sink, shower, lamp & marine head w/macerator, 10-gallon (37.9 l) holding tank and pump out  
Lighting - cabin (6)  
Lighting - dome lights (6)  
Lockable door w/screen & companionway hatch  
Microwave oven  
Mirror  
Refrigerator  
Storage - galley shelves  
Storage nets  
Stove - electric glass top  
Table - cherry  
Teak and holly sole  
Water heater - 6 gallon (22.7 l), 120V  
Water tank - 32-gallon (121.1 l) freshwater  
Windows - opening windows w/screens & curtains (2)

#### OPTIONAL FEATURES

Air conditioning - 8000 BTU in cabin  
Anchor windlass w/bow roller  
Bow thruster  
CE Certification package  
Cockpit shower w/hot water  
Flatscreen 19" TV w/DVD player and audio visual inputs  
Generator - 4kW diesel, 12-gallon (45.4 l) fuel capacity  
Hardtop top-mounted rod holders (5)  
Head - marine head w/electric flush (10-gallon) (37.9 l)  
International AC electrical conversion - 220V 50Hz  
Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted  
Painted hull  
Seating - companion bench seat  
Seating - Deluxe III helm chair w/flip-up bolster  
Seating - Deluxe III helm & companion chairs w/flip-up bolsters  
Seating - side mount cockpit bench seat (available port & starboard)  
Sirius satellite radio system  
Steering - power assist (standard w/TF300 pkg)  
Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready; speakers - cabin (2), helm (2) & hardtop (2)



## Marlin 300

### 30' Walkaround Cabin

**Beam Amidships: 10'7" (3.23 m)**

**Bridge Clearance w/Hardtop: 9'9" (2.97 m)**

**Center Line Length: 30'6" (9.30 m)**

**Cockpit Area: 74 sq. ft. (6.9 m<sup>2</sup>)**

**Cockpit Depth: 29" (0.74 m)**

**Hull Draft: 23" (0.58 m)**

**Length Overall (w/pulpit): 32'7" (9.93 m)**

**Maximum HP: 700 (522 kW)**

**Outboard Shaft Length: 25" (0.64 m)**

**Standard Fuel Capacity: 300 gal. (1136 l)**

**Transom Width: 9'6" (2.90 m)**

**Weight w/o Engines: 8221 lb. (3729 kg)**

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)  
Basic flotation  
Bow rail - 316 grade stainless steel  
Cockpit toe rails  
Companion grab rail  
Nonskid fiberglass liner  
Nonskid recessed walkaround  
Self-bailing cockpit w/cockpit drains (4)  
Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
Accessory outlet - 12V (2)  
Anchor windlass w/remote switches at helm & windlass  
Batteries (4)  
Battery charger system  
Battery select switches w/extra battery  
Bow pulpit w/roller  
Cleats  
Cockpit bolsters  
Cockpit freshwater shower (recessed)  
Cockpit lights - LED lighting  
Compass  
Deck hardware - 316 grade stainless steel through-bolted  
Dockside power w/galvanic isolator  
Drink holders - stainless steel (9)  
Factory engine pre-rigging  
Fighting chair reinforcement  
Fish box - 290-qt. (274.4 l) aft insulated fish box w/ob drain  
Flush mount electronics kit  
Footrests - helm & companion (adjustable)  
Freshwater level indicator  
Fuel capacity - 300 gallons (150-gallon tank,

150-gallon tank) (1135 l)

Hardtop w/radio box, storage nets, spreader lights, rod holders (4), outrigger plates & drop, front and side curtains (ivory or navy)

Hydraulic trim tabs w/indicator & retractor

Integrated outboard mounting system w/swim platform & ladder

International lighting

Livewell - 32-gallon (121.1 l) port insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)

Rigging station behind helm chair w/freshwater sink, insulated bait box w/ob drain & lockable drawers

Rod holders (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - Deluxe II horizontally and vertically adjustable helm & companion chairs

Seating - fold away aft bench seat w/cushion

Seating - foredeck cushions

Seating - port livewell cushion

Seating - starboard tackle station cushion

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Stern eyes - heavy-duty 316 stainless steel

Storage - aft deck lift out box

Storage - forward anchor locker w/rode storage

Storage - lockable electronics box

Storage - lockable storage under helm & companion seats

Storage - under step compartment

Transducer mounting flats

Transom door - fiberglass

Washdown - freshwater

Washdown - pressurized raw water w/hose (forward & aft)

Windshield - ventilated tempered glass windshield

Windshield washer - freshwater (starboard)

Windshield wipers

##### Cabin

Accessory outlet - 12V  
Berth - aft double berth  
Berth - forward vee berth  
Forward hatch - low profile acrylic hatch w/screen & shade  
Galley - port side galley w/sink, light & Corian® cutting board  
Head - enclosed head area w/stainless steel sink, shower, lamp & VacuFlush® marine head w/10-gallon (37.9 l) holding tank & pump out  
Lighting - dome lights (2)  
Lighting - reading (3)  
Lockable door w/screen & companionway hatch  
Microwave oven  
Mirror  
Refrigerator  
Rod storage - aft berth  
Rod storage racks (6)  
Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready; speakers - cabin (2), cockpit (2) & helm (2)  
Storage - galley cabinet & counter  
Storage - under berth compartments  
Storage nets  
Stove - electric glass top  
Table - cherry  
Teak and holly sole  
Water heater - 6-gallon (22.7 l), 120V  
Water tank - 32-gallon (121.1 l) freshwater  
Window - aft berth window w/screen  
Windows - tinted frameless acrylic w/curtains (2)

#### OPTIONAL FEATURES

Air conditioning - 8000 BTU in cabin  
Bow thruster  
CE certification package  
Cockpit shower w/hot water  
Flatscreen 19" LCD TV w/DVD player & audio visual inputs  
Generator - 4 kW diesel, 12-gallon (45.4 l) fuel capacity  
Hardtop top-mounted rod holders (5)  
International AC electrical conversion - 220V 50Hz  
Lighting - underwater LED (2)  
Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted  
Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out)  
Painted hull  
Rod storage - folding cabin rack (4)  
Seating - companion bench seat  
Seating - Deluxe III helm chair w/flip-up bolster  
Seating - Deluxe III helm & companion chairs w/flip-up bolsters  
Seating - side mount cockpit bench seat (available port & starboard)  
Sirius satellite radio system  
Steering - power assist (standard w/TF300 & TF350 pkgs)  
Storage - lockable electronics box



## Express 305

### 30' Express Cabin

**Beam Amidships: 10'7" (3.23 m)**

**Bridge Clearance w/Hardtop: 9'9" (2.97 m)**

**Center Line Length: 30'6" (9.30 m)**

**Cockpit Area: 63 sq. ft. (5.9 m<sup>2</sup>)**

**Cockpit Depth: 28" (0.71 m)**

**Hull Draft: 23" (0.58 m)**

**Length Overall (w/pulpit): 32'7" (9.93 m)**

**Maximum HP: 700 (522 kW)**

**Outboard Shaft Length: 25" (0.64 m)**

**Standard Fuel Capacity: 290 gal. (1098 l)**

**Transom Width: 9'6" (2.90 m)**

**Weight w/o Engines: 8850 lb. (4014 kg)**

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)  
Basic flotation  
Bow rail - 316 grade stainless steel  
Cockpit toe rails  
Companion grab rail  
Fire extinguisher holder  
Nonskid fiberglass liner  
Self-bailing cockpit w/cockpit drains (6)  
Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
Accessory outlet - 12V (2)  
Anchor windlass w/remote switches at helm & windlass  
Batteries (4)  
Battery charger system  
Battery select switches w/extra batteries  
Bow pulpit w/roller  
Cleats  
Cockpit bolsters  
Cockpit freshwater shower (recessed) (2)  
Cockpit lights - LED lighting  
Compass  
Cooler - 73-qt. (69.1 l) port insulated cooler w/ob drain  
Deck hardware - 316 grade stainless steel through-bolted  
Dockside power w/galvanic isolator  
Drink holders - stainless steel (14)  
Factory engine pre-rigging  
Fighting chair reinforcement  
Fish box - 304-qt. (287.7 l) aft insulated fish box w/ob drain  
Footrests - helm & companion (adjustable)

##### Freshwater level indicator

Fuel capacity - 290 gallons (151-gallon tank, 139-gallon tank) (1098 l)  
Hardtop w/flush mount radio box, storage nets, spreader lights, speakers (2), rod holders (6), outrigger plates & drop, front and side curtains (navy or ivory)  
Hydraulic trim tabs w/indicator & retractor  
Integrated outboard mounting system w/swim platform & ladder  
International lighting  
Livewell - 32-gallon (121.1 l) starboard insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)  
Rod holders (4)  
Rod storage racks - horizontal (6)  
Rubrail - high density PVC w/stainless steel insert  
Seating - companion bench seat  
Seating - Deluxe II horizontally and vertically adjustable helm chair  
Seating - fold away aft bench seat w/cushion  
Seating - port cooler cushion w/footrest  
Steering - hydraulic tilt  
Steering wheel - 316 grade stainless steel  
Stern eyes - heavy-duty 316 stainless steel  
Storage - electromechanically operated electronics enclosure  
Storage - forward anchor locker w/rode storage  
Storage - lockable storage under companion seat  
Transducer mounting flats  
Transom door - fiberglass  
Washdown - freshwater  
Washdown - pressurized raw water w/hose (forward & aft)  
Windshield - ventilated tempered glass windshield  
Windshield washer - freshwater  
Windshield wiper

##### Cabin

Accessory outlet - 12V  
Berth - aft double berth  
Berth - forward vee berth  
Forward hatch - low profile acrylic hatch w/screen & shade  
Galley - port side galley w/sink, Corian® cutting board & light  
Head - enclosed head area w/stainless steel sink, shower, lamp & VacuFlush® marine head w/10-gallon (37.9 l) holding tank & pump out  
Lighting - dome lights (4)  
Lighting - recessed (3)  
Lighting - reading (2)  
Lockable door w/screen & companionway hatch  
Microwave oven  
Mirror  
Refrigerator  
Rod storage - aft berth  
Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready; speakers - cabin (2) & cockpit (2)  
Storage - galley cabinet & counter  
Storage - under berth compartments  
Storage nets  
Stove - electric glass top  
Table - cherry  
Teak and holly sole  
Water heater - 6-gallon (22.7 l), 120V  
Water tank - 32-gallon (121.1 l) freshwater

##### OPTIONAL FEATURES

Air conditioning - 8000 BTU in cabin

##### Bow thruster

CE certification package  
Cockpit shower w/hot water  
Flat screen 19" LCD TV w/DVD player & audio visual inputs  
Generator - 4 kW diesel, 12-gallon (45.4 l) fuel capacity  
Hardtop top-mounted rod holders (6)  
International AC electrical conversion - 220V 50Hz  
Lighting - underwater LED (2)  
Painted hull  
Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted  
Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out)  
Seating - Deluxe III helm chair w/flip-up bolster  
Seating - side mount cockpit bench seat (available port & starboard)  
Sirius satellite radio system  
Steering - power assist (standard w/TF300 & TF350 pkgs)



## Canyon 306

### 30' Center Console

**Beam Amidships: 10'7" (3.23 m)**

**Bridge Clearance: 7'3" (2.21 m)**

**w/T-top: 9'4" (2.84 m)**

**Center Line Length: 30'6" (9.30 m)**

**Cockpit Area: 75 sq. ft. (7.0 m<sup>2</sup>)**

**Cockpit Depth: 27" (0.69 m)**

**Hull Draft: 21" (0.53 m)**

**Maximum HP: 700 (522 kW)**

**Outboard Shaft Length: 25" (0.64 m)**

**Standard Fuel Capacity: 290 gal. (1098 l)**

**Transom Width: 9'6" (2.90 m)**

**Weight w/o Engines: 6950 lb. (3152 kg)**

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (total 2600 GPH) (9842 LPH)  
Basic flotation  
Bow rail - low profile 316 grade stainless steel  
Cockpit toe rails  
Console grab rail  
Fire extinguisher holder  
Nonskid fiberglass liner  
Self-bailing cockpit w/cockpit drains (4)  
Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
Anchor windlass w/remote switches at helm & windlass  
Battery select switches w/extra battery  
Cleats - flush mount (pop up)  
Cockpit bolsters  
Cockpit freshwater shower (recessed)  
Cockpit lights - LED lighting  
Cutting board  
Deck hardware - 316 grade stainless steel through-bolted  
Drink holders - stainless steel (7)  
Factory engine pre-rigging  
Fish box - 150-qt. (142 l) port & starboard insulated fish boxes w/ob drain  
Fish box - 304-qt. (287.7 l) aft insulated fish box w/ob drain  
Forward bolsters  
Fuel capacity - 290 gallons (150-gallon tank, 140-gallon tank) (1098 l)  
Hydraulic trim tabs w/indicator & retractor  
Integrated outboard mounting system w/swim platform & ladder  
International lighting  
Rod holders (6)  
Rod storage - lockable horizontal storage for 6 rods  
Rubrail - high density PVC w/stainless steel insert  
Seating - fold away aft bench seat w/cushion

Seating - port & starboard fish box cushions  
Stern eyes - heavy-duty 316 stainless steel  
Storage nets  
Transducer mounting flats  
Transom door - fiberglass  
Washdown - freshwater  
Washdown - pressurized raw water w/hose  
Water tank - 32-gallon (121.1 l) freshwater

##### Console

Accessory outlet - 12V (2)  
Compass  
Console ventilator  
Drink holders - stainless steel (2)  
Head - lockable console w/stand up head area, dome light, shower, sink, bulk storage drawers & marine head w/macerator, 10-gallon (37.9 l) holding tank and pump out  
Seating - molded forward console seat w/cushion  
Steering - hydraulic tilt  
Steering wheel - 316 grade stainless steel  
Storage - electromechanically operated electronics enclosure  
Storage - lockable acrylic console door  
Storage - under footrest  
Window - opening window w/screen  
Windshield - tempered glass windshield  
Windshield washer - freshwater  
Windshield wiper

##### Deluxe Lean Bar

Footrests  
Livewell - 47-gallon (177.9 l) insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)  
Rigging station - freshwater sink w/pullout faucet & insulated bait box  
Rod holders (2)  
Seating - lean bar mounted Deluxe II horizontally and vertically adjustable helm chairs (2)  
Storage - lockable bulk storage  
Storage - lockable tackle trays

##### OPTIONAL FEATURES

Bow thruster  
Casting platform insert w/cushions  
CE certification package  
Convenience package - battery charger & dockside power w/galvanic isolator  
Head - marine head w/electric flush (10-gallon) (37.9 l)  
Lighting - underwater LED (2)  
Outrigger kit - 15-ft. (4.6 m) radial T-top mounted (requires T-top option)  
Painted hull  
Painted T-top frame (requires T-top option)  
Seating - lean bar mounted Deluxe III helm chairs w/footrests & flip-up bolsters (2)  
Sirius satellite radio system  
Steering - power assist (standard w/TF300 & TF350 pkgs)  
Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready; speakers - console forward (2) & lean bar (2)  
T-top (fiberglass) w/radio box, dome light, storage net, fore/aft spreader lights, rod holders (4) & outrigger plates  
T-top speakers (2) (requires stereo & T-top options)  
Table (bow)

##### CANVAS OPTIONS

(Available in ivory or navy)  
T-top front, side & wing curtains



## Freedom 307

30' Dual Console

**Beam Amidships: 10'7" (3.23 m)**

**Bridge Clearance: 6'11" (2.11 m)**

**w/Hardtop: 8'10" (2.69 m)**

**Center Line Length: 30'6" (9.30 m)**

**Cockpit Area: 80 sq. ft. (7.4 m<sup>2</sup>)**

**Cockpit Depth: 27" (0.69 m)**

**Hull Draft: 22" (0.56 m)**

**Maximum HP: 700 (522 kW)**

**Outboard Shaft Length: 25" (0.64 m)**

**Standard Fuel Capacity: 206 gal. (780 l)**

**Transom Width: 9'6" (2.90 m)**

**Weight w/o Engines: 7850 lb. (3561 kg)**

### STANDARD FEATURES

#### Safety

2 automatic bilge pumps (2600 GPH) (9842 LPH)  
Basic flotation  
Bow rail - low profile 316 grade stainless steel  
Cockpit toe rails  
Fire extinguisher holder  
Nonskid fiberglass liner  
Self-bailing cockpit w/cockpit drains (6)  
Stainless steel through-hull fittings

#### Cockpit & Deck

100% hand laid hull & deck  
Accessory outlet - 12V (2)  
Anchor windlass  
Battery select switches w/extra batteries  
Cleats - flush mount (pop up)  
Cockpit bolsters  
Cockpit freshwater shower (recessed)  
Cockpit lights - LED lighting  
Companion grab rail  
Compass  
Cutting board  
Deck hardware - 316 grade stainless steel through-bolted  
Drink holders - stainless steel (17)  
Factory engine pre-rigging  
Fish/ice box - 150-qt. (141.9 l) starboard insulated box w/ob drain  
Fish/ice box - 251-qt. (237.5 l) aft insulated box w/ob drain  
Footrests - helm & companion  
Forward bolsters  
Fuel capacity - 206-gallon (780 l) tank  
Head - lockable console w/stand up head area, sink, bulk storage & marine head w/macerator, 10-gallon (37.9 l) holding tank and pump out  
Hydraulic trim tabs w/indicator & retractator  
Integrated outboard mounting system w/swim platform & ladder

International lighting  
Rod holders (4)  
Rod storage racks - horizontal (3)  
Rubrail - high density PVC w/stainless steel insert  
Seating - electric extendable port lounge seat  
Seating - electronically-adjustable helm bench seat  
Seating - fold away aft bench seat w/cushion  
Seating - port & starboard bow box cushions  
Steering - hydraulic tilt  
Steering wheel - 316 grade stainless steel  
Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready; speakers - aft (2), bow (2) & helm (2)  
Stern eyes - heavy-duty 316 stainless steel  
Storage - aft box  
Storage - forward anchor locker w/rode storage  
Storage - port bow box  
Storage - starboard console storage drawer  
Storage - starboard lockable storage area w/service light  
Table - bow (doubles in cockpit area)  
Transom door - fiberglass  
Washdown - freshwater  
Washdown - pressurized raw water w/hose  
Water tank - 32-gallon (121.1 l) freshwater  
Wet bar w/sink, storage drawers, trash bin, drink holders (2) & fire extinguisher holder (integrated with electronically adjustable helm seat)  
Windshield - walk-through tempered glass windshield  
Windshield washer - freshwater  
Windshield wiper (starboard)

### OPTIONAL FEATURES

Air conditioning - 3500 BTU at helm  
Bow thruster  
CE certification package  
Convenience package - battery charger & dockside power w/galvanic isolator  
Grill - 1300W w/power inverter & refrigerator (package)  
Hardtop w/radio box, storage net, speakers (2 in lieu of helm), spreader lights & outrigger plates  
Hardtop top-mounted rod holders (requires hardtop option)  
Head - marine head w/electric flush (10-gallon) (37.9 l)  
International AC electrical conversion - 220V 50Hz  
Lighting - underwater LED (2)  
Livewell - 32-gallon (121.1 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)  
Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted (requires hardtop option)  
Painted hardtop frame (requires hardtop option)  
Painted hardtop mounted rod holders (requires rod holder option)  
Painted hull  
Seating - folding cockpit seat  
Seating - side mount cockpit bench seat (available port & starboard)  
Seating - sleeper seat (starboard)  
Sirius satellite radio system  
Ski pylon  
Steering - power assist (standard w/TF300 & TF350 pkgs)  
Sun platform insert w/cushion

### CANVAS OPTIONS

(Available in ivory or navy)  
Aft curtain (hardtop or vista top)  
Bow cover w/zipper  
Drop curtain (hardtop or vista top)  
Hardtop front & side curtains  
Lounge seat cover  
Tonneau cover  
Vista top w/front & side curtains  
Wet bar cover



## Express 330

33' Express Cabin

**Beam Amidships: 11'7" (3.53 m)**

**Bridge Clearance w/Hardtop: 9'10" (3 m)**

**Center Line Length: 33'6" (10.21 m)**

**Cockpit Area: 80 sq. ft. (7.4 m<sup>2</sup>)**

**Cockpit Depth: 29" (0.74 m)**

**Hull Draft: 25" (0.64 m)**

**Length Overall (w/pulpit): 35'10" (10.92 m)**

**Maximum HP: 700 (522 kW)**

**Outboard Shaft Length: 25" (0.64 m)**

**Standard Fuel Capacity: 350 gal. (1325 l)**

**Transom Width: 10'6" (3.20 m)**

**Weight w/o Engines: 10,840 lb. (4917 kg)**

### STANDARD FEATURES

#### Safety

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH)  
Basic flotation  
Bow rail - 316 grade stainless steel  
Cockpit toe rails  
Companion grab rail  
Nonskid fiberglass liner  
Self-bailing cockpit w/cockpit drains (6)  
Stainless steel through-hull fittings

#### Cockpit & Deck

100% hand laid hull & deck  
Accessory outlet - 12V (2)  
Anchor windlass w/remote switches at helm & windlass  
Batteries (4)  
Battery charger system  
Battery select switches w/extra batteries  
Bow pulpit w/roller  
Cleats  
Cockpit bolsters  
Cockpit freshwater shower (recessed)  
Cockpit lights - LED lighting  
Compass  
Cooler - 56-qt. (53 l) port helm seat cooler  
Deck hardware - 316 grade stainless steel through-bolted  
Dockside power w/galvanic isolator  
Drink holders - stainless steel (8)  
Factory engine pre-rigging  
Fighting chair reinforcement  
Fish box - 254-qt. (240.4 l) aft insulated fish box w/ob drain  
Footrest - helm (adjustable)  
Fuel capacity - 350 gallons (150-gallon tank, 200-gallon tank) (1325 l)  
Generator - 4kW diesel, 12-gallon (45.4 l) fuel capacity  
Hardtop w/radio box, storage net, spreader lights, rod holders (6), outrigger plates, low profile acrylic hatch & drop, front and side curtains (navy or ivory)

Hydraulic trim tabs w/indicator & retractator  
Integrated outboard mounting system w/swim platform & ladder  
International lighting  
Livewell - 45-gallon (170.3 l) starboard insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)  
Rigging station w/freshwater sink & pullout faucet  
Rod holders (4)  
Rod storage racks - horizontal (4)  
Rubrail - high density PVC w/stainless steel insert  
Seating - Deluxe II horizontally and vertically adjustable helm chair  
Seating - fold away aft bench seat w/cushion  
Seating - helm area surround seat  
Steering - hydraulic tilt  
Steering wheel - 316 grade stainless steel  
Stern eyes - heavy-duty 316 stainless steel  
Storage - aft deck lift out box  
Storage - electromechanically operated electronics enclosure  
Storage - forward anchor locker w/rode storage  
Storage - under helm area surround seating  
Storage nets  
Transom door - fiberglass  
Washdown - freshwater  
Washdown - pressurized raw water w/hose (forward & aft)  
Windshield - ventilated tempered glass windshield  
Windshield washer - freshwater  
Windshield wiper

### Cabin

Accessory outlet - 12V  
Air conditioning - 12,000 BTU  
Berth - aft double berth  
Berth - forward vee berth  
Flat screen 19" LCD TV w/DVD player & audio visual inputs  
Forward hatch - low profile acrylic hatches w/retractable screen, shade & curtains (2)  
Galley - port side galley w/sink, light & Corian® cutting board  
Head - enclosed ventilated head area w/sink, shower, lamps, storage cabinet & VacuFlush® marine head w/10-gallon (37.9 l) holding tank and pump out  
Lighting - dome lights (4)  
Lighting - reading  
Lighting - recessed (2)  
Lockable door w/screen & companionway hatch  
Microwave oven  
Mirrors  
Refrigerator  
Rod storage racks  
Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready; speakers - cabin (2), cockpit (2) & helm (2)  
Storage - cherry galley cabinets  
Storage - under berth compartments  
Storage nets  
Stove - electric glass top  
Table - cherry

Visit [www.gradywhite.com](http://www.gradywhite.com) for the very latest specifications, performance reports, magazine reviews, virtual tours, additional photos and more detailed information on every Grady-White model.

Teak and holly sole  
Water heater - 6-gallon (22.7 l), 120V  
Water tank - 44-gallon (166.6 l) freshwater

#### OPTIONAL FEATURES

Air conditioning - 12,000 BTU at helm  
Bow thruster  
CE certification package  
Cockpit shower w/hot water  
Freezer - refrigerator/freezer fish box w/digitally controlled thermostat & ob drain  
Hardtop enclosure - integrated painted aluminum frame w/safety glass windshield and side windows, storage net, recessed spreader lights, recessed stereo speakers, rod holders (6), low profile acrylic hatches (2), integrated hand holds & canvas (ivory)  
International AC electrical conversion - 220V 50Hz  
Lighting - underwater LED (3)  
Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted  
Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out)  
Painted hull  
Seating - Deluxe III helm chair w/flip-up bolster  
Seating - Deluxe Platinum vertically & horizontally adjustable helm chair w/flip-up bolster  
Seating - side mount cockpit bench seat (available port & starboard)  
Sirius satellite radio system  
Steering - power assist (standard w/TF300 & TF350 pkgs)

## Freedom 335

### 33' Dual Console

**Beam Amidships: 11'7" (3.53 m)**  
**Bridge Clearance: 9'8" (2.95 m)**  
**Center Line Length: 33'6" (10.21 m)**  
**Cockpit Area: 83 sq. ft. (7.7 m<sup>2</sup>)**  
**Cockpit Depth: 29" (0.74 m)**  
**Hull Draft: 26" (0.66 m)**  
**Maximum HP: 700 (533 kW)**  
**Outboard Shaft Length: 25" (0.64 m)**  
**Standard Fuel Capacity: 312 gal. (1181 l)**  
**Transom Width: 10'6" (3.20 m)**  
**Weight w/o Engines: 11,900 lb. (5398 kg)**

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH)  
Basic flotation  
Bow rail - low profile 316 grade stainless steel  
Cockpit toe rails  
Console grab rails  
Nonskid fiberglass liner  
Self-bailing cockpit w/cockpit drains (6)  
Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
Accessory outlet - 12V (4)  
Anchor windlass  
Batteries (4)  
Battery charger system  
Battery select switches w/extra battery  
Cleats - flush mount (pop up)  
Cockpit bolsters  
Cockpit freshwater shower (recessed)  
Cockpit lights - LED lighting

Companion grab rail  
Compass  
Cooler - 120-qt. (114 l) aft cooler  
Cutting board  
Deck hardware - 316 grade stainless steel through-bolted  
Dockside power w/galvanic isolator  
Drink holders (20)  
Factory engine pre-rigging  
Fish/ice box - 166-qt. (157 l) aft insulated box w/ob drain  
Fish/ice box - 230-qt. (218 l) starboard bow insulated box w/ob drain  
Flush mount electronics area  
Footrest - helm  
Forward bolsters  
Fuel capacity - 312-gallon (1,181 l) tank  
Hardtop w/storage net, spreader lights, down lights, hatches (2), outrigger plates & drop, front and side curtains (ivory)  
Hydraulic trim tabs w/indicator & retractor  
Integrated outboard mounting system w/swim platform & ladder  
International lighting  
Rod holders (4)  
Rod storage racks - horizontal (6)  
Rubrail - high density PVC w/stainless steel insert  
Seating - electronically adjustable sliding cockpit seat w/storage & fold down Corian®-topped wood-grain table  
Seating - electronically adjustable helm seat  
Seating - fold away aft bench seat w/cushion  
Seating - port & starboard bow cushions  
Seating - wraparound companion bench seat  
Steering - hydraulic tilt w/power assist  
Steering wheel - 316 grade stainless steel  
Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready; speakers - aft (2), bow (2), cabin console (2) & helm (2)  
Stern eyes - heavy-duty 316 stainless steel

Storage - forward anchor locker w/rode storage  
Storage - port bow drawer  
Storage - port box under wraparound companion bench seat  
Table (2) - Corian®-topped wood-grain stowable table at bow & wraparound companion bench seat  
Transom door - fiberglass  
Washdown - freshwater  
Washdown - pressurized raw water  
Water tank - 44-gallon (167 l) freshwater  
Wet bar w/refrigerator, sink, storage drawers, trash bin, drink holders (2) & fire extinguisher holder (integrated with electronically operated helm seat)  
Windshield - walk-through tempered glass windshield  
Windshield wipers (port & starboard)

#### Console Interiors

Cherry and holly soles  
Portside cabin console w/electronically operated sliding bunk, bench seat, closet, drawers, mirror, lighting, tinted screened window & bulk storage  
Starboard console w/VacuFlush® head (10-gallon) (38 l), shower, sink, drawers, lighting & bulk storage

#### OPTIONAL FEATURES

Air conditioning - 16,000 BTU at helm  
Air conditioning - 8,000 BTU in portside cabin console w/additional outlet in starboard console  
Bow thruster  
CE certification package  
Cockpit side door  
Flatscreen 19" LCD TV w/DVD player & audio visual inputs  
Freezer-refrigerator/freezer aft fish box w/digitally controlled thermostat & ob drain  
Generator - 4 kW diesel, 12-gallon (45.4 l) fuel capacity

Grill - 1300W (requires generator or inverter option to power away from dock)  
Hardtop leg mounted rod holders (6)  
International AC electrical conversion 220V  
Lighting - underwater LED (3)  
Livewell - 30-gallon (114 l) aft insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH) (replaces cooler)  
Microwave  
Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted  
Painted hardtop frame  
Painted hardtop mounted rod holders  
Painted hull  
Power inverter for grill  
Seating - side mount cockpit bench seat (available port & starboard)  
Sirius satellite radio system  
Ski pylon  
Sun platform insert w/cushion  
Water heater - 6-gallon (22.7 l) (includes hot water cockpit shower)

#### CANVAS OPTIONS

(Available in ivory)  
Bow cover w/zipper  
Hardtop clear2sea™ canvas upgrade  
Sureshade® retractable hardtop shade with Sunbrella® canvas (tan)  
Tonneau cover  
Wet bar cover





## Canyon 336

### 33' Center Console

**Beam Amidships: 11'7" (3.53 m)**

**Bridge Clearance: 8' (2.44 m)**

**w/T-top: 9'2" (2.79 m)**

**Center Line Length: 33'6" (10.21 m)**

**Cockpit Area: 80 sq. ft. (7.4 m<sup>2</sup>)**

**Cockpit Depth: 29" (0.74 m)**

**Hull Draft: 25" (0.64 m)**

**Maximum HP: 700 (522 kW)**

**Outboard Shaft Length: 25" (0.64 m)**

**Standard Fuel Capacity: 350 gal. (1325 l)**

**Transom Width: 10'6" (3.20 m)**

**Weight w/o Engines: 9200 lb. (4173 kg)**

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (total 3000 GPH) (11356 LPH)  
Basic flotation  
Bow rail - low profile 316 grade stainless steel  
Cockpit toe rails  
Console grab rail (2)  
Fire extinguisher holder  
Nonskid fiberglass liner  
Self-bailing cockpit w/cockpit drains (6)  
Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
Anchor windlass w/remotes switches at helm & windlass  
Battery charger  
Battery select switches w/extra batteries  
Cleats - flush mount (pop up)  
Cockpit bolsters  
Cockpit freshwater shower (recessed)  
Cockpit lights - LED lighting  
Cutting boards (2)  
Deck hardware - 316 grade stainless steel through-bolted  
Dockside power w/galvanic isolator  
Drink holders - stainless steel (7)  
Factory engine pre-rigging  
Fish box - 165-qt. (156.1 l) port & starboard insulated fish boxes w/ob drain  
Fish box - 291-qt. (275.4 l) aft insulated fish box w/ob drain  
Forward bolsters  
Fuel capacity - 350 gallons (1325 l)  
Hydraulic trim tabs w/indicator & retractor  
Integrated outboard mounting system w/swim platform & ladder  
International lighting  
Rod holders (6)  
Rod storage racks - horizontal (6)  
Rubrail - high density PVC w/stainless steel insert  
Seating - fold away aft bench seat w/cushion

Seating - port & starboard fish box cushions  
Stern eyes - heavy-duty 316 stainless steel  
Storage - aft transom drop in box  
Storage - forward anchor locker w/rode storage  
Storage nets  
Transom door - fiberglass  
Washdown - freshwater  
Washdown - pressurized raw water w/hose (2 outlets)  
Water tank - 44-gallon (166.6 l) freshwater

##### Console

Accessory outlet - 12V (2)  
Berth  
Compass  
Console ventilator  
Drink holders - stainless steel (3)  
Head - lockable console w/stand up head area, dome light, shower, sink, bulk storage, drawers & VacuFlush<sup>®</sup> head, 10-gallon (37.9 l) holding tank and pump out  
Rod storage - vertical lockable storage for 6 rods  
Seating - molded forward console seat w/cushion (3)  
Steering - hydraulic tilt  
Steering wheel - 316 grade stainless steel  
Stereo system w/MP3/auxiliary audio connections/amplifier & fold down storage - satellite ready; speakers - console forward (2) & helm (2)  
Storage - electromechanically operated electronics enclosure  
Storage - lockable acrylic console door  
Storage - under footrest  
Storage pockets (3)  
Window - opening window w/screen  
Windshield - tempered glass windshield  
Windshield washer - freshwater  
Windshield wiper

##### Deluxe Lean Bar

Knife & pliers holders (2)  
Livewell - 45-gallon (170.3 l) insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)  
Rigging station - lean bar station w/freshwater washdown & 104-qt. (98.4 l) cooler  
Rod holders (6)  
Seating - lean bar mounted Deluxe III helm chairs w/footrest & flip-up bolsters (3)  
Storage - lockable bulk storage  
Storage - lockable tackle drawers

##### OPTIONAL FEATURES

Air conditioning - 6,000 BTU in console w/2 outlets at helm  
Bow thruster  
Casting platform insert w/cushions  
CE certification package  
Freezer - refrigerator/freezer fish box w/digitally controlled thermostat & ob drain  
Generator - 4kW diesel, 12-gal. (45.4 l) fuel capacity  
International AC electrical conversion - 220V 50Hz  
Lighting - underwater LED (3)  
Livewell - 26-gal. (98.4 l) livewell (replaces lean bar cooler)  
Microwave  
Outtrigger kit - 15-ft. (4.6 m) radial T-top mounted (requires T-top option)  
Painted hull  
Painted lean bar rod holders

Painted T-top frame (requires T-top option)  
Sirius satellite radio system  
Steering - power assist (standard w/TF300 & TF350 pkgs)  
T-top (fiberglass) w/radio box, antenna flats, dome light, storage net, fore/aft spreader lights, rod holders (5), outtrigger plates & stereo speakers (2)  
Table (bow)  
Water heater - 6 gal. (22.7 l) (includes hot water cockpit shower)

##### CANVAS OPTIONS

(Available in ivory or navy)  
T-top front, side & wing curtains



## Express 360

### 36' Express Cabin

**Beam Amidships: 13'2" (4.01 m)**

**Bridge Clearance w/Hardtop: 10'6" (3.20 m)**

**Center Line Length: 36'7" (11.15 m)**

**Cockpit Area: 96 sq. ft. (8.9 m<sup>2</sup>)**

**Cockpit Depth: 28" (0.71 m)**

**Hull Draft: 29" (0.74 m)**

**Length Overall (w/pulpit): 39'3" (11.96 m)**

**Maximum HP: 1050 (783 kW)**

**Outboard Shaft Length:**

**Port & Starboard Engines: 25" (0.64 m)**

**Center Engine: 30" (0.76 m)**

**Standard Fuel Capacity: 370 gal. (1401 l)**

**Transom Width: 11'4" (3.45 m)**

**Weight w/o Engines: 14,919 lb. (6767 kg)**

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH)  
Basic flotation  
Bow rail - 316 grade stainless steel  
Cockpit toe rails  
Companion hand rails  
Fire extinguisher holder  
Nonskid fiberglass surfaces  
Self-bailing cockpit w/cockpit drains (6)  
Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
Accessory outlet - 110V outlet  
Accessory outlet - 12V (2)  
Air conditioning - 16,000 BTU at helm  
Anchor windlass w/chain & rode w/remotes switches at helm & windlass  
Batteries (5)  
Battery charger system (2)  
Battery select switches w/extra batteries  
Bow pulpit w/roller  
Bow thruster  
Cleats  
Cockpit bolsters  
Cockpit freshwater shower (recessed) (hot & cold)  
Cockpit lights - LED lighting  
Compass w/light  
Cooler - 55-qt. (52.0 l) port side refrigerator/freezer cooler w/digitally controlled thermostat & ob drain  
Deck hardware - 316 grade stainless steel through-bolted  
Dockside power w/galvanic isolator & 30 amp service outlets w/shore power cords (2)  
Dockside water inlet

Drink holders - stainless steel (10)  
Factory engine pre-rigging  
Fighting chair reinforcement area  
Fish box - 291-qt. (275.4 l) aft refrigerator/freezer fish box w/digitally controlled thermostat & ob drain  
Footrest - helm  
Fuel capacity - 370 gallons (190-gallon tank, 180-gallon tank) (1401 l)  
Generator - 8 kW diesel, 23-gallon (87.1 l) fuel capacity  
Hardtop w/storage net, recessed spreader lights, recessed stereo speakers, rod holders (6 horizontal, 6 vertical), outtrigger plates, low profile acrylic hatches (2) & drop, front and side curtains (navy or ivory)  
Hydraulic trim tabs (recessed) w/indicator & retractor  
Integrated outboard mounting system w/swim platform & stainless steel telescoping ladder  
International lighting  
Livewell - 48-gallon (181.7 l) starboard insulated raw water livewell w/light, full column distribution inlet & ob drain (1100 GPH pump) (4164 LPH)  
Rigging station w/freshwater sink, pullout faucet, insulated bait box, knife/pliers/bait rigs holder & lockable drawers (4)

##### ROD HOLDERS (4)

Rod storage racks - horizontal (6)  
Rubrail - high density PVC w/stainless steel insert  
Seating - Deluxe Platinum vertically & horizontally adjustable helm chair w/flip-up bolster  
Seating - fold away aft bench seat w/cushion  
Seating - port lounge seat w/enclosed storage below  
Seating - starboard lounge seat w/convertible configurations & hideaway folding table  
Steering - hydraulic tilt w/power assist  
Steering wheel - 15-in. (38.1 cm) 316 grade stainless steel  
Stern eyes - heavy-duty 316 stainless steel  
Storage - chart storage at helm  
Storage - drawers under starboard seat (2)  
Storage - electromechanically operated electronics enclosure  
Storage - removable transom storage bin  
Storage - under helm footrest  
Storage net  
Transom door - fiberglass  
Washdown - freshwater  
Washdown - pressurized raw water w/hose (forward & aft)  
Windshield - heavy duty welded aluminum windshield w/tempered glass & electromechanically operated center vent  
Windshield washers - freshwater (3)  
Windshield wipers - self parking w/heavy-duty pantograph arms w/separate controls (3)



## Canyon 366

### 36' Center Console

**Beam Amidships: 13'2" (4.01 m)**

**Bridge Clearance w/T-top: 9' (2.74 m)**

**Center Line Length: 36' 7" (11.15 m)**

**Cockpit Area: 85 sq. ft. (7.9 m<sup>2</sup>)**

**Cockpit Depth: 28" (0.71 m)**

**Hull Draft: 29" (0.74 m)**

**Maximum HP: 1050 (783 kW)**

**Outboard Shaft Length:**

**Port & Starboard Engines: 25" (0.64 m)**

**Center Engine: 30" (0.76 m)**

**Standard Fuel Capacity: 420 gal. (1590 l)**

**Transom Width: 11'4" (3.45 m)**

**Weight w/o Engines: 12,850 lb. (5829 kg)**

#### STANDARD FEATURES

##### Safety

2 automatic bilge pumps (total 3000 GPH) (11,356 LPH)  
Basic flotation  
Bow rail - low profile 316 stainless steel  
Cockpit toe rails  
Console grab rail (2)  
Fire extinguisher holder  
Lean bar grab rails (2)  
Nonskid fiberglass liner  
Self-bailing cockpit w/cockpit drains (6)  
Stainless steel through-hull fittings

##### Cockpit & Deck

100% hand laid hull & deck  
Anchor windlass w/remote switches at helm & windlass  
Battery charger  
Battery select switches w/extra batteries  
Bow thruster  
Cleats - flush mount (pop up)  
Cockpit bolsters  
Cockpit freshwater shower (recessed)  
Cockpit lights - LED lighting  
Cutting board  
Deck hardware - 316 grade stainless steel through-bolted  
Dockside power w/galvanic isolator  
Drink holders - stainless steel (6)  
Factory engine pre-rigging  
Fish box - 263-qt. (248.9 l) port & starboard insulated fish boxes w/ob drain  
Fish box - 291-qt. (275.4 l) aft insulated fish box w/ob drain  
Forward bolsters  
Fuel capacity - 420 gallons (1589.8 l)  
Hydraulic trim tabs w/indicator & retractor  
Integrated outboard mounting system w/swim platform & ladder  
Lighting - international LED  
Rod holders (10)

#### OPTIONAL FEATURES

CE certification package  
Hardtop enclosure - integrated painted aluminum frame w/safety glass windshield and side windows, storage net, recessed spreader lights, recessed stereo speakers, rod holders (6), low profile acrylic hatches (2), integrated hand holds & canvas (navy or ivory)  
International AC electrical conversion - 220V (50Hz)  
Lighting - underwater LED (2)  
Outrigger kit - 15-ft. (4.6 m) radial hardtop mounted  
Outrigger kit - 24-ft. (7.3 m) Lee Pro Series (lay out)  
Painted hull  
Seating - side mount cockpit bench seat (available port & starboard)

#### Cabin

Accessory outlet - 110V duplex outlet (3)  
Accessory outlet - 12V  
Air conditioning - 16,000 BTU  
Berth - aft double berth w/mattress  
Berth - convertible dinette area  
Berth - forward vee berth w/mattress  
Cable TV inlet  
Cherry cedar-lined pullout hanging closet  
Cherry dinette table w/adjustable stainless steel base (seats 4)  
Corian® shelf w/drink holders behind dinette  
Flatscreen 19" LCD TV w/DVD player & audio visual inputs  
Forward hatch - low profile acrylic hatches w/retractable screen shade (2)  
Freezer drawer w/ice maker  
Galley - portside galley w/sinks (2), rail light & Corian® counter top & cutting board  
Head - enclosed ventilated head area w/sink, Corian® counter top, shower, lamps, mirror, storage cabinet, cherry shelves (2) & VacuFlush® marine head w/18-gallon (68 l) holding tank  
Illuminated etched glass in bulkhead  
Lighting - dome light  
Lighting - reading light  
Lighting - recessed (2)  
Lighting - skylight  
Lighting - step lights (2)  
Lockable sliding door w/separate screen door  
Microwave oven - 120V (60Hz)  
Mirror  
Refrigerator  
Rod storage racks - aft berth (6)  
Seating - premium vinyl surface dinette surround cushions  
Sirius satellite service  
Stereo system w/MP3/auxiliary audio connections/amplifier & flip-down storage; speakers - cabin (2), cockpit (2) & helm (2)  
Storage - cabinet w/cherry doors over galley  
Storage - cherry dinette storage cabinet  
Storage - cherry drawers & doors under galley  
Storage - cherry pull out trash container area  
Storage - molded-in fiberglass storage under dinette  
Storage - molded-in fiberglass under berth compartments (3)  
Storage - shelves  
Storage - stacked cherry drawers under forward berth (2)  
Stove - electric glass top  
Teak and holly sole  
Water heater - 11-gallon (41.6 l) 120V  
Water level indicator gauge  
Water tank - 54-gallon (204.4 l) freshwater

Rod storage racks - horizontal (10)  
Rubrail - high density PVC w/stainless steel insert  
Seating - fold away aft bench seat w/cushion  
Seating - port & starboard fish box cushions  
Sirius satellite radio system  
Stern eyes - heavy-duty 316 stainless steel  
Storage - aft transom drop-in box  
Storage - forward anchor locker w/rode storage  
Storage - rod pods with nets, LED lighting & drink holders (4)  
Transom door - fiberglass  
Washdown - freshwater  
Washdown - pressurized raw water w/hose (forward and aft)  
Water tank - 54-gallon (204.4 l) freshwater

#### Console

Accessory outlet - 110V  
Accessory outlet - 12V (2)  
Compass  
Drink holders - stainless steel (4)  
Seating - molded forward console seat w/cushion  
Steering - hydraulic tilt w/power assist  
Steering wheel - 316 grade stainless steel  
Stereo system w/MP3/auxiliary audio connections/amplifier-satellite ready; speakers - aft (2), console (2) & console forward (2)  
Storage - electromechanically operated electronics enclosure  
Storage - lockable acrylic console door  
Storage - under footrest  
T-top - integrated painted aluminum frame w/radio box, LED down lights (4), storage net, LED spreader lights (3), outrigger plates, stereo speakers (2), hatch, & port and starboard wing and drop curtains (ivory)  
Ventilator - solar powered  
Water level indicator gauge  
Window - tinted frameless acrylic  
Windshield - tempered glass, integrated w/T-top  
Windshield washer - freshwater  
Windshield wiper

#### Console Interior

Berth - aft bulk storage  
Berth cushion w/electrically adjustable bolster  
Cherry flooring  
Cherry wall w/mirrored storage cabinet, magazine rack & rigging access  
Drink holders - stainless steel (2)  
Head - stand up head area, shower, storage drawer, sink w/Corian® counter surface & VacuFlush® head w/fold down lid & cushion, 10-gallon (37.9 l) holding tank and pump out  
Lighting - dome light  
Lighting - LED recessed (3)  
Lighting - tinted glass skylight  
Mirror  
Refrigerator  
Rod storage - vertical lockable (5)  
Storage - bulk storage pockets

#### Deluxe Lean Bar

Drink holders - stainless steel (4)  
Footrests - fold down (2)  
Knife & pliers holders (2)  
Livewell - 41-gallon (155.2 l) insulated raw water livewell w/see-through lid, light, full column distribution inlet & ob drain (110 GPH pump) (4164 LPH)

Lure holder  
Rigging station - lean bar station w/freshwater sink & 164-qt. (155.2 l) cooler  
Rod holders (6)  
Seating - lean bar mounted Deluxe III helm chairs w/flip-up bolsters (3)  
Storage - lockable bulk storage  
Storage - lockable tackle drawers

#### OPTIONAL FEATURES

Air conditioning - 6,000 BTU in console w/2 outlets at helm  
Casting platform insert w/cushions  
CE certification package  
Flat screen 19" LCD TV w/DVD player & audio visual inputs  
Freezer - refrigerator/freezer aft fish box w/digitally controlled thermostat & ob drain  
Generator - 4 kW diesel, 23-gal (87 l) fuel capacity  
Grill - 1300 W (replaces lean bar sink) (requires generator to power away from dock)  
International AC electrical conversion - 220V 50Hz  
Lighting - underwater LED (3)  
Livewell - 41-gallon (155.2 l) livewell w/see-through lid (replaces lean bar cooler)  
Microwave  
Outrigger kit - 15-ft. (4.6 m) radial T-top mounted  
Painted hull  
Table - motorized bow table w/cover (converts to forward platform w/cushion)  
Water heater - 6-gallon (22.7 l) (includes hot water cockpit shower)

# The ultimate in boating satisfaction. The ultimate in versatility, ease of use, comfort, safety and convenience.

1. **The bow anchor locker** allows quick access to the anchor for safety. Many models have power windlasses with remote switches.
2. **Flush mount electronics areas** are standard on most models.
3. **Comfortable seating** throughout the boat is second to none. Our deluxe seating is fully adjustable for additional comfort. Flip up seat bolsters are available on many models.
4. **Sound systems** are available on nearly all Gradys. They are standard on our larger models.
5. **Dry storage.** Every Grady has plenty, just what you need to enjoy many activities on the water. Room for tow tools and toys, fishing and dive gear, picnic supplies, towels, extra clothing, personal items and more.
6. **Easy to maintain and clean, stainless steel lined drink holders** are everywhere you need them. Convenient, and fewer slippery spills for safety!
7. **Storage nets** are easy to use, easy to get to and perfect for stowing lots of items you can see and quickly locate, especially personal flotation devices (PFDs) in the bigger nets!
8. **Enclosed head area.** Every Grady-White 20 feet and over offers a head or head option. That's great comfort for all-day adventures.
9. **Toe rails** are easy to maintain and provide additional safety when you lean over the gunwale.
10. **Take the rods along every trip!** There's room for plenty of rods on every Grady-White. Cabin models, T-tops and hardtops often have additional rod racks.
11. **Patented fold away aft seating** is available on most models, opening up more cockpit room. Big cockpits are a Grady-White feature.



Freedom 285  
Shown with optional features

12. **Grady-White's nonskid surfaces** are everywhere you step and really provide traction.
13. **Tackle storage** and rigging areas are located on most models.
14. **Insulated ice boxes and fish boxes** drain directly overboard by gravity on every Grady-White.
15. **Handholds** are where you naturally reach.
16. **Safety windshield** (some models have unbreakable acrylic)
17. **True self-bailing** boat directs water overboard by gravity whether at rest or underway. All scuppers drain overboard. Inspection ports are watertight. All Grady-Whites have automatic bilge pumps, with two pumps on most models over 20 feet. Our dedication to self-bailing cockpit integrity is unparalleled.
18. **All Grady-Whites have foam sprayed into the hull for level or basic flotation**, even though not required in boats 20 feet and over. This foam also adds strength, thermal insulation and deadens sounds. There is no boat brand with better flotation properties.
19. **Through-bolted 316 stainless steel hardware** is secured with locking nuts.
20. **Heavy-duty fiberglass transom door** is not only for big fish, but is a safety feature and provides easy access for tow sports, swimming, snorkeling, and more. Solid, 316 stainless transom door hardware is highlighted by a destroyer-sized latch with a positive locking mechanism for added safety.
21. **Aluminum transom brace** is bonded to the top of outboard transoms, which reinforces transom strength and distributes motor torque. On integrated bracket models, the brace is through bolted to the longitudinal stringer system.

**You're in command. Boat Smart from the Start!** Take a boating education course, and get a vessel safety check for your boat. For more information, contact: U.S. Coast Guard Auxiliary 877-875-6296/800-368-5647 or [www.cgaux.org](http://www.cgaux.org) and U.S. Power Squadrons 888-367-8777 or [www.usps.org](http://www.usps.org).

**\$5.00** ©2012 Grady-White Boats, Inc. • Grady-White Boats, P.O. Box 1527, Greenville, NC 27835 (252) 752-2111 [www.gradywhite.com](http://www.gradywhite.com)

Grady-White Boats, Inc. reserves the right to discontinue models, or change prices, specifications, materials, equipment, colors or designs at any time without incurring obligation. Weight and dimensions of models are approximate and may vary. Thanks to: Jerry Imber Photography; Ray Matthews Photography; Bruce Miller Photography; Chip Henderson Photography; Carder Frutiger, Aperture Studios, Dewane Frutiger/ASAP Photography, Adams and Longino Advertising; and especially to Grady-White owners.

**5-YEAR**  
STRUCTURAL  
HULL WARRANTY

See your dealer for details  
about our warranties.



For smartphones



The NMMA Certified label on a Grady-White boat is your proof it meets, and often exceeds, industry quality and safety standards.

